

## **Evaluating the use of risk assessment frameworks in the identification of population units for biodiversity conservation**

*Erin Liddell<sup>A,B</sup>, Carly N. Cook<sup>A</sup> and Paul Sunnucks<sup>A</sup>*

<sup>A</sup>School of Biological Sciences, Monash University, Clayton, Vic. 3800, Australia.

<sup>B</sup>Corresponding author. Email: [eglid1@student.monash.edu](mailto:eglid1@student.monash.edu), [erin.9liddell@gmail.com](mailto:erin.9liddell@gmail.com)

**Table S1. List of 376 studies assessed for data collection**

Reference
Abalaka, J, Hudin, NS, Ottosson, U, Bloomer, P, Hansson, B (2015) Genetic diversity and population structure of the range restricted rock firefinch <i>Lagonosticta sanguinodorsalis</i> . <i>Conservation Genetics</i> <b>16</b> , 411-418.
Adriaensen, F, Louette, M, Stevens, J, Plompen, W, Verheyen, G (2000) The status of the Forest Fody on Mayotte (Comores). <i>Ostrich</i> <b>71</b> , 330-331.
Aguilar, A, Jessup, DA, Estes, J, Garza, JC (2008) The distribution of nuclear genetic variation and historical demography of sea otters. <i>Animal Conservation</i> <b>11</b> , 35-45.
Alacs, EA, Spencer, PBS, de Tores, PJ, Krauss, SL (2011) Population genetic structure of island and mainland populations of the quokka, <i>Setonix brachyurus</i> (Macropodidae): a comparison of AFLP and microsatellite markers. <i>Conservation Genetics</i> <b>12</b> , 297-309.
Albayrak, T, Gonzalez, J, Drovetski, SV, Wink, M (2012) Phylogeography and population structure of Kruper's Nuthatch <i>Sitta krueperi</i> from Turkey based on microsatellites and mitochondrial DNA. <i>Journal of Ornithology</i> <b>153</b> , 405-411.
Alda, F, Gonzalez, MA, Olea, PP, Ena, V, Godinho, R, Drovetski, SV (2013) Genetic diversity, structure and conservation of the endangered Cantabrian Capercaillie in a unique peripheral habitat. <i>European Journal of Wildlife Research</i> <b>59</b> , 719-728.
Alonso, JC, Martin, CA, Alonso, JA, Palacin, C, Magana, M, Lieckfeldt, D, Pitra, C (2009) Genetic diversity of the great bustard in Iberia and Morocco: risks from current population fragmentation. <i>Conservation Genetics</i> <b>10</b> , 379-390.
Andayani, N, Morales, JC, Forstner, MRJ, Supriatna, J, Melnick, DJ (2001) Genetic variability in mtDNA of the silvery gibbon: Implications for the conservation of a critically endangered species. <i>Conservation Biology</i> <b>15</b> , 770-775.
Anderson, CM, Spellman, GM, Ferrell, CS, Strickler, K, Sarver, SK (2008) Conservation genetics of American Dipper ( <i>Cinclus mexicanus</i> ): the genetic status of a population in severe decline. <i>Conservation Genetics</i> <b>9</b> , 939-944.
Ando, H, Kaneko, S, Suzuki, H, Horikoshi, K, Chiba, H, Isagi, Y (2011) Lack of genetic differentiation among subpopulations of the black-footed albatross on the Bonin Islands. <i>Journal of Zoology</i> <b>283</b> , 28-36.
Ando, H, Ogawa, H, Kaneko, S, Takano, H, Seki, S-I, Suzuki, H, Horikoshi, K, Isagi, Y (2014) Genetic structure of the critically endangered Red-headed Wood Pigeon <i>Columba janthina nitens</i> and its implications for the management of threatened island populations. <i>Ibis</i> <b>156</b> , 153-164.
Arshad, M, Pedall, I, Gonzalez, J, Wink, M, Hatzofe, O, Khan, AA, Osborne, T (2009) Genetic Variation of Four Gyps Species ( <i>Gyps Bengalensis</i> , <i>G. Africanus</i> , <i>G. Indicus</i> And <i>G. Fulvus</i> ) Based on Microsatellite Analysis. <i>Journal of Raptor Research</i> <b>43</b> , 227-236.
Athrey, G, Lance, RF, Leberg, PL (2012) How far is too close? restricted, sex-biased dispersal in black-capped vireos. <i>Molecular Ecology</i> <b>21</b> , 4359-4370.

---

Atickem, A, Rueness, EK, Loe, LE, Serbezov, D, Bekele, A, Stenseth, NC (2013) Population genetic structure and connectivity in the endangered Ethiopian mountain Nyala (*Tragelaphus buxtoni*): recommending dispersal corridors for future conservation. *Conservation Genetics* **14**, 427-438.

Attard, CRM, Beheregaray, LB, Jenner, C, Gill, P, Jenner, M, Morrice, M, Bannister, J, LeDuc, R, Moller, L (2010) Genetic diversity and structure of blue whales (*Balaenoptera musculus*) in Australian feeding aggregations. *Conservation Genetics* **11**, 2437-2441.

Attard, CRM, Beheregaray, LB, Jenner, KCS, Gill, PC, Jenner, MN, Morrice, MG, Robertson, KM, Moller, LM (2012) Hybridization of Southern Hemisphere blue whale subspecies and a sympatric area off Antarctica: impacts of whaling or climate change? *Molecular Ecology* **21**, 5715-5727.

Attard, CRM, Beheregaray, LB, Moller, LM (2016) Towards population-level conservation in the critically endangered Antarctic blue whale: the number and distribution of their populations. *Scientific Reports* **6**, 22291.

Attard, CRM, Beheregaray, LB, Sandoval-Castillo, J, Jenner, KCS, Gill, PC, Jenner, MNM, Morrice, MG, Moller, LM (2018) From conservation genetics to conservation genomics: a genome-wide assessment of blue whales (*Balaenoptera musculus*) in Australian feeding aggregations. *Royal Society Open Science* **5**, 170925.

Austin, JD, Gore, JA, Greene, DU, Gotteland, C (2015) Conspicuous genetic structure belies recent dispersal in an endangered beach mouse (*Peromyscus polionotus trissyllepsis*). *Conservation Genetics* **16**, 915-928.

Baas, P, van der Valk, T, Vigilant, L, Ngobobo, U, Binyinyi, E, Nishuli, R, Caillaud, D, Guschanski, K (2018) Population-level assessment of genetic diversity and habitat fragmentation in critically endangered Grauer's gorillas. *American Journal of Physical Anthropology* **165**, 565-575.

Baden, AL, Holmes, SM, Johnson, SE, Engberg, SE, Louis, EE, Bradley, BJ (2014) Species-level view of population structure and gene flow for a critically endangered primate (*Varecia variegata*). *Ecology and Evolution* **4**, 2675-2692.

Balakrishnan, CN, Monfort, SL, Gaur, A, Sing, L, Sorenson, MD (2003) Phylogeography and conservation genetics of Eld's deer (*Cervus eldi*). *Molecular Ecology* **12**, 1-10.

Banhos, A, Hrbek, T, Sanaiotti, TM, Farias, IP (2016) Reduction of Genetic Diversity of the Harpy Eagle in Brazilian Tropical Forests. *Plos One* **11**, e0148902.

Barr, KR, Lindsay, DL, Athrey, G, Lance, RF, Hayden, TJ, Tweddale, SA, Leberg, PL (2008) Population structure in an endangered songbird: maintenance of genetic differentiation despite high vagility and significant population recovery. *Molecular Ecology* **17**, 3628-3639.

Barragan-Barrera, DC, May-Collado, LJ, Tezanos-Pinto, G, Islas-Villanueva, V, Correa-Cardenas, CA, Caballero, S (2017) High genetic structure and low mitochondrial diversity in bottlenose dolphins of the Archipelago of Bocas del Toro, Panama: A population at risk? *Plos One* **12**, e0189370.

Barrowclough, GF, Groth, JG, Mertz, LA, Gutierrez, RJ (2005) Genetic structure, introgression, and a narrow hybrid zone between northern and California spotted owls (*Strix occidentalis*). *Molecular Ecology* **14**, 1109-1120.

Barth, JMI, Matschiner, M, Robertson, BC (2013) Phylogenetic Position and Subspecies Divergence of the Endangered New Zealand Dotterel (*Charadrius obscurus*). *Plos One* **8**, e78068.

---

---

Batalha, HR, Wright, DJ, Barr, I, Collar, NJ, Richardson, DS (2017) Genetic diversity and divergence in the endangered Cape Verde warbler *Acrocephalus brevipennis*. *Conservation Genetics* **18**, 343-357.

Bei, YJ, Chen, WC, Sun, BH, Li, JH, Lai, JL, Meng, SQ (2014) Population structure of the endangered Hume's pheasant (*Syrnaticus humiae*) inferred from a partial sequence of the mitochondrial DNA control region. *Biochemical Systematics and Ecology* **57**, 69-77.

Bell, KC, Matocq, MD (2011) Regional genetic subdivision in the Mohave ground squirrel: evidence of historic isolation and ongoing connectivity in a Mojave Desert endemic. *Animal Conservation* **14**, 371-381.

Ben Slimen, H, Gedeon, CI, Hoffmann, IE, Suchentrunk, F (2012) Dwindling genetic diversity in European ground squirrels? *Mammalian Biology* **77**, 13-21.

Bergl, RA, Vigilant, L (2007) Genetic analysis reveals population structure and recent migration within the highly fragmented range of the Cross River gorilla (*Gorilla gorilla diehli*). *Molecular Ecology* **16**, 501-516.

Biedrzycka, A, Konior, M, Babik, W, Swislocka, M, Ratkiewicz, M (2014) Admixture of two phylogeographic lineages of the Eurasian beaver in Poland. *Mammalian Biology* **79**, 287-296.

Biedrzycka, A, Konopinski, MK (2008) Genetic variability and the effect of habitat fragmentation in spotted suslik *Spermophilus suslicus* populations from two different regions. *Conservation Genetics* **9**, 1211-1221.

Blackhawk, NC, Germano, DJ, Smith, PT (2016) Genetic Variation Among Populations of the Endangered Giant Kangaroo Rat, *Dipodomys ingens*, in the Southern San Joaquin Valley. *American Midland Naturalist* **175**, 261-274.

Blair, ME, Gutierrez-Espeleta, GA, Melnick, DJ (2013) Subspecies of the Central American Squirrel Monkey (*Saimiri oerstedii*) as Units for Conservation. *International Journal of Primatology* **34**, 86-98.

Blair, ME, Melnick, DJ (2012) Scale-Dependent Effects of a Heterogeneous Landscape on Genetic Differentiation in the Central American Squirrel Monkey (*Saimiri oerstedii*). *Plos One* **7**, e43027.

Boessenkool, S, Star, B, Waters, JM, Seddon, PJ (2009) Multilocus assignment analyses reveal multiple units and rare migration events in the recently expanded yellow-eyed penguin (*Megadyptes antipodes*). *Molecular Ecology* **18**, 2390-2400.

Bolton, PE, West, AJ, Cardilini, APA, Clark, JA, Maute, KL, Legge, S, Brazill-Boast, J, Griffith, SC, Rollins, LA (2016) Three Molecular Markers Show No Evidence of Population Genetic Structure in the Gouldian Finch (*Erythrura gouldiae*). *Plos One* **11**, e0167723.

Boulet, M, Potvin, C, Shaffer, F, Breault, A, Bernatchez, L (2005) Conservation genetics of the threatened horned grebe (*Podiceps auritus* L.) population of the Magdalen Islands, Quebec. *Conservation Genetics* **6**, 539-550.

Boutilier, ST, Taylor, SA, Morris-Pocock, JA, Lavoie, RA, Friesen, VL (2014) Evidence for genetic differentiation among Caspian tern (*Hydroprogne caspia*) populations in North America. *Conservation Genetics* **15**, 275-281.

Brace, S, Barnes, I, Powell, A, Pearson, R, Woolaver, LG, Thomas, MG, Turvey, ST (2012) Population history of the Hispaniolan hutia *Plagiodontia aedium* (Rodentia: Capromyidae): testing the model of ancient differentiation on a geotectonically complex Caribbean island. *Molecular Ecology* **21**, 2239-2253.

---

---

Brenneman, RA, Johnson, SE, Bailey, CA, Ingraldi, C, Delmore, KE, Wyman, TM, Andriamaharoa, HE, Ralainasolo, FB, Ratsimbazafy, JH, Louis, EE (2012) Population genetics and abundance of the Endangered grey-headed lemur *Eulemur cinereiceps* in south-east Madagascar: assessing risks for fragmented and continuous populations. *Oryx* **46**, 298-307.

Bried, J, Nicolaus, M, Jarne, P, Dubois, MP, Jouventin, P (2007) Population biology of the wandering albatross (*Diomedea exulans*) in the Crozet and Kerguelen archipelagos, southern Indian Ocean, approached through genetic and demographic methods. *Journal of Zoology* **272**, 20-29.

Brown, NL, Peacock, MM, Ritchie, ME (2016) Genetic variation and population structure in a threatened species, the Utah prairie dog *Cynomys parvidens*: the use of genetic data to inform conservation actions. *Ecology and Evolution* **6**, 426-446.

Brown, SM, Harrisson, KA, Clarke, RH, Bennett, AF, Sunnucks, P (2013) Limited Population Structure, Genetic Drift and Bottlenecks Characterise an Endangered Bird Species in a Dynamic, Fire-Prone Ecosystem. *Plos One* **8**, e59732.

Brown, VA, Brooke, A, Fordyce, JA, McCracken, GF (2011) Genetic analysis of populations of the threatened bat *Pteropus mariannus*. *Conservation Genetics* **12**, 933-941.

Bruggeman, DJ, Wiegand, T, Fernandez, N (2010) The relative effects of habitat loss and fragmentation on population genetic variation in the red-cockaded woodpecker (*Picoides borealis*). *Molecular Ecology* **19**, 3679-3691.

Bryant, JV, Gottelli, D, Zeng, X, Hong, X, Chan, BPL, Fellowes, JR, Zhang, Y, Luo, J, Durrant, C, Geissmann, T, Chatterjee, HJ, Turvey, ST (2016) Assessing current genetic status of the Hainan gibbon using historical and demographic baselines: implications for conservation management of species of extreme rarity. *Molecular Ecology* **25**, 3540-3556.

Buchalski, MR, Navarro, AY, Boyce, WM, Vickers, TW, Tobler, MW, Nordstrom, LA, Garcia, JA, Gille, DA, Penedo, MCT, Ryder, OA, Ernest, HB (2015) Genetic population structure of Peninsular bighorn sheep (*Ovis canadensis nelsoni*) indicates substantial gene flow across US-Mexico border. *Biological Conservation* **184**, 218-228.

Bulgin, NL, Gibbs, HL, Vickery, P, Baker, AJ (2003) Ancestral polymorphisms in genetic markers obscure detection of evolutionarily distinct populations in the endangered Florida grasshopper sparrow (*Ammodramus savannarum floridanus*). *Molecular Ecology* **12**, 831-844.

Burbidge, ML, Colbourne, RM, Robertson, HA, Baker, AJ (2003) Molecular and other biological evidence supports the recognition of at least three species of brown kiwi. *Conservation Genetics* **4**, 167-177.

Busch, JD, Miller, MP, Paxton, EH, Sogge, MK, Keim, P (2000) Genetic variation in the endangered southwestern willow flycatcher. *Auk* **117**, 586-595.

Bush, KL, Aldridge, CL, Carpenter, JE, Paszkowski, CA, Boyce, MS, Coltman, DW (2010) Birds of a Feather Do Not Always Lek Together: Genetic Diversity and Kinship Structure of Greater Sage-Grouse (*Centrocercus urophasianus*) in Alberta. *Auk* **127**, 343-353.

Bush, KL, Dyte, CK, Moynahan, BJ, Aldridge, CL, Sauls, HS, Battazzo, AM, Walker, BL, Doherty, KE, Tack, J, Carlson, J, Eslinger, D, Nicholson, J, Boyce, MS, Naugle, DE, Paszkowski, CA, Coltman, DW (2011) Population structure and genetic diversity of greater sage-grouse (*Centrocercus urophasianus*) in fragmented landscapes at the northern edge of their range. *Conservation Genetics* **12**, 527-542.

---

---

Buzan, EV, Krystufek, B, Bryja, J (2010) Microsatellite markers confirm extensive population fragmentation of the endangered Balkan palaeoendemic Martino's vole (*Dinaromys bogdanovi*). *Conservation Genetics* **11**, 1783-1794.

Caballero, S, Correa-Cardenas, CA, Trujillo, F (2015) Population Structure and Genetic Diversity of the Endangered South American Giant Otter (*Pteronura brasiliensis*) from the Orinoco Basin in Colombia: Management Implications and Application to Current Conservation Programs. *Journal of Heredity* **106**, 469-477.

Cabria, MT, Gonzalez, EG, Gomez-Moliner, BJ, Michaux, JR, Skumatov, D, Kranz, A, Fournier, P, Palazon, S, Zardoya, R (2015) Patterns of genetic variation in the endangered European mink (*Mustela lutreola* L., 1761). *BMC Evolutionary Biology* **15**, 141.

Cadahia, L, Negro, JJ, Urios, V (2007) Low mitochondrial DNA diversity in the endangered Bonelli's Eagle (*Hieraaetus fasciatus*) from SW Europe (Iberia) and NW Africa. *Journal of Ornithology* **148**, 99-104.

Canal, D, Roques, S, Negro, JJ, Sarasola, JH (2017) Population genetics of the endangered Crowned Solitary Eagle (*Buteogallus coronatus*) in South America. *Conservation Genetics* **18**, 235-240.

Caparroz, R, Miyaki, CY, Baker, AJ (2009) Contrasting Phylogeographic Patterns in Mitochondrial DNA and Microsatellites: Evidence of Female Philopatry and Male-Biased Gene Flow Among Regional Populations of The Blue-and-Yellow Macaw (*Psittaciformes: Ara Ararauna*) in Brazil. *Auk* **126**, 359-370.

Cardoso, MJ, Mooney, N, Eldridge, MDB, Firestone, KB, Sherwin, WB (2014) Genetic monitoring reveals significant population structure in eastern quolls: implications for the conservation of a threatened carnivorous marsupial. *Australian Mammalogy* **36**, 169-177.

Chakraborty, D, Ramakrishnan, U, Sinha, A (2015) Quaternary Climate Change and Social Behavior Shaped the Genetic Differentiation of an Endangered Montane Primate From the Southern Edge of the Tibetan Plateau. *American Journal of Primatology* **77**, 271-284.

Chang, ZF, Luo, MF, Liu, ZJ, Yang, JY, Xiang, ZF, Li, M, Vigilant, L (2012) Human influence on the population decline and loss of genetic diversity in a small and isolated population of Sichuan snub-nosed monkeys (*Rhinopithecus roxellana*). *Genetica* **140**, 105-114.

Charlton-Robb, K, Taylor, A, McKechnie, S (2015) Population genetic structure of the Burrunan dolphin (*Tursiops australis*) in coastal waters of south-eastern Australia: conservation implications. *Conservation Genetics* **16**, 195-207.

Chen, L, Bruford, MW, Xu, SX, Zhou, KY, Yang, G (2010) Microsatellite variation and significant population genetic structure of endangered finless porpoises (*Neophocaena phocaenoides*) in Chinese coastal waters and the Yangtze River. *Marine Biology* **157**, 1453-1462.

Chen, MM, Fontaine, MC, Ben Chehida, Y, Zheng, JS, Labbe, F, Mei, ZG, Hao, YJ, Wang, KX, Wu, M, Zhao, QZ, Wang, D (2017) Genetic footprint of population fragmentation and contemporary collapse in a freshwater cetacean. *Scientific Reports* **7**, 14449.

Chen, MM, Zheng, JS, Wu, M, Ruan, R, Zhao, QZ, Wang, D (2014) Genetic Diversity and Population Structure of the Critically Endangered Yangtze Finless Porpoise (*Neophocaena asiaeorientalis asiaeorientalis*) as Revealed by Mitochondrial and Microsatellite DNA. *International Journal of Molecular Sciences* **15**, 11307-11323.

---

---

Choi, SK, Chun, S, An, J, Lee, MY, Kim, HJ, Min, MS, Kwon, SW, Choi, TY, Lee, H, Kim, KS (2015) Genetic diversity and population structure of the long-tailed goral, *Naemorhedus caudatus*, in South Korea. *Genes & Genetic Systems* **90**, 31-41.

Clozato, CL, Miranda, FR, Lara-Ruiz, P, Collevatti, RG, Santos, FR (2017) Population structure and genetic diversity of the giant anteater (*Myrmecophaga tridactyla*: *Myrmecophagidae*, *Pilosa*) in Brazil. *Genetics and Molecular Biology* **40**, 50-60.

Collins, CJ, Chilvers, BL, Osborne, A, Taylor, M, Robertson, BC (2017) Unique and isolated: population structure has implications for management of the endangered New Zealand sea lion. *Conservation Genetics* **18**, 1177-1189.

Cooper, DM, Dugmore, AJ, Gittings, BM, Scharf, AK, Wilting, A, Kitchener, AC (2016) Predicted Pleistocene-Holocene range shifts of the tiger (*Panthera tigris*). *Diversity and Distributions* **22**, 1199-1211.

Costa-Urrutia, P, Abud, C, Secchi, ER, Lessa, EP (2012) Population Genetic Structure and Social Kin Associations of Franciscana Dolphin, *Pontoporia blainvillei*. *Journal of Heredity* **103**, 92-102.

Costa-Urrutia, P, Sanvito, S, Victoria-Cota, N, Enriquez-Paredes, L, Gendron, D (2013) Fine-Scale Population Structure of Blue Whale Wintering Aggregations in the Gulf of California. *Plos One* **8**, e58315.

Coulon, A, Fitzpatrick, JW, Bowman, R, Stith, BM, Makarewich, CA, Stenzler, LM, Lovette, IJ (2008) Congruent population structure inferred from dispersal behaviour and intensive genetic surveys of the threatened Florida scrub-jay (*Aphelocoma coerulescens*). *Molecular Ecology* **17**, 1685-1701.

Croteau, EK, Loughheed, SC, Krannitz, PG, Mahony, NA, Walker, BL, Boag, PT (2007) Genetic population structure of the sagebrush Brewer's sparrow, *Spizella breweri breweri*, in a fragmented landscape at the northern range periphery. *Conservation Genetics* **8**, 1453-1463.

Crouse, AL, Honeycutt, RL, McCleery, RA, Faulhaber, CA, Perry, ND, Lopez, RR (2009) Population Structure of the Lower Keys Marsh Rabbit as Determined by Mitochondrial DNA Analysis. *Journal of Wildlife Management* **73**, 362-367.

Cruz-Salazar, B, Lorenzo, C, Espinoza-Medinilla, EE, Lopez, S (2017) Variation and genetic structure of the endangered *Lepus flavigularis* (Lagomorpha: Leporidae). *Revista De Biologia Tropical* **65**, 1322-1336.

Cunha, HA, Medeiros, BV, Barbosa, LA, Cremer, MJ, Marigo, J, Lailson-Brito, J, Azevedo, AF, Sole-Cava, AM (2014) Population Structure of the Endangered Franciscana Dolphin (*Pontoporia blainvillei*): Reassessing Management Units. *Plos One* **9**, e55633.

Dalen, L, Kvaloy, K, Linnell, JDC, Elmhagen, B, Strand, O, Tannerfeldt, M, Henttonen, H, Fuglei, E, Landa, A, Angerbjorn, A (2006) Population structure in a critically endangered arctic fox population: does genetics matter? *Molecular Ecology* **15**, 2809-2819.

Davison, A, Griffiths, HI, Brookes, RC, Maran, T, Macdonald, DW, Sidorovich, VE, Kitchener, AC, Irizar, I, Villate, I, Gonzalez-Esteban, J, Cena, JC, Cena, A, Moya, I, Minano, SP (2000) Mitochondrial DNA and palaeontological evidence for the origins of endangered European mink, *Mustela lutreola*. *Animal Conservation* **3**, 345-355.

de Camargo, C, Gibbs, HL, Costa, MC, Del-Rio, G, Silveira, LF, Wasko, AP, Francisco, MR (2015) Marshes as "Mountain Tops": Genetic Analyses of the Critically Endangered Sao Paulo Marsh Antwren (Aves: *Thamnophilidae*). *Plos One* **10**, e0140145.

---

- 
- Degner, JF, Stout, IJ, Roth, JD, Parkinson, CL (2007) Population genetics and conservation of the threatened southeastern beach mouse (*Peromyscus polionotus niveiventris*): subspecies and evolutionary units. *Conservation Genetics* **8**, 1441-1452.
- Deinard, AS, Kidd, K (2000) Identifying conservation units within captive chimpanzee populations. *American Journal of Physical Anthropology* **111**, 25-44.
- Denuncio, P, Paso Viola, MN, Machovsky-Capuska, GE, Raubenheimer, D, Blasina, G, Machado, R, Polizzi, P, Gerpe, M, Cappozzo, HL, Rodriguez, DH (2017) Population variance in prey, diets and their macronutrient composition in an endangered marine predator, the Franciscana dolphin. *Journal of Sea Research* **129**, 70-79.
- Di Giacomo, AS, Di Giacomo, AG, Kliger, R, Reboreda, JC, Tiedemann, R, Mahler, B (2015) No evidence of genetic variation in microsatellite and mitochondrial DNA markers among remaining populations of the Strange-tailed Tyrant *Alectrurus risora*, an endangered grassland species. *Bird Conservation International* **25**, 127-138.
- Dierickx, EG, Shultz, AJ, Sato, F, Hiraoka, T, Edwards, SV (2015) Morphological and genomic comparisons of Hawaiian and Japanese Black-footed Albatrosses (*Phoebastria nigripes*) using double digest RADseq: implications for conservation. *Evolutionary Applications* **8**, 662-678.
- Dominguez, M, Tiedemann, R, Reboreda, JC, Segura, L, Tittarelli, F, Mahler, B (2017) Genetic structure reveals management units for the yellow cardinal (*Gubernatrix cristata*), endangered by habitat loss and illegal trapping. *Conservation Genetics* **18**, 1131-1140.
- Dos Remedios, N, Kupper, C, Szekely, T, Baker, N, Versfeld, W, Lee, PLM (2017) Genetic isolation in an endemic African habitat specialist. *Ibis* **159**, 792-802.
- Draheim, HM, Miller, MP, Baird, P, Haig, SM (2010) Subspecific Status and Population Genetic Structure of Least Terns (*Sternula Antillarum*) Inferred By Mitochondrial DNA Control-Region Sequences and Microsatellite DNA. *Auk* **127**, 807-819.
- Dunn, JC, Shedden-Gonzalez, A, Cristobal-Azkarate, J, Cortes-Ortiz, L, Rodriguez-Luna, E, Knapp, LA (2014) Limited genetic diversity in the critically endangered Mexican howler monkey (*Alouatta palliata mexicana*) in the Selva Zoque, Mexico. *Primates* **55**, 155-160.
- Dussex, N, Sainsbury, J, Moorhouse, R, Jamieson, IG, Robertson, BC (2015) Evidence for Bergmann's Rule and Not Allopatric Subspeciation in the Threatened Kaka (*Nestor meridionalis*). *Journal of Heredity* **106**, 679-691.
- Dussex, N, Wegmann, D, Robertson, BC (2014) Postglacial expansion and not human influence best explains the population structure in the endangered kea (*Nestor notabilis*). *Molecular Ecology* **23**, 2193-2209.
- Echenique-Diaz, LM, Yokoyama, J, Takahashi, O, Kawata, M (2009) Genetic structure of island populations of the endangered bat *Hipposideros turpis turpis*: implications for conservation. *Population Ecology* **51**, 153-160.
- Eggert, LS, Mundy, NI, Woodruff, DS (2004) Population structure of loggerhead shrikes in the California Channel Islands. *Molecular Ecology* **13**, 2121-2133.
-



---

Eizirik, E, Kim, JH, Menotti-Raymond, M, Crawshaw, PG, O'Brien, SJ, Johnson, WE (2001) Phylogeography, population history and conservation genetics of jaguars (*Panthera onca*, Mammalia, Felidae). *Molecular Ecology* **10**, 65-79.

Ernest, HB, Boyce, WM, Bleich, VC, May, B, Stiver, SJ, Torres, SG (2003) Genetic structure of mountain lion (*Puma concolor*) populations in California. *Conservation Genetics* **4**, 353-366.

Escoda, L, Gonzalez-Esteban, J, Gomez, A, Castresana, J (2017) Using relatedness networks to infer contemporary dispersal: Application to the endangered mammal *Galemys pyrenaicus*. *Molecular Ecology* **26**, 3343-3357.

Espindola, S, Cuaron, AD, Gaggiotti, OE, Vazquez-Dominguez, E (2014) High genetic structure of the Cozumel Harvest mice, a critically endangered island endemic: conservation implications. *Conservation Genetics* **15**, 1393-1402.

Esteban, R, Verborgh, P, Gauffier, P, Gimenez, J, Martin, V, Perez-Gil, M, Tejedor, M, Almunia, J, Jepson, PD, Garcia-Tiscar, S, Barrett-Lennard, LG, Guinet, C, Foote, AD, de Stephanis, R (2016) Using a multi-disciplinary approach to identify a critically endangered killer whale management unit. *Ecological Indicators* **66**, 291-300.

Fameli, A, Moran-Luis, M, Rodriguez-Munoz, R, Banuelos, MJ, Quevedo, M, Mirol, P (2017) Conservation in the southern edge of *Tetrao urogallus* distribution: Gene flow despite fragmentation in the stronghold of the Cantabrian capercaillie. *European Journal of Wildlife Research* **63**,

Faria, PJ, Guedes, NMR, Yamashita, C, Martuscelli, P, Miyaki, CY (2008) Genetic variation and population structure of the endangered Hyacinth Macaw (*Anodorhynchus hyacinthinus*): implications for conservation. *Biodiversity and Conservation* **17**, 765-779.

Fazio, VW, Miles, DB, White, MM (2004) Genetic differentiation in the endangered Black-capped Vireo. *Condor* **106**, 377-385.

Fedy, BC, Martin, K, Ritland, C, Young, J (2008) Genetic and ecological data provide incongruent interpretations of population structure and dispersal in naturally subdivided populations of white-tailed ptarmigan (*Lagopus leucura*). *Molecular Ecology* **17**, 1905-1917.

Firestone, KB, Elphinstone, MS, Sherwin, WB, Houlden, BA (1999) Phylogeographical population structure of tiger quolls *Dasyurus maculatus* (Dasyuridae : Marsupialia), an endangered carnivorous marsupial. *Molecular Ecology* **8**, 1613-1625.

Fleischer, RC, Tarr, CL, Pratt, TK (1994) Genetic-structure and mating system in the palila, an endangered Hawaiian honeycreeper, as assessed by DNA-fingerprinting. *Molecular Ecology* **3**, 383-392.

Floyd, CH, Flores-Martinez, JJ, Herrera, LG, Mejia, O, May, B (2010) Conserving the endangered Mexican fishing bat (*Myotis vivesi*): genetic variation indicates extensive gene flow among islands in the Gulf of California. *Conservation Genetics* **11**, 813-822.

Forsdick, NJ, Cubrinovska, I, Massaro, M, Hale, ML (2017) Genetic diversity and population differentiation within and between island populations of two sympatric *Petroica* robins, the Chatham Island black robin and tomtit. *Conservation Genetics* **18**, 275-285.

---

---

Fourcade, Y, Richardson, DS, Keiss, O, Budka, M, Green, RE, Fokin, S, Secondi, J (2016) Corncrake conservation genetics at a European scale: The impact of biogeographical and anthropological processes. *Biological Conservation* **198**, 210-219.

Francisco, MR, Gibbs, HL, Galetti, M, Lunardi, VO, Galetti, PM (2007) Genetic structure in a tropical lek-breeding bird, the blue manakin (*Chiroxiphia caudata*) in the Brazilian Atlantic Forest. *Molecular Ecology* **16**, 4908-4918.

Frankham, GJ, Handasyde, KA, Eldridge, MDB (2012) Novel insights into the phylogenetic relationships of the endangered marsupial genus *Potorous*. *Molecular Phylogenetics and Evolution* **64**, 592-602.

Frankham, GJ, Handasyde, KA, Norton, M, Murray, A, Eldridge, MDB (2014) Molecular detection of intra-population structure in a threatened potoroid, *Potorous tridactylus*: conservation management and sampling implications. *Conservation Genetics* **15**, 547-560.

Friesen, VL, Birt, TP, Piatt, JF, Golightly, RT, Newman, SH, Hebert, PN, Congdon, BC, Gissing, G (2005) Population genetic structure and conservation of marbled murrelets (*Brachyramphus marmoratus*). *Conservation Genetics* **6**, 607-614.

Friesen, VL, Gonzalez, JA, Cruz-Delgado, F (2006) Population genetic structure and conservation of the Galapagos petrel (*Pterodroma phaeopygia*). *Conservation Genetics* **7**, 105-115.

Funk, WC, Forsman, ED, Mullins, TD, Haig, SM (2008) Introgression and dispersal among spotted owl (*Strix occidentalis*) subspecies. *Evolutionary Applications* **1**, 161-171.

Galbusera, P, Githiru, M, Lens, L, Matthysen, E (2004) Genetic equilibrium despite habitat fragmentation in an Afrotropical bird. *Molecular Ecology* **13**, 1409-1421.

Garcia, JT, Suarez, F, Garza, V, Calero-Riestra, M, Hernandez, J, Perez-Tris, J (2008) Genetic and phenotypic variation among geographically isolated populations of the globally threatened Dupont's lark *Chersophilus duponti*. *Molecular Phylogenetics and Evolution* **46**, 237-251.

Gariboldi, MC, Tunez, JI, Dejean, CB, Failla, M, Vitullo, AD, Negri, MF, Cappozzo, HL (2015) Population Genetics of Franciscana Dolphins (*Pontoporia blainvillei*): Introducing a New Population from the Southern Edge of Their Distribution. *Plos One* **10**, e0132854.

Garner, A., Rachlow, J. L., and Waits, L. P. (2005). Genetic diversity and population divergence in fragmented habitats: Conservation of Idaho ground squirrels. *Conservation Genetics* **6**, 759-774. doi: 10.1007/s10592-005-9035-3.

Genovart, M, Juste, J, Contreras-Diaz, H, Oro, D (2012) Genetic and Phenotypic Differentiation between the Critically Endangered Balearic Shearwater and Neighboring Colonies of Its Sibling Species. *Journal of Heredity* **103**, 330-341.

Genovart, M, Oro, D, Juste, J, Bertorelle, G (2007) What genetics tell us about the conservation of the critically endangered Balearic shearwater? *Biological Conservation* **137**, 283-293.

Genovart, M, Thibault, JC, Igual, JM, Bauza-Ribot, MD, Rabouam, C, Bretagnolle, V (2013) Population Structure and Dispersal Patterns within and between Atlantic and Mediterranean Populations of a Large-Range Pelagic Seabird. *Plos One* **8**, e70711.

---

---

Gonzalez-Quevedo, C, Bock, BC, Lopera, JG (2010) Genetic variability and structure of oilbird (steatornis caripensis) colonies in Antioquia, Colombia. *Ornitologia Neotropical* **21**, 271-281.

Goossens, B, Salgado-Lynn, M, Rovie-Ryan, JJ, Ahmad, AH, Payne, J, Zainuddin, ZZ, Nathan, SKSS, Ambu, LN (2013) Genetics and the last stand of the Sumatran rhinoceros *Dicerorhinus sumatrensis*. *Oryx* **47**, 340-344.

Gottelli, D, Marino, J, Sillero-Zubiri, C, Funk, SM (2004) The effect of the last glacial age on speciation and population genetic structure of the endangered Ethiopian wolf (*Canis simensis*). *Molecular Ecology* **13**, 2275-2286.

Gottelli, D, Sillero-Zubiri, C, Marino, J, Funk, SM, Wang, J (2013) Genetic structure and patterns of gene flow among populations of the endangered Ethiopian wolf. *Animal Conservation* **16**, 234-247.

Greenberg, R, Cammen, KM, Wilson, AG, Olsen, BJ, Ballentine, B, McInerney, NC, Fleischer, RC (2016) Geographic population structure and subspecific boundaries in a tidal marsh sparrow. *Conservation Genetics* **17**, 603-613.

Grosser, S, Abdelkrim, J, Wing, J, Robertson, BC, Gemmell, NJ (2017) Strong isolation by distance argues for separate population management of endangered blue duck (*Hymenolaimus malacorhynchos*). *Conservation Genetics* **18**, 327-341.

Haig, SM, Bowman, R, Mullins, TD (1996) Population structure of red-cockaded woodpeckers in south Florida: RAPDs revisited. *Molecular Ecology* **5**, 725-734.

Haig, SM, Rhymer, JM, Heckel, DG (1994) Population differentiation in randomly amplified polymorphic DNA of red-cockaded woodpeckers *Picoides borealis*. *Molecular Ecology* **3**, 581-593.

Hajji, GM, Charfi-Cheikrouha, F, Lorenzini, R, Vigne, JD, Hartl, GB, Zachos, FE (2008) Phylogeography and founder effect of the endangered Corsican red deer (*Cervus elaphus corsicanus*). *Biodiversity and Conservation* **17**, 659-673.

Hansen, BD, Harley, DKP, Lindenmayer, DB, Taylor, AC (2009) Population genetic analysis reveals a long-term decline of a threatened endemic Australian marsupial. *Molecular Ecology* **18**, 3346-3362.

Hansen, BD, Taylor, AC (2008) Isolated remnant or recent introduction? Estimating the provenance of Yellingbo Leadbeater's possums by genetic analysis and bottleneck simulation. *Molecular Ecology* **17**, 4039-4052.

Haouchar, D, Pacioni, C, Haile, J, McDowell, MC, Baynes, A, Phillips, MJ, Austin, JJ, Pope, LC, Bunce, M (2016) Ancient DNA reveals complexity in the evolutionary history and taxonomy of the endangered Australian brush-tailed bettongs (Bettongia: Marsupialia: Macropodidae: Potoroinae). *Biodiversity and Conservation* **25**, 2907-2927.

Harley, EH, Baumgarten, I, Cunningham, J, O'Ryan, C (2005) Genetic variation and population structure in remnant populations of black rhinoceros, *Diceros bicornis*, in Africa. *Molecular Ecology* **14**, 2981-2990.

Harley, EH, de Waal, M, Murray, S, O'Ryan, C (2016) Comparison of whole mitochondrial genome sequences of northern and southern white rhinoceroses (*Ceratotherium simum*): the conservation consequences of species definitions. *Conservation Genetics* **17**, 1285-1291.

---

---

Harrisson, KA, Pavlova, A, da Silva, AG, Rose, R, Bull, JK, Lancaster, ML, Murray, N, Quin, B, Menkhorst, P, Magrath, MJL, Sunnucks, P (2016) Scope for genetic rescue of an endangered subspecies through re-establishing natural gene flow with another subspecies. *Molecular Ecology* **25**, 1242-1258.

Hartmann, SA, Steyer, K, Kraus, RHS, Segelbacher, G, Nowak, C (2013) Potential barriers to gene flow in the endangered European wildcat (*Felis silvestris*). *Conservation Genetics* **14**, 413-426.

Hazlitt, SL, Goldizen, AW, Eldridge, MDB (2006) Significant patterns of population genetic structure and limited gene flow in a threatened macropodid marsupial despite continuous habitat in southeast Queensland, Australia. *Conservation Genetics* **7**, 675-689.

Hazlitt, SL, Goldizen, AW, Nicholls, JA, Eldridge, MDB (2014) Three divergent lineages within an Australian marsupial (*Petrogale penicillata*) suggest multiple major refugia for mesic taxa in southeast Australia. *Ecology and Evolution* **4**, 1102-1116.

Hefti-Gautschi, B, Pfunder, M, Jenni, L, Keller, V, Ellegren, H (2009) Identification of conservation units in the European Mergus merganser based on nuclear and mitochondrial DNA markers. *Conservation Genetics* **10**, 87-99.

Henry, P, Miquelle, D, Sugimoto, T, McCullough, DR, Caccone, A, Russello, MA (2009) In situ population structure and ex situ representation of the endangered Amur tiger. *Molecular Ecology* **18**, 3173-3184.

Hoffman, JI, Matson, CW, Amos, W, Loughlin, TR, Bickham, JW (2006) Deep genetic subdivision within a continuously distributed and highly vagile marine mammal, the Steller's sea lion (*Eumetopias jubatus*). *Molecular Ecology* **15**, 2821-2832.

Holder, K, Montgomerie, R, Friesen, VL (2004) Genetic diversity and management of Nearctic rock ptarmigan (*Lagopus mutus*). *Canadian Journal of Zoology-Revue Canadienne De Zoologie* **82**, 564-575.

Hopken, MW, Lum, TM, Meyers, PM, Piaggio, AJ (2015) Molecular assessment of translocation and management of an endangered subspecies of white-tailed deer (*Odocoileus virginianus*). *Conservation Genetics* **16**, 635-647.

Horreo, JL, Alonso, JC, Palacin, C, Mila, B (2014) Genetic structure in Iberian and Moroccan populations of the globally threatened great bustard *Otis tarda*: a microsatellite perspective. *Journal of Avian Biology* **45**, 507-513.

Horreo, JL, Raab, R, Spakovszky, P, Alonso, JC (2016) Genetic structure of the threatened West-Pannonian population of Great Bustard (*Otis tarda*). *PeerJ* **4**, e1759.

Hou, GY, Zeng, HP, Wang, DJ, Zhou, HL (2012) Genetic Variation and Population Structure of the White Rhinoceros. *Journal of Animal and Veterinary Advances* **11**, 241-244.

Houston, WA, Aspden, W, Black, R, Elder, R, Carruthers, I, Campbell, L, Black, L (2015) Mitochondrial phylogeography of the critically endangered Capricorn yellow chat (*Epthianura crocea macgregori*). *Australian Journal of Zoology* **63**, 350-356.

Houston, WA, Aspden, WJ, Elder, R, Black, RL, Neaves, LE, King, AG, Major, RE (2018) Restricted gene flow in the endangered Capricorn Yellow Chat *Epthianura crocea macgregori*: consequences for conservation management. *Bird Conservation International* **28**, 116-125.

---

---

Hulova, S, Sedlacek, F (2008) Population genetic structure of the European ground squirrel in the Czech Republic. *Conservation Genetics* **9**, 615-625.

Hunter, ME, Auil-Gomez, NE, Tucker, KP, Bonde, RK, Powell, J, McGuire, PM (2010) Low genetic variation and evidence of limited dispersal in the regionally important Belize manatee. *Animal Conservation* **13**, 592-602.

Iglesias-Vasquez, A, Gangloff, B, Ruault, S, Ribout, C, Priddel, D, Carlile, N, Friesen, VL, Cibois, A, Bretagnolle, V (2017) Population expansion, current and past gene flow in Gould's petrel: implications for conservation. *Conservation Genetics* **18**, 105-115.

Ines Oklander, L, Isabel Mino, C, Fernandez, G, Caputo, M, Corach, D (2017) Genetic structure in the southernmost populations of black-and-gold howler monkeys (*Alouatta caraya*) and its conservation implications. *Plos One* **12**, e0185867.

Jackson, HA, Bunbury, N, Przelomska, N, Groombridge, JJ (2016) Evolutionary distinctiveness and historical decline in genetic diversity in the Seychelles Black Parrot *Coracopsis nigra barklyi*. *Ibis* **158**, 380-394.

James, RA, Leberg, PL, Quattro, JM, Vrijenhoek, RC (1997) Genetic diversity in black howler monkeys (*Alouatta pigra*) from Belize. *American Journal of Physical Anthropology* **102**, 329-336.

Janecka, JE, Tewes, ME, Laack, LL, Caso, A, Grassman, LI, Haines, AM, Shindle, DB, Davis, BW, Murphy, WJ, Honeycutt, RL (2011) Reduced genetic diversity and isolation of remnant ocelot populations occupying a severely fragmented landscape in southern Texas. *Animal Conservation* **14**, 608-619.

Janecka, JE, Walker, CW, Tewes, ME, Caso, A, Laack, LL, Honeycutt, RL (2007) Phylogenetic relationships of ocelot (*Leopardus pardalis albescens*) populations from the Tamaulipan biotic province and implications for recovery. *Southwestern Naturalist* **52**, 89-96.

Jones, KAB, Nicoll, MAC, Raisin, C, Dawson, DA, Hipperson, H, Horsburgh, GJ, Groombridge, JJ, Ismar, SMH, Sweet, P, Jones, CG, Tatayah, V, Ruhomaun, K, Norris, K (2017) Widespread gene flow between oceans in a pelagic seabird species complex. *Molecular Ecology* **26**, 5716-5728.

Kahindo, CM, Bates, JM, Bowie, RCK (2017) Population genetic structure of Grauer's Swamp Warbler *Bradypterus graueri*, an Albertine Rift endemic. *Ibis* **159**, 415-429.

Kamioki, M, Ando, H, Isagi, Y, Inoue-Murayama, M (2013) Development of microsatellite markers for the Asian Stubtail *Urosphena squameiceps* by using next-generation sequencing technology. *Conservation Genetics Resources* **5**, 1027-1029.

Karamanlidis, AA, Gaughran, S, Aguilar, A, Dendrinos, P, Huber, D, Pires, R, Schultz, J, Skrbinek, T, Amato, G (2016) Shaping species conservation strategies using mtDNA analysis: The case of the elusive Mediterranean monk seal (*Monachus monachus*). *Biological Conservation* **193**, 71-79.

Karamanlidis, AA, Straka, M, Drosopoulou, E, Hernando, MD, Kocijan, I, Paule, L, Scouras, Z (2012) Genetic diversity, structure, and size of an endangered brown bear population threatened by highway construction in the Pindos Mountains, Greece. *European Journal of Wildlife Research* **58**, 511-522.

Kendall, KC, Macleod, AC, Boyd, KL, Boulanger, J, Royle, JA, Kasworm, WF, Paetkau, D, Proctor, MF, Annis, K, Graves, TA (2016) Density, distribution, and genetic structure of grizzly bears in the Cabinet-Yaak Ecosystem. *Journal of Wildlife Management* **80**, 314-331.

---

- 
- Kholodova, MV, Milner-Gulland, EJ, Easton, AJ, Amgalan, L, Arylov, IA, Bekenov, A, Grachev, IA, Lushchekina, AA, Ryder, O (2006) Mitochondrial DNA variation and population structure of the Critically Endangered saiga antelope *Saiga tatarica*. *Oryx* **40**, 103-107.
- Kim, YK, Hong, YJ, Min, MS, Kim, KS, Kim, YJ, Voloshina, I, Myslenkov, A, Smith, GJD, Nguyen, DC, Huynh, HT, Han, SH, Yang, DH, Kim, CB, Lee, H (2011) Genetic Status of Asiatic Black Bear (*Ursus thibetanus*) Reintroduced into South Korea Based on Mitochondrial DNA and Microsatellite Loci Analysis. *Journal of Heredity* **102**, 165-174.
- King, TL, Switzer, JF, Morrison, CL, Eackles, MS, Young, CC, Lubinski, BA, Cryan, P (2006) Comprehensive genetic analyses reveal evolutionary distinction of a mouse (*Zapus hudsonius preblei*) proposed for delisting from the US Endangered Species Act. *Molecular Ecology* **15**, 4331-4359.
- Klauke, N, Schaefer, HM, Bauer, M, Segelbacher, G (2016) Limited Dispersal and Significant Fine - Scale Genetic Structure in a Tropical Montane Parrot Species. *Plos One* **11**,
- Klutsch, CFC, Manseau, M, Trim, V, Polfus, J, Wilson, PJ (2016) The eastern migratory caribou: the role of genetic introgression in ecotype evolution. *Royal Society Open Science* **3**, 150469.
- Knight, A, Chapman, HM, Hale, M (2016) Habitat fragmentation and its implications for Endangered chimpanzee *Pan troglodytes* conservation. *Oryx* **50**, 533-536.
- Koen, EL, Bowman, J, Wilson, PJ (2015) Isolation of peripheral populations of Canada lynx (*Lynx canadensis*). *Canadian Journal of Zoology* **93**, 521-530.
- Kolleck, J, Yang, M, Zinner, D, Roos, C (2013) Genetic Diversity in Endangered Guizhou Snub-Nosed Monkeys (*Rhinopithecus brelichi*): Contrasting Results from Microsatellite and Mitochondrial DNA Data. *Plos One* **8**, e73647.
- Kormann, U, Gugerli, F, Ray, N, Excoffier, L, Bollmann, K (2012) Parsimony-based pedigree analysis and individual-based landscape genetics suggest topography to restrict dispersal and connectivity in the endangered capercaillie. *Biological Conservation* **152**, 241-252.
- Korrida, A, Jadallah, S, Chbel, F, Amin-Alami, A, Ahra, M, Aggrey, S (2012) Patterns of genetic diversity and population structure of the threatened Houbara and Macqueen's bustards as revealed by microsatellite markers. *Genetics and Molecular Research* **11**, 3207-3221.
- Kotze, A, Dalton, DL, du Toit, R, Anderson, N, Moodley, Y (2014) Genetic structure of the black rhinoceros (*Diceros bicornis*) in south-eastern Africa. *Conservation Genetics* **15**, 1479-1489.
- Kretzmann, MB, Gemmell, NJ, Meyer, A (2001) Microsatellite analysis of population structure in the endangered Hawaiian monk seal. *Conservation Biology* **15**, 457-466.
- Kruckenhauser, L, Bryant, AA, Griffin, SC, Amish, SJ, Pinsker, W (2009) Patterns of within and between-colony microsatellite variation in the endangered Vancouver Island marmot (*Marmota vancouverensis*): implications for conservation. *Conservation Genetics* **10**, 1759-1772.
- Krutzen, M, Beasley, I, Ackermann, CY, Lieckfeldt, D, Ludwig, A, Ryan, GE, Bejder, L, Parra, GJ, Wolfensberger, R, Spencer, PBS (2018) Demographic collapse and low genetic diversity of the Irrawaddy dolphin population inhabiting the Mekong River. *Plos One* **13**, e0189200.
-

---

Kuro-O, M, Yonekawa, H, Saito, S, Eda, M, Higuchi, H, Koike, H, Hasegawa, H (2010) Unexpectedly high genetic diversity of mtDNA control region through severe bottleneck in vulnerable albatross *Phoebastria albatrus*. *Conservation Genetics* **11**, 127-137.

Kvist, L, Ponnikas, S, Belda, EJ, Encabo, I, Martinez, E, Onrubia, A, Hernandez, JM, Vera, P, Neto, JM, Monros, JS (2011) Endangered subspecies of the Reed Bunting (*Emberiza schoeniclus witherbyi* and *E. s. lusitanica*) in Iberian Peninsula have different genetic structures. *Journal of Ornithology* **152**, 681-693.

Kvistad, L, Ingwersen, D, Pavlova, A, Bull, JK, Sunnucks, P (2015) Very Low Population Structure in a Highly Mobile and Wide-Ranging Endangered Bird Species. *Plos One* **10**, e0143746.

Kyle, CJ, Strobeck, C (2001) Genetic structure of North American wolverine (*Gulo gulo*) populations. *Molecular Ecology* **10**, 337-347.

Lah, L, Trense, D, Benke, H, Berggren, P, Gunnlaugsson, P, Lockyer, C, Ozturk, A, Ozturk, B, Pawliczka, I, Roos, A, Siebert, U, Skora, K, Vikingsson, G, Tiedemann, R (2016) Spatially Explicit Analysis of Genome-Wide SNPs Detects Subtle Population Structure in a Mobile Marine Mammal, the Harbor Porpoise. *Plos One* **11**, e0162792.

Lara-Ruiz, P, Chiarello, AG, Santos, FR (2008) Extreme population divergence and conservation implications for the rare endangered Atlantic Forest sloth, *Bradypus torquatus* (Pilosa : Bradypodidae). *Biological Conservation* **141**, 1332-1342.

Latinne, A, Waengsothorn, S, Herbreteau, V, Michaux, JR (2011) Evidence of complex phylogeographic structure for the threatened rodent *Leopoldamys neilli*, in Southeast Asia. *Conservation Genetics* **12**, 1495-1511.

Lawrence, HA, Taylor, GA, Millar, CD, Lambert, DM (2008) High mitochondrial and nuclear genetic diversity in one of the world's most endangered seabirds, the Chatham Island Taiko (*Pterodroma magentae*). *Conservation Genetics* **9**, 1293-1301.

Lee, MY, Kwon, IK, Lee, K, Choi, SK, Jeon, HS, Lee, JY, Eo, KY, Kim, HJ, Kim, JH, Johnson, WE, Yoo, JC, An, J (2017) Genetic diversity and population structure of the Black-faced Spoonbill (*Platalea minor*) among its breeding sites in South Korea: Implication for conservation. *Biochemical Systematics and Ecology* **71**, 106-113.

Lee, M-Y, Park, S-K, Hong, Y-J, Kim, Y-J, Voloshina, I, Myslenkov, A, Saveljev, AP, Choi, T-Y, Piao, R-Z, An, J-H, Lee, M-H, Lee, H, Min, M-S (2008) Mitochondrial Genetic Diversity and Phylogenetic Relationships of Siberian Flying Squirrel (*Pteromys volans*) Populations. *Animal Cells and Systems* **12**, 269-277.

Lei, RH, Hu, Z, Jiang, ZG, Yang, WL (2003) Phylogeography and genetic diversity of the critically endangered Przewalski's gazelle. *Animal Conservation* **6**, 361-367.

Leigh, KA, Zenger, KR, Tammen, I, Raadsma, HW (2012) Loss of genetic diversity in an outbreeding species: small population effects in the African wild dog (*Lycaon pictus*). *Conservation Genetics* **13**, 767-777.

Lerner, HRL, Johnson, JA, Lindsay, AR, Kiff, LF, Mindell, DP (2009) It's not too Late for the Harpy Eagle (*Harpia harpyja*): High Levels Of Genetic Diversity and Differentiation Can Fuel Conservation Programs. *Plos One* **4**, e7336.

Lerp, H, Wronski, T, Pfenninger, M, Plath, M (2011) A phylogeographic framework for the conservation of Saharan and Arabian Dorcas gazelles (*Artiodactyla: Bovidae*). *Organisms Diversity & Evolution* **11**, 317-329.

---

- 
- Li, DY, Xu, HL, Trask, JS, Zhu, Q, Cheng, AC, Smith, DG, George, D, Zhang, L (2013) Genetic diversity and population structure in wild Sichuan rhesus macaques. *Molecular Biology Reports* **40**, 3033-3041.
- Li, L, Xue, YD, Wu, GS, Li, DQ, Giraudoux, P (2015) Potential habitat corridors and restoration areas for the black-and-white snub-nosed monkey *Rhinopithecus bieti* in Yunnan, China. *Oryx* **49**, 719-726.
- Li, M, Liu, ZJ, Gou, JX, Ren, BP, Pan, RL, Su, YJ, Funk, SA, Wei, FW (2007) Phylogeography and population structure of the golden monkeys (*Rhinopithecus roxellana*): Inferred from mitochondrial DNA sequences. *American Journal of Primatology* **69**, 1195-1209.
- Li, M, Wei, FW, Goossens, B, Feng, ZJ, Tamate, HB, Bruford, MW, Funk, SM (2005) Mitochondrial phylogeography and subspecific variation in the red panda (*Ailurus fulgens*): implications for conservation. *Molecular Phylogenetics and Evolution* **36**, 78-89.
- Li, Y, Cooper, SJB, Lancaster, ML, Packer, JG, Carthew, SM (2016) Comparative Population Genetic Structure of the Endangered Southern Brown Bandicoot, *Isodon obesulus*, in Fragmented Landscapes of Southern Australia. *Plos One* **11**, e0152850.
- Li, Y, Lancaster, ML, Carthew, SM, Packer, JG, Cooper, SJB (2014) Delineation of conservation units in an endangered marsupial, the southern brown bandicoot (*Isodon obesulus obesulus*), in South Australia/western Victoria, Australia. *Australian Journal of Zoology* **62**, 345-359.
- Li, Y, Lancaster, ML, Cooper, SJB, Taylor, AC, Carthew, SM (2015) Population structure and gene flow in the endangered southern brown bandicoot (*Isodon obesulus obesulus*) across a fragmented landscape. *Conservation Genetics* **16**, 331-345.
- Lima, JY, Machado, FB, Farro, APC, Barbosa, LD, da Silveira, LS, Medina-Acosta, E (2017) Population genetic structure of Guiana dolphin (*Sotalia guianensis*) from the southwestern Atlantic coast of Brazil. *Plos One* **12**, e0183645.
- Lindsay, DL, Barr, KR, Lance, RF, Tweddle, SA, Hayden, TJ, Leberg, PL (2008) Habitat fragmentation and genetic diversity of an endangered, migratory songbird, the golden-cheeked warbler (*Dendroica chrysoparia*). *Molecular Ecology* **17**, 2122-2133.
- Lindsay, DL, Guan, X, Farrington, HL, Blake, MD, Barker, ND, Carr, MR, Navarro, PE, Lance, RF (2015) Genetic structure among hibernacula of the endangered gray bat (*Myotis grisescens*). *Acta Chiropterologica* **17**, 293-306.
- Link, A, Valencia, LM, Cespedes, LN, Duque, LD, Cadena, CD, Di Fiore, A (2015) Phylogeography of the Critically Endangered Brown Spider Monkey (*Ateles hybridus*): Testing the Riverine Barrier Hypothesis. *International Journal of Primatology* **36**, 530-547.
- Liu, YH, Zhang, MH (2011) Mitochondrial DNA variation in eastern roe deer (*Capreolus pygargus*) populations from Northeastern China: implications for management and conservation. *Scandinavian Journal of Forest Research* **26**, 48-52.
- Liu, Z, Ren, B, Wei, F, Long, Y, Hao, Y, Li, M (2007) Phylogeography and population structure of the Yunnan snub-nosed monkey (*Rhinopithecus bieti*) inferred from mitochondrial control region DNA sequence analysis. *Molecular Ecology* **16**, 3334-3349.
-



---

Lü, X, Wei, F, Li, M, Yang, G, Liu, H (2006) Genetic diversity among Chinese sika deer (*Cervus nippon*) populations and relationships between Chinese and Japanese sika deer. *Chinese Science Bulletin* **51**, 433-440.

Loew, SS, Williams, DF, Ralls, K, Pilgrim, K, Fleischer, RC (2005) Population structure and genetic variation in the endangered Giant Kangaroo Rat (*Dipodomys ingens*). *Conservation Genetics* **6**, 495-510.

Lopes, IF, Haig, SM, Del Lama, SN (2010) Genetic Characterization of Neotropical Jabiru Storks: Insights for Conservation. *Waterbirds* **33**, 425-437.

Luo, MF, Pan, HJ (2013) MHC II DRB variation and trans-species polymorphism in the golden snub-nosed monkey (*Rhinopithecus roxellana*). *Chinese Science Bulletin* **58**, 2119-2127.

Mager, KH, Colson, KE, Groves, P, Hundertmark, KJ (2014) Population structure over a broad spatial scale driven by nonanthropogenic factors in a wide-ranging migratory mammal, Alaskan caribou. *Molecular Ecology* **23**, 6045-6057.

Major, RE, Johnson, RN, King, AG, Cooke, GM, Sladek, JLT (2014) Genetic isolation of endangered bird populations inhabiting salt marsh remnants surrounded by intensive urbanization. *Animal Conservation* **17**, 419-429.

Malenfant, RM, Davis, CS, Cullingham, CI, Coltman, DW (2016) Circumpolar Genetic Structure and Recent Gene Flow of Polar Bears: A Reanalysis. *Plos One* **11**, e0148967.

Manly, B, Arbogast, BS, Lee, DS, van Tuinen, M (2013) Mitochondrial DNA Analysis Reveals Substantial Population Structure within the Endangered Black-capped Petrel (*Pterodroma hasitata*). *Waterbirds* **36**, 228-233.

Mannise, N, Cosse, M, Gonzalez, S, Emmons, LH, Duarte, JMB, Beccaceci, MD, Maldonado, JE (2017) Maned wolves retain moderate levels of genetic diversity and gene flow despite drastic habitat fragmentation. *Endangered Species Research* **34**, 449-462.

Mapelli, FJ, Mora, MS, Mirol, PM, Kittlein, MJ (2012) Population structure and landscape genetics in the endangered subterranean rodent *Ctenomys portousi*. *Conservation Genetics* **13**, 165-181.

Martinez-Bakker, ME, Sell, SK, Swanson, BJ, Kelly, BP, Tallmon, DA (2013) Combined Genetic and Telemetry Data Reveal High Rates of Gene Flow, Migration, and Long-Distance Dispersal Potential in Arctic Ringed Seals (*Pusa hispida*). *Plos One* **8**, UNSP e77125.

Martinez-Cruz, B, Godoy, JA, Negro, JJ (2004) Population genetics after fragmentation: the case of the endangered Spanish imperial eagle (*Aquila adalberti*). *Molecular Ecology* **13**, 2243-2255.

Martins, MM, Nascimento, ATA, Nali, C, Velastin, GO, Mangini, PB, Valladares-Padua, CB, Galetti, PM (2011) Genetic Analysis Reveals Population Structuring and a Bottleneck in the Black-Faced Lion Tamarin (*Leontopithecus caissara*). *Folia Primatologica* **82**, 197-211.

Matocq, MD, Kelly, PA, Phillips, SE, Maldonado, JE (2012) Reconstructing the evolutionary history of an endangered subspecies across the changing landscape of the Great Central Valley of California. *Molecular Ecology* **21**, 5918-5933.

Matocq, MD, Villablanca, FX (2001) Low genetic diversity in an endangered species: recent or historic pattern? *Biological Conservation* **98**, 61-68.

---

---

McClenaghan, LR, Truesdale, HD (2002) Genetic structure of endangered Stephens' kangaroo rat populations in southern California. *Southwestern Naturalist* **47**, 539-549.

McFadden, KW, Gompper, ME, Valenzuela, DG, Morales, JC (2008) Evolutionary history of the critically endangered Cozumel dwarf carnivores inferred from mitochondrial DNA analyses. *Journal of Zoology* **276**, 176-186.

McKelvey, KS, Ramirez, JE, Pilgrim, KL, Cushman, SA, Schwartz, MK (2013) Genetic Sampling of Palmer's Chipmunks in the Spring Mountains, Nevada. *Western North American Naturalist* **73**, 198-210.

McLoughlin, PD, Paetkau, D, Duda, M, Boutin, S (2004) Genetic diversity and relatedness of boreal caribou populations in western Canada. *Biological Conservation* **118**, 593-598.

McMahon, B, Johansson, MP, Piertney, SB, Buckley, K, Hoglund, J (2012) Genetic variation among endangered Irish red grouse (*Lagopus lagopus hibernicus*) populations: implications for conservation and management. *Conservation Genetics* **13**, 639-647.

McManus, JS, Dalton, DL, Kotze, A, Smuts, B, Dickman, A, Marshal, JP, Keith, M (2015) Gene flow and population structure of a solitary top carnivore in a human-dominated landscape. *Ecology and Evolution* **5**, 335-344.

Mendez, M, Rosenbatan, HC, Bordino, P (2008) Conservation genetics of the franciscana dolphin in Northern Argentina: population structure, by-catch impacts, and management implications. *Conservation Genetics* **9**, 419-435.

Mendez, M, Rosenbaum, HC, Subramaniam, A, Yackulic, C, Bordino, P (2010) Isolation by environmental distance in mobile marine species: molecular ecology of franciscana dolphins at their southern range. *Molecular Ecology* **19**, 2212-2228.

Menger, J, Henle, K, Magnusson, WE, Soro, A, Husemann, M, Schlegel, M (2017) Genetic diversity and spatial structure of the Rufous-throated Antbird (*Gymnopithys rufigula*), an Amazonian obligate army-ant follower. *Ecology and Evolution* **7**, 2671-2684.

Meyer-Lucht, Y, Mulder, KP, James, MC, McMahon, BJ, Buckley, K, Piertney, SB, Hoglund, J (2016) Adaptive and neutral genetic differentiation among Scottish and endangered Irish red grouse (*Lagopus lagopus scotica*). *Conservation Genetics* **17**, 615-630.

Michaux, JR, Libois, R, Davison, A, Chevret, P, Rosoux, R (2004) Is the western population of the European mink, (*Mustela lutreola*), a distinct Management Unit for conservation? *Biological Conservation* **115**, 357-367.

Miller, EJ, Eldridge, MDB, Morris, KD, Zenger, KR, Herbert, CA (2011) Genetic consequences of isolation: island tammar wallaby (*Macropus eugenii*) populations and the conservation of threatened species. *Conservation Genetics* **12**, 1619-1631.

Miller, HC, Lambert, DM, Millar, CD, Robertson, BC, Minot, EO (2003) Minisatellite DNA profiling detects lineages and parentage in the endangered kakapo (*Strigops habroptilus*) despite low microsatellite DNA variation. *Conservation Genetics* **4**, 265-274.

Miller, MP, Bianchi, CA, Mullins, TD, Haig, SM (2013) Associations between forest fragmentation patterns and genetic structure in Pfrimer's Parakeet (*Pyrrhura pfrimeri*), an endangered endemic to central Brazil's dry forests. *Conservation Genetics* **14**, 333-343.

---

---

Miller, MP, Haig, SM, Gratto-Trevor, CL, Mullins, HD (2010) Subspecies status and population genetic structure in Piping Plover (*Charadrius melodus*). *Auk* **127**, 57-71.

Miller, SM, Harper, CK, Bloomer, P, Hofmeyr, J, Funston, PJ (2015) Fenced and Fragmented: Conservation Value of Managed Metapopulations. *Plos One* **10**, e0144605.

Mills, HR, Moro, D, Spencer, PBS (2004) Conservation significance of island versus mainland populations: a case study of dibblers (*Parantechinus apicalis*) in Western Australia. *Animal Conservation* **7**, 387-395.

Mino, CI, Avelar, LHD, da Silva, FM, Perez, MF, Menezes, LF, Del Lama, SN (2017) Genetic differentiation and historical demography of wood stork populations in Brazilian wetlands: Implications for the conservation of the species and associated ecosystems. *Aquatic Conservation-Marine and Freshwater Ecosystems* **27**, 1313-1324.

Mira, S, Arnaud-Haond, S, Palma, L, Cancela, ML, Beja, P (2013) Large-scale population genetic structure in Bonelli's Eagle *Aquila fasciata*. *Ibis* **155**, 485-498.

Montiel-Reyes, F, Maldonado, JE, Del Real-Monroy, M, Martinez-Mendez, N, Ortega, J (2014) Non-invasive sampling reveals fine-scale genetic structure in black bear *Ursus americanus* populations from northeastern Mexico. *Endangered Species Research* **26**, 179-188.

Moodley, Y, Harley, EH (2005) Population structuring in mountain zebras (*Equus zebra*): The molecular consequences of divergent demographic histories. *Conservation Genetics* **6**, 953-968.

Mora, MS, Mapelli, FJ, Gaggiotti, OE, Kittlein, MJ, Lessa, EP (2010) Dispersal and population structure at different spatial scales in the subterranean rodent *Ctenomys australis*. *Bmc Genetics* **11**, 9.

Moscarella, RA, Aguilera, M, Escalante, AA (2003) Phylogeography, population structure, and implications for conservation of white-tailed deer (*Odocoileus virginianus*) in Venezuela. *Journal of Mammalogy* **84**, 1300-1315.

Mounce, H, Raisin, C, Leonard, D, Wickenden, H, Swinnerton, K, Groombridge, J (2015) Spatial genetic architecture of the critically-endangered Maui Parrotbill (*Pseudonestor xanthophrys*): management considerations for reintroduction strategies. *Conservation Genetics* **16**, 71-84.

Mowry, RA, Schneider, TM, Latch, EK, Gompper, ME, Beringer, J, Eggert, LS (2015) Genetics and the successful reintroduction of the Missouri river otter. *Animal Conservation* **18**, 196-206.

Mylecraine, KA, Bulgin, NL, Gibbs, HL, Vickery, PD, Perkins, DW (2008) Limited genetic structure and evidence for dispersal among populations of the endangered Florida grasshopper sparrow, *Ammodramus* *savannarum floridanus*. *Conservation Genetics* **9**, 1633-1638.

Natesh, M, Atla, G, Nigam, P, Jhala, YV, Zachariah, A, Borthakur, U, Ramakrishnan, U (2017) Conservation priorities for endangered Indian tigers through a genomic lens. *Scientific Reports* **7**, 9614.

Natoli, A, Canadas, A, Vaquero, C, Politi, E, Fernandez-Navarro, P, Hoelzel, AR (2008) Conservation genetics of the short-beaked common dolphin (*Delphinus delphis*) in the Mediterranean Sea and in the eastern North Atlantic Ocean. *Conservation Genetics* **9**, 1479-1487.

Negri, MF, Cappozzo, HL, Tunez, JI (2016) Genetic diversity and population structure of the franciscana dolphin, *Pontoporia blainvillei*, in Southern Buenos Aires, Argentina. *New Zealand Journal of Marine and Freshwater Research* **50**, 326-338.

---

---

Nesje, M, Roed, KH, Bell, DA, Lindberg, P, Lifjeld, JT (2000) Microsatellite analysis of population structure and genetic variability in peregrine falcons (*Falco peregrinus*). *Animal Conservation* **3**, 267-275.

Neuwald, JL (2010) Population isolation exacerbates conservation genetic concerns in the endangered Amargosa vole,

*Microtus californicus scirpensis*. *Biological Conservation* **143**, 2028-2038.

Nims, BD, Vargas, FH, Merkel, J, Parker, PG (2008) Low genetic diversity and lack of population structure in the endangered Galapagos penguin (*Spheniscus mendiculus*). *Conservation Genetics* **9**, 1413-1420.

Norton, JE, Ashley, MV (2004) Genetic variability and population structure among wild Baird's tapirs. *Animal Conservation* **7**, 211-220.

Nunziata, SO, Wallenhorst, P, Barrett, MA, Junge, RE, Yoder, AD, Weisrock, DW (2016) Population and Conservation Genetics in an Endangered Lemur, Indri indri, Across Three Forest Reserves in Madagascar. *International Journal of Primatology* **37**, 688-702.

Nusser, JA, Goto, RM, Ledig, DB, Fleischer, RC, Miller, MM (1996) RAPD analysis reveals low genetic variability in the endangered light-footed clapper rail. *Molecular Ecology* **5**, 463-472.

O' Donnell, CFJ, Richter, S, Dool, S, Monks, JM, Kerth, G (2016) Genetic diversity is maintained in the endangered New Zealand long-tailed bat (*Chalinolobus tuberculatus*) despite a closed social structure and regular population crashes. *Conservation Genetics* **17**, 91-102.

Olivieri, GL, Sousa, V, Chikhi, L, Radespiel, U (2008) From genetic diversity and structure to conservation: Genetic signature of recent population declines in three mouse lemur species (*Microcebus* spp.). *Biological Conservation* **141**, 1257-1271.

Omote, K, Nishida, C, Takenaka, T, Masuda, R (2012) Temporal Changes of Genetic Population Structure and Diversity in the Endangered Blakiston's Fish Owl (*Bubo blakistoni*) on Hokkaido Island, Japan, Revealed by Microsatellite Analysis. *Zoological Science* **29**, 299-304.

Omote, K, Nishida, C, Takenaka, T, Saito, K, Shimura, R, Fujimoto, S, Sato, T, Masuda, R (2015) Recent fragmentation of the endangered Blakiston's fish owl (*Bubo blakistoni*) population on Hokkaido Island, Northern Japan, Revealed by Mitochondrial DNA and Microsatellite Analyses. *Zoological Letters* **1**, 16.

Ortega, J, Navarrete, D, Maldonado, JE (2012) Non-invasive sampling of endangered neotropical river otters reveals high levels of dispersion in the Lacantun River System of Chiapas, Mexico. *Animal Biodiversity and Conservation* **35**, 59-69.

Pacioni, C, Wayne, AF, Spencer, PBS (2011) Effects of habitat fragmentation on population structure and long-distance gene flow in an endangered marsupial: the woylie. *Journal of Zoology* **283**, 98-107.

Pagacz, S (2016) The effect of a major drainage divide on the gene flow of a semiaquatic carnivore, the Eurasian otter. *Journal of Mammalogy* **97**, 1164-1176.

Pan, HJ, Shi, FL, Chang, ZF, Xiang, ZF, Sun, TT, Liu, ZJ, Li, M (2011) Mitochondrial DNA variation analysis suggests extreme low genetic diversity in Guizhou snub-nosed monkeys (*Rhinopithecus brelichi*). *Chinese Science Bulletin* **56**, 2541-2544.

---

---

Paplińska, JZ, Taggart, DA, Corrigan, T, Eldridge, MDB, Austin, JJ (2011) Using DNA from museum specimens to preserve the integrity of evolutionarily significant unit boundaries in threatened species. *Biological Conservation* **144**, 290-297.

Patel, RP, Lenz, D, Kitchener, AC, Fickel, J, Forster, DW, Wilting, A (2017) Threatened but understudied: supporting conservation by understanding the genetic structure of the flat-headed cat. *Conservation Genetics* **18**, 1423-1433.

Pavlova, A, Selwood, P, Harrison, KA, Murray, N, Quin, B, Menkhorst, P, Smales, I, Sunnucks, P (2014) Integrating phylogeography and morphometrics to assess conservation merits and inform conservation strategies for an endangered subspecies of a common bird species. *Biological Conservation* **174**, 136-146.

Pearce, JM, Talbot, SL, Petersen, MR, Rearick, JR (2005) Limited genetic differentiation among breeding, molting, and wintering groups of the threatened Steller's eider: the role of historic and contemporary factors. *Conservation Genetics* **6**, 743-757.

Perez, T, Vazquez, F, Naves, J, Fernandez, A, Corao, A, Albornoz, J, Dominguez, A (2009) Non-invasive genetic study of the endangered Cantabrian brown bear (*Ursus arctos*). *Conservation Genetics* **10**, 291-301.

Perez-Alvarez, MJ, Olavarria, C, Moraga, R, Baker, CS, Hamner, RM, Poulin, E (2015) Microsatellite Markers Reveal Strong Genetic Structure in the Endemic Chilean Dolphin. *Plos One* **10**, e0123956.

Peters, JL, Lavretsky, P, DaCosta, JM, Bielefeld, RR, Feddersen, JC, Sorenson, MD (2016) Population genomic data delineate conservation units in mottled ducks (*Anas fulvigula*). *Biological Conservation* **203**, 272-281.

Peters, KJ, Myers, SA, Dudaniec, RY, O'Connor, JA, Kleindorfer, S (2017) Females drive asymmetrical introgression from rare to common species in Darwin's tree finches. *Journal of Evolutionary Biology* **30**, 1940-1952.

Piaggio, AJ, Navo, KW, Stihler, CW (2009) Intraspecific comparison of population structure, genetic diversity, and dispersal among three subspecies of Townsend's big-eared bats, *Corynorhinus townsendii townsendii*, *C.-t. pallescens*, and the endangered *C.-t. virginianus*. *Conservation Genetics* **10**, 143-159.

Pickles, RSA, Groombridge, JJ, Rojas, VDZ, Van Damme, P, Gottelli, D, Ariani, CV, Jordan, WC (2012) Genetic diversity and population structure in the endangered giant otter, *Pteronura brasiliensis*. *Conservation Genetics* **13**, 235-245.

Piggott, MP, Hansen, B, Soderquist, T, Eldridge, MDB, Taylor, AC (2018) Population monitoring of small and declining brush-tailed rock wallaby (*Petrogale penicillata*) colonies at the extreme of their range using faecal DNA sampling. *Australian Mammalogy* **40**, 58-66.

Pitra, C, D'Aloia, MA, Lieckfeldt, D, Combreau, O (2004) Genetic variation across the current range of the Asian houbara bustard (*Chlamydotis undulata macqueenii*). *Conservation Genetics* **5**, 205-215.

Pomilla, C, Amaral, AR, Collins, T, Minton, G, Findlay, K, Leslie, MS, Ponnampalam, L, Baldwin, R, Rosenbaum, H (2014) The World's Most Isolated and Distinct Whale Population? Humpback Whales of the Arabian Sea. *Plos One* **9**, e114162.

Pope, TR (1998) Genetic variation in remnant populations of the woolly spider monkey (*Brachyteles arachnoides*). *International Journal of Primatology* **19**, 95-109.

---

---

Potter, S, Eldridge, MDB, Cooper, SJB, Paplinska, JZ, Taggart, DA (2012) Habitat connectivity, more than species' biology, influences genetic differentiation in a habitat specialist, the short-eared rock-wallaby (*Petrogale brachyotis*). *Conservation Genetics* **13**, 937-952.

Poulakakis, N, Antoniou, A, Mantziou, G, Parmakelis, A, Skartsi, T, Vasilakis, D, Elorriaga, J, De La Puente, J, Gavashelishvili, A, Ghasabyan, M, Katzner, T, McGrady, M, Batbayar, N, Fuller, M, Natsagdorj, T (2008) Population structure, diversity, and phylogeography in the near-threatened Eurasian black vultures *Aegypius monachus* (Falconiformes; Accipitridae) in Europe: insights from microsatellite and mitochondrial DNA variation. *Biological Journal of the Linnean Society* **95**, 859-872.

Quemere, E, Louis, EE, Riberon, A, Chikhi, L, Crouau-Roy, B (2010) Non-invasive conservation genetics of the critically endangered golden-crowned sifaka (*Propithecus tattersalli*): high diversity and significant genetic differentiation over a small range. *Conservation Genetics* **11**, 675-687.

Querejeta, M, Gonzalez-Esteban, J, Gomez, A, Fernandez-Gonzalez, A, Aymerich, P, Gosalbez, J, Escoda, L, Igea, J, Castresana, J (2016) Genomic diversity and geographical structure of the Pyrenean desman. *Conservation Genetics* **17**, 1333-1344.

Ram, MS, Marne, M, Gaur, A, Kumara, HN, Singh, M, Kumar, A, Umapathy, G (2015) Pre-Historic and Recent Vicariance Events Shape Genetic Structure and Diversity in Endangered Lion-Tailed Macaque in the Western Ghats: Implications for Conservation. *Plos One* **10**, e0142597.

Ramey, RR, Liu, HP, Epps, CW, Carpenter, LM, Wehausen, JD (2005) Genetic relatedness of the Preble's meadow jumping mouse (*Zapus hudsonius preblei*) to nearby subspecies of *Z-hudsonius* as inferred from variation in cranial morphology, mitochondrial DNA and microsatellite DNA: implications for taxonomy and conservation. *Animal Conservation* **8**, 329-346.

Rayner, MJ, Carraher, CJF, Clout, MN, Hauber, ME (2010) Mitochondrial DNA analysis reveals genetic structure in two New Zealand Cook's petrel (*Pterodroma cookii*) populations. *Conservation Genetics* **11**, 2073-2077.

Reddy, PA, Gour, DS, Bhavanishankar, M, Jaggi, K, Hussain, SM, Harika, K, Shivaji, S (2012) Genetic Evidence of Tiger Population Structure and Migration within an Isolated and Fragmented Landscape in Northwest India. *Plos One* **7**, e29827.

Rego, PS, Araripe, J, Silva, WAG, Albano, C, Pinto, T, Campos, A, Vallinoto, M, Sampaio, I, Schneider, H (2010) Population Genetic Studies of Mitochondrial Pseudo-Control Region in the Endangered Araripe Manakin (*Antilophia bokermanni*). *Auk* **127**, 335-342.

Ricanova, S, Bryja, J, Cosson, JF, Csongor, G, Choleva, L, Ambros, M, Sedlacek, F (2011) Depleted genetic variation of the European ground squirrel in Central Europe in both microsatellites and the major histocompatibility complex gene: implications for conservation. *Conservation Genetics* **12**, 1115-1129.

Riou, S, Combreau, O, Judas, J, Lawrence, M, Al Baidani, MS, Pitra, C (2012) Genetic Differentiation among Migrant and Resident Populations of the Threatened Asian Houbara Bustard. *Journal of Heredity* **103**, 64-70.

Rivera-Ortiz, FA, Solorzano, S, Arizmendi, MD, Davila-Aranda, P, Oyama, K (2017) Genetic Diversity and Structure of the Military Macaw (*Ara militaris*) in Mexico: Implications for Conservation. *Tropical Conservation Science* **10**, 1-12.

---

---

Riviere-Dobigny, T, Herbreteau, V, Khamsavath, K, Douangboupouha, B, Morand, S, Michaux, JR, Hugot, JP (2011) Preliminary assessment of the genetic population structure of the enigmatic species *Laonastes aenigmamus* (Rodentia: Diatomyidae). *Journal of Mammalogy* **92**, 620-628.

Roberts, DG, Baker, J, Perrin, C (2011) Population genetic structure of the endangered Eastern Bristlebird, *Dasyornis brachypterus*; implications for conservation. *Conservation Genetics* **12**, 1075-1085.

Robertson, BC, Steeves, TE, McBride, KP, Goldstien, SJ, Williams, M, Gemmell, NJ (2007) Phylogeography of the New Zealand blue duck (*Hymenolaimus malacorhynchos*): implications for translocation and species recovery. *Conservation Genetics* **8**, 1431-1440.

Robin, VV, Sinha, A, Ramakrishnan, U (2010) Ancient Geographical Gaps and Paleo-Climatic Shape the Phylogeography of an Endemic Bird in the Sky Islands of Southern India. *Plos One* **5**, e13321.

Robinson, NA (1995) IMPLICATIONS FROM MITOCHONDRIAL-DNA FOR MANAGEMENT TO CONSERVE THE EASTERN BARRED BANDICOOT (*PERAMELES GUNNII*). *Conservation Biology* **9**, 114-125.

Rodgers, JA, Stangel, PW (1996) Genetic variation and population structure of the endangered snail kite in south Florida. *Journal of Raptor Research* **30**, 111-117.

Ronka, N, Kvist, L, Pakanen, V-M, Ronka, A, Degtyaryev, V, Tomkovich, P, Tracy, D, Koivula, K (2012) Phylogeography of the Temminck's Stint (*Calidris temminckii*): historical vicariance but little present genetic structure in a regionally endangered Palearctic wader. *Diversity and Distributions* **18**, 704-716.

Roques, S, Sollman, R, Jacomo, A, Torres, N, Silveira, L, Chavez, C, Keller, C, do Prado, DM, Torres, PC, dos Santos, CJ, da Luz, XBG, Magnusson, WE, Godoy, JA, Ceballos, G, Palomares, F (2016) Effects of habitat deterioration on the population genetics and conservation of the jaguar. *Conservation Genetics* **17**, 125-139.

Rosner, S, Brandl, R, Segelbacher, G, Lorenc, T, Muller, J (2014) Noninvasive genetic sampling allows estimation of capercaillie numbers and population structure in the Bohemian Forest. *European Journal of Wildlife Research* **60**, 789-801.

Rossiter, SJ, Jones, G, Ransome, RD, Barratt, EM (2000) Genetic variation and population structure in the endangered greater horseshoe bat *Rhinolophus ferrumequinum*. *Molecular Ecology* **9**, 1131-1135.

Rowe, KMC, Rowe, KC, Elphinstone, MS, Baverstock, PR (2011) Population structure, timing of divergence and contact between lineages in the endangered Hastings River mouse (*Pseudomys oralis*). *Australian Journal of Zoology* **59**, 186-200.

Royston, SR, Carr, SM (2016) Conservation genetics of high-arctic Gull species at risk: I. Diversity in the mtDNA control region of circumpolar populations of the Endangered Ivory Gull (*Pagophila eburnea*). *Mitochondrial DNA Part A* **27**, 3995-3999.

Ruiz-Garcia, M (2003) Molecular population genetic analysis of the spectacled bear (*Tremarctos ornatus*) in the northern Andean area. *Heredity* **138**, 81-93.

Ruiz-Lopez, MJ, Barelli, C, Rovero, F, Hodges, K, Roos, C, Peterman, WE, Ting, N (2016) A novel landscape genetic approach demonstrates the effects of human disturbance on the Udzungwa red colobus monkey (*Procolobus gordonorum*). *Heredity* **116**, 167-176.

---

---

Ruokonen, M, Kvist, L, Aarvak, T, Markkola, J, Morozov, VV, Oien, JJ, Syroechkovsky, EE, Tolvanen, P, Lumme, J (2004) Population genetic structure and conservation of the lesser white-fronted goose *Anser erythropus*. *Conservation Genetics* **5**, 501-512.

Rutkowski, R, Krupinski, D, Kitowski, I, Popovic, D, Gryczynska, A, Molak, M, Dulisz, B, Poprach, K, Muller, S, Muller, R, Gierach, KD (2015) Genetic structure and diversity of breeding Montagu's harrier (*Circus pygargus*) in Europe. *European Journal of Wildlife Research* **61**, 691-701.

Rutkowski, R, Nieweglowski, H, Dziedzic, R, Kmiec, M, Gozdziwski, J (2005) Genetic variability of Polish population of the Capercaillie *Tetrao urogallus*. *Acta Ornithologica* **40**, 27-34.

Rutkowski, R, Zawadzka, D, Suchecka, E, Merta, D (2017) Conservation genetics of the capercaillie in Poland - Delineation of conservation units. *Plos One* **12**, e0174901.

Rutledge, LY, Coxon, A, White, BN (2017) Genetic assessment of the San Clemente Island loggerhead shrike reveals evidence of historical gene flow with Santa Catalina Island. *Global Ecology and Conservation* **11**, 42-52.

Sainsbury, JP, Greene, TC, Moorhouse, RJ, Daugherty, CH, Chambers, GK (2006) Microsatellite analysis reveals substantial levels of genetic variation but low levels of genetic divergence among isolated populations of Kaka (*Nestor meridionalis*). *Emu* **106**, 329-338.

Salgueiro, P, Coelho, MM, Palmeirim, JM, Ruedi, M (2004) Mitochondrial DNA variation and population structure of the island endemic Azorean bat (*Nyctalus azoreum*). *Molecular Ecology* **13**, 3357-3366.

Salgueiro, P, Palmeirim, JM, Ruedi, M, Coelho, MM (2008) Gene flow and population structure of the endemic Azorean bat (*Nyctalus azoreum*) based on microsatellites: implications for conservation. *Conservation Genetics* **9**, 1163-1171.

Schaeff, CM, Kraus, SD, Brown, MW, Perkins, JS, Payne, R, White, BN (1997) Comparison of genetic variability of North and South Atlantic right whales (*Eubalaena*), using DNA fingerprinting. *Canadian Journal of Zoology* **75**, 1073-1080.

Schultz, JK (2011) Population Genetics of the Monk Seals (Genus *Monachus*): A Review. *Aquatic Mammals* **37**, 227-235.

Schultz, JK, Baker, JD, Toonen, RJ, Harting, AL, Bowen, BW (2011) Range-Wide Genetic Connectivity of the Hawaiian Monk Seal and Implications for Translocation. *Conservation Biology* **25**, 124-132.

Seki, S-I, Takano, H, Kawakami, K, Kotaka, N, Endo, A, Takehara, K (2007) Distribution and genetic structure of the Japanese wood pigeon (*Columba janthina*) endemic to the islands of East Asia. *Conservation Genetics* **8**, 1109-1121.

Senn, H, Banfield, L, Wachter, T, Newby, J, Rabeil, T, Kaden, J, Kitchener, AC, Abaigar, T, Silva, TL, Maunder, M, Ogden, R (2014) Splitting or Lumping? A Conservation Dilemma Exemplified by the Critically Endangered Dama Gazelle (*Nanger dama*). *Plos One* **9**, e98693.

Sharma, R, Stuckas, H, Bhaskar, R, Rajput, S, Khan, I, Goyal, SP, Tiedemann, R (2009) mtDNA indicates profound population structure in Indian tiger (*Panthera tigris tigris*). *Conservation Genetics* **10**, 909-914.

---



---

Skroblin, A, Lanfear, R, Cockburn, A, Legge, S (2012) Inferring population connectivity across the range of the purple-crowned fairy-wren (*Malurus coronatus*) from mitochondrial DNA and morphology: implications for conservation management. *Australian Journal of Zoology* **60**, 199-209.

Smith, S, Hughes, J (2008) Microsatellite and mitochondrial DNA variation defines island genetic reservoirs for reintroductions of an endangered Australian marsupial, *Perameles bougainville*. *Conservation Genetics* **9**, 547-557.

Solorzano, S, Baker, AJ, Oyama, K (2004) Conservation priorities for Resplendent Quetzals based on analysis of mitochondrial DNA control-region sequences. *Condor* **106**, 449-456.

Solovyeva, DV, Pearce, JM (2011) Comparative mitochondrial genetics of North American and Eurasian mergansers with an emphasis on the endangered scaly-sided merganser (*Mergus squamatus*). *Conservation Genetics* **12**, 839-844.

Sremba, AL, Hancock-Hanser, B, Branch, TA, LeDuc, RL, Baker, CS (2012) Circumpolar Diversity and Geographic Differentiation of mtDNA in the Critically Endangered Antarctic Blue Whale (*Balaenoptera musculus intermedia*). *Plos One* **7**, e32579.

Stangel, PW, Lennartz, MR, Smith, MH (1992) Genetic-Variation and Population-Structure of Red-Cockaded Woodpeckers. *Conservation Biology* **6**, 283-292.

Stephen, CL, Devos, JC, Lee, TE, Bickham, JW, Heffelfinger, JR, Rhodes, OE (2005) Population genetic analysis of Sonoran pronghorn (*Antilocapra americana sonoriensis*). *Journal of Mammalogy* **86**, 782-792.

Storfer, A, Epstein, B, Jones, M, Micheletti, S, Spear, SF, Lachish, S, Fox, S (2017) Landscape genetics of the Tasmanian devil: implications for spread of an infectious cancer. *Conservation Genetics* **18**, 1287-1297.

Stumpf, KJ, Theimer, TC, McLeod, MA, Koronkiewicz, TJ (2014) Disparity in Population Structuring of Southwestern Willow Flycatchers Based on Geographic Distance, Movement Patterns, and Genetic Analyses. *Journal of Experimental Zoology Part a-Ecological Genetics and Physiology* **321**, 577-585.

Sugimoto, T, Hasegawa, O, Azuma, N, Masatomi, H, Sato, F, Matsumoto, F, Masatomi, Y, Izumi, H, Abe, S (2015) Genetic structure of the endangered red-crowned cranes in Hokkaido, Japan and conservation implications. *Conservation Genetics* **16**, 1395-1401.

Sun, B, Li, J, Zhu, Y, Xia, D (2010) Mitochondrial DNA variation in Tibetan macaque (*Macaca thibetana*). *Folia Zoologica* **59**, 301-307.

Szczys, P, Hughes, CR, Kesseli, RV (2005) Novel microsatellite markers used to determine the population genetic structure of the endangered Roseate Tern, *Sterna dougallii*, in Northwest Atlantic and Western Australia. *Conservation Genetics* **6**, 461-466

Telfer, WR, Eldridge, MDB (2010) High levels of mitochondrial DNA divergence within short-eared rock-wallaby (*Petrogale brachyotis*) populations in northern Australia. *Australian Journal of Zoology* **58**, 104-112.

Tonay, AM, Yazici, O, Dede, A, Bilgin, S, Danyer, E, Aytemiz, I, Maraci, O, Ozturk, AA, Ozturk, B, Bilgin, R (2017) Is there a distinct harbor porpoise subpopulation in the Marmara Sea? *Mitochondrial DNA Part A* **28**, 558-564.

---

---

Torres-Florez, JP, Huckle-Gaete, R, LeDuc, R, Lang, A, Taylor, B, Pimper, LE, Bedrinana-Romano, L, Rosenbaum, HC, Figueroa, CC (2014) Blue whale population structure along the eastern South Pacific Ocean: evidence of more than one population. *Molecular Ecology* **23**, 5998-6010.

Tracy, LN, Jamieson, IG (2011) Historic DNA reveals contemporary population structure results from anthropogenic effects, not pre-fragmentation patterns. *Conservation Genetics* **12**, 517-526.

Triant, DA, Pace, RM, Stine, M (2004) Abundance, genetic diversity and conservation of Louisiana black bears (*Ursus americanus luteolus*) as detected through noninvasive sampling. *Conservation Genetics* **5**, 647-659.

Tucker, KP, Hunter, ME, Bonde, RK, Austin, JD, Clark, AM, Beck, CA, McGuire, PM, Oli, MK (2012) Low genetic diversity and minimal population substructure in the endangered Florida manatee: implications for conservation. *Journal of Mammalogy* **93**, 1504-1511.

Tursi, RM, Hughes, PT, Hoffman, EA (2013) Taxonomy versus phylogeny: evolutionary history of marsh rabbits without hopping to conclusions. *Diversity and Distributions* **19**, 120-133.

Uphyrkina, O, O'Brien, SJ (2003) Applying molecular genetic tools to the conservation and action plan for the critically endangered Far Eastern leopard (*Panthera pardus orientalis*). *Comptes Rendus Biologies* **326**, S93-S97.

Valtonen, M, Palo, JU, Aspi, J, Ruokonen, M, Kunasranta, M, Nyman, T (2014) Causes and consequences of fine-scale population structure in a critically endangered freshwater seal. *Bmc Ecology* **14**, 22.

van Rees, CB, Reed, JM, Wilson, RE, Underwood, JG, Sonsthagen, SA (2018) Small-scale genetic structure in an endangered wetland specialist: possible effects of landscape change and population recovery. *Conservation Genetics* **19**, 129-142.

Vasquez-Carrillo, C, Friesen, V, Hall, L, Peery, MZ (2014) Variation in MHC class II B genes in marbled murrelets: implications for delineating conservation units. *Animal Conservation* **17**, 244-255.

Vazquez, JF, Perez, T, Quiros, F, Obeso, JR, Albornoz, J, Dominguez, A (2012) Population Genetic Structure and Diversity of the Endangered Cantabrian Capercaillie. *Journal of Wildlife Management* **76**, 957-965.

Vazquez-Miranda, H, Barr, KR, Farquhar, CC, Zink, RM (2015) Fluctuating fire regimes and their historical effects on genetic variation in an endangered shrubland specialist. *Ecology and Evolution* **5**, 5487-5498.

Vega, R, Vazquez-Dominguez, E, Mejia-Puente, A, Cuarón, AD (2007) Unexpected high levels of genetic variability and the population structure of an island endemic rodent (*Oryzomys couesi cozumelae*). *Biological Conservation* **137**, 210-222.

Vianna, JA, Ayerdi, P, Medina-Vogel, G, Mangel, JC, Zeballos, H, Apaza, M, Faugeron, S (2010) Phylogeography of the Marine Otter (*Lontra felina*): Historical and Contemporary Factors Determining Its Distribution. *Journal of Heredity* **101**, 676-689.

Vidya, TNC, Sukumar, R, Melnick, DJ (2009) Range-wide mtDNA phylogeography yields insights into the origins of Asian elephants. *Proceedings of the Royal Society B-Biological Sciences* **276**, 893-902.

Vilaca, ST, Redondo, RAF, Lins, LV, Santos, FR (2012) Remaining genetic diversity in Brazilian Merganser (*Mergus octosetaceus*). *Conservation Genetics* **13**, 293-298.

---

---

Vonhof, MJ, Amelon, SK, Currie, RR, McCracken, GF (2016) Genetic structure of winter populations of the endangered Indiana bat (*Myotis sodalis*) prior to the white nose syndrome epidemic: implications for the risk of disease spread. *Conservation Genetics* **17**, 1025-1040.

Walsh, SE, Woods, WE, Hoffman, SMG (2016) Effects of Range Contraction and Habitat Fragmentation on Genetic Variation in the Woodland Deer Mouse (*Peromyscus maniculatus gracilis*). *American Midland Naturalist* **176**, 272-281.

Wang, WR, Qiao, Y, Pan, WS, Yao, M (2015) Low Genetic Diversity and Strong Geographical Structure of the Critically Endangered White-Headed Langur (*Trachypithecus leucocephalus*) Inferred from Mitochondrial DNA Control Region Sequences. *Plos One* **10**, e0129782.

Wang, WR, Qiao, Y, Zheng, YT, Yao, M (2016) Isolation of microsatellite loci and reliable genotyping using noninvasive samples of a critically endangered primate, *Trachypithecus leucocephalus*. *Integrative Zoology* **11**, 250-262.

Warrillow, J, Culver, M, Hallerman, E, Vaughan, M (2001) Subspecific affinity of black bears in the White River National

Wildlife Refuge. *Journal of Heredity* **92**, 226-233.

Weckworth, BV, Musiani, M, McDevitt, AD, Hebblewhite, M, Mariani, S (2012) Reconstruction of caribou evolutionary history in Western North America and its implications for conservation. *Molecular Ecology* **21**, 3610-3624.

Welch, AJ, Fleischer, RC, James, HF, Wiley, AE, Ostrom, PH, Adams, J, Duvall, F, Holmes, N, Hu, D, Penniman, J, Swindle, KA (2012) Population divergence and gene flow in an endangered and highly mobile seabird. *Heredity* **109**, 19-28.

West, R, Potter, S, Taggart, D, Eldridge, MDB (2018) Looking back to go forward: genetics informs future management of captive and reintroduced populations of the black-footed rock-wallaby *Petrogale lateralis*. *Conservation Genetics* **19**, 235-247.

Weston, KA, Taylor, SS, Robertson, BC (2016) Identifying populations for management: fine-scale population structure in the New Zealand alpine rock wren (*Xenicus gilviventris*). *Conservation Genetics* **17**, 691-701.

Weyandt, SE, Van den Bussche, RA, Hamilton, MJ, Leslie, DM (2005) Unraveling the effects of sex and dispersal: Ozark big-eared bat (*Corynorhinus townsendii ingens*) conservation genetics. *Journal of Mammalogy* **86**, 1136-1143.

White, NE, Bunce, M, Mawson, PR, Dawson, R, Saunders, DA, Allentoft, ME (2014) Identifying conservation units after large-scale land clearing: a spatio-temporal molecular survey of endangered white-tailed black cockatoos (*Calyptorhynchus* spp.). *Diversity and Distributions* **20**, 1208-1220.

Wiemann, A, Andersen, LW, Berggren, P, Siebert, U, Benke, H, Teilmann, J, Lockyer, C, Pawliczka, I, Skora, K, Roos, A, Lyrholm, T, Paulus, KB, Ketmaier, V, Tiedemann, R (2010) Mitochondrial Control Region and microsatellite analyses on harbour porpoise (*Phocoena phocoena*) unravel population differentiation in the Baltic Sea and adjacent waters. *Conservation Genetics* **11**, 195-211.

---

---

Wood, DA, Bui, TVD, Overton, CT, Vandergast, AG, Casazza, ML, Hull, JM, Takekawa, JY (2017) A century of landscape disturbance and urbanization of the San Francisco Bay region affects the present-day genetic diversity of the California Ridgway's rail (*Rallus obsoletus obsoletus*). *Conservation Genetics* **18**, 131-146.

Wronski, T, Wachter, T, Hammond, RL, Winney, B, Hundertmark, KJ, Blacket, MJ, Mohammed, OB, Flores, B, Omer, SA, Macasero, W, Plath, M, Tiedemann, R, Bleidorn, C (2010) Two reciprocally monophyletic mtDNA lineages elucidate the taxonomic status of Mountain gazelles (*Gazella gazella*). *Systematics and Biodiversity* **8**, 119-129.

Wu, H, Wan, QH, Fang, SG (2004) Two genetically distinct units of the Chinese sika deer (*Cervus nippon*): analyses of mitochondrial DNA variation. *Biological Conservation* **119**, 183-190.

Wu, YH, Xia, L, Zhang, Q, Yang, QS (2010) Habitat fragmentation affects genetic diversity and differentiation of the Yarkand hare. *Conservation Genetics* **11**, 183-194.

Wultsch, C, Caragiulo, A, Dias-Freedman, I, Quigley, H, Rabinowitz, S, Amato, G (2016) Genetic Diversity and Population Structure of Mesoamerican Jaguars (*Panthera onca*): Implications for Conservation and Management. *Plos One* **11**, e0162377.

Xu, WH, Ouyang, Z, Vina, A, Zheng, H, Liu, JG, Xiao, Y (2006) Designing a conservation plan for protecting the habitat for giant pandas in the Qionglai mountain range, China. *Diversity and Distributions* **12**, 610-619.

Yang, G, Liu, S, Ren, WH, Zhou, KY, Wei, FW (2003) Mitochondrial control region variability of baiji and the Yangtze finless porpoises, two sympatric small cetaceans in the Yangtze river. *Acta Theriologica* **48**, 469-483.

Yang, J, Jiang, ZG (2011) Genetic diversity, population genetic structure and demographic history of Przewalski's gazelle (*Procapra przewalskii*): implications for conservation. *Conservation Genetics* **12**, 1457-1468.

Yang, JD, Hou, R, Shen, FJ, Yang, XY, Zhang, L, Chen, LM, Chen, WL, Zhang, WP, Zhu, Q, Zhang, ZH (2011) Microsatellite variability reveals significant genetic differentiation of giant pandas (*Ailuropoda melanoleuca*) in the Minshan A habitat. *African Journal of Biotechnology* **10**, 12804-12811.

Yannic, G, Yearsley, JM, Sermier, R, Dufresnes, C, Gilg, O, Aebischer, A, Gavrilov, MV, Strom, H, Mallory, ML, Morrison, RIG, Gilchrist, HG, Broquet, T (2016) High connectivity in a long-lived high-Arctic seabird, the ivory gull *Pagophila eburnea*. *Polar Biology* **39**, 221-236.

Yokochi, K, Kennington, WJ, Bencini, R (2016) An Endangered Arboreal Specialist, the Western Ringtail Possum (*Pseudocheirus occidentalis*), Shows a Greater Genetic Divergence across a Narrow Artificial Waterway than a Major Road. *Plos One* **11**, e0146167.

Younger, JL, Clucas, GV, Kao, DM, Rogers, AD, Gharbi, K, Hart, T, Miller, KJ (2017) The challenges of detecting subtle population structure and its importance for the conservation of emperor penguins. *Molecular Ecology* **26**, 3883-3897.

Zenger, KR, Eldridge, MDB, Johnston, PG (2005) Phylogenetics, population structure and genetic diversity of the endangered southern brown bandicoot (*Isodon obesulus*) in south-eastern Australia. *Conservation Genetics* **6**, 193-204.

Zhang, F, Jiang, Z (2006) Mitochondrial phylogeography and genetic diversity of Tibetan gazelle (*Procapra picticaudata*): Implications for conservation. *Molecular Phylogenetics and Evolution* **41**, 313-321.

---

---

Zheng, JS, Xia, JH, He, SP, Wang, D (2005) Population genetic structure of the Yangtze finless porpoise (*Neophocaena phocaenoides asiaeorientalis*): Implications for management and conservation. *Biochemical Genetics* **43**, 307-320.

Zhong, LJ, Zhang, MW, Yao, YF, Ni, QY, Mu, J, Li, CQ, Xu, HL (2013) Genetic diversity of two Tibetan macaque (*Macaca thibetana*) populations from Guizhou and Yunnan in China based on mitochondrial DNA D-loop sequences. *Genes & Genomics* **35**, 205-214.

Zhu, Y, Wan, Q-H, Yu, B, Ge, Y-F, Fang, S-G (2013) Patterns of genetic differentiation at MHC class I genes and microsatellites identify conservation units in the giant panda. *Bmc Evolutionary Biology* **13**, 227.

Zimmerman, M, Oddy, D, Stolen, E, Breininger, D, Pruett, CL (2015) Microspatial sampling reveals cryptic influences on gene flow in a threatened mammal. *Conservation Genetics* **16**, 1403-1414.

Zschokke, S, Armbruster, GFJ, Ursenbacher, S, Baur, B (2011) Genetic differences between the two remaining wild populations of the endangered Indian rhinoceros (*Rhinoceros unicornis*). *Biological Conservation* **144**, 2702-2709.

---