

10.1071/WR19237_AC

© CSIRO 2020

Supplementary Material: *Wildlife Research*, 2020, 47(7-8), 720-730.

Management of invasive mesopredators in the Flinders Ranges, South Australia: effectiveness and implications

Alyson M. Stobo-Wilson^{A,B,D}, Robert Brandle^C, Christopher N. Johnson^A and Menna E. Jones^A

^ASchool of Natural Sciences, University of Tasmania, Private Bag 55, Hobart, Tas. 7001, Australia.

^BResearch Institute for the Environment and Livelihoods, Charles Darwin University, Darwin, NT 0909, Australia.

^CDepartment of Environment and Water, South Australian Government, Port Augusta, SA 5700, Australia.

^DCorresponding author. Email: alyson.stobowilson@gmail.com

Table S1. Number of detections of terrestrial species recorded in the long-term fox-baited and unbaited sites during the spring (September–December 2013) and summer (February 2014) camera-trap surveys in the Flinders Ranges, South Australia

Common name	Scientific name	Unbaited 1	Unbaited 2	Baited 1 (Spring)	Baited 2 (Spring)	Baited 1 (Summer)	Baited 2 (Summer)
Apostlebird	<i>Struthidea cinerea</i>	0	0	0	11	0	3
Central bearded dragon	<i>Pogona vitticeps</i>	1	0	1	0	0	0
Eastern bluetongue	<i>Tiliqua scincoides</i>	2	1	1	11	1	2
Feral cat	<i>Felis catus</i>	12	21	38	18	25	22
Corvids	<i>Corvus</i> sp.	4	22	29	14	12	2
Dingo	<i>Canis familiaris dingo</i>	0	0	1	0	0	1
Donkey	<i>Equus asinus</i>	0	1	0	0	0	0
Eastern striped skink	<i>Ctenotus spaldingi</i>	0	0	0	2	0	0
Short-beaked echidna	<i>Tachyglossus aculeatus</i>	0	2	11	5	4	2
Emu	<i>Dromaius novaehollandiae</i>	0	0	0	1	0	0
Fat-tailed dunnart	<i>Sminthopsis crassicaudata</i>	0	0	0	0	0	1
Fox (red fox)	<i>Vulpes vulpes</i>	27	25	0	0	0	0
Sand goanna	<i>Varanus gouldii</i>	5	5	12	15	3	6
Goat	<i>Capra hircus</i>	18	142	0	1	3	5
Large macropods	<i>Osphranter rufus, Macropus robustus, M. fuliginosus</i>	123	82	97	119	45	85
Magpie	<i>Gymnorhina tibicen</i>	0	1	2	1	1	1
Rabbit (European rabbit)	<i>Oryctolagus cuniculus</i>	11	15	112	7	14	2
Sheep	<i>Ovis aries</i>	35	3	0	0	0	0
Sleepy lizard	<i>Tiliqua rugosa</i>	14	9	5	26	0	1
Unidentified bird		3	8	16	3	4	4
Unidentified rodent		1	0	2	0	0	1
Wedge-tailed eagle	<i>Aquila audax</i>	0	1	0	0	0	0

Yellow-footed rock wallaby	<i>Petrogale xanthopus</i>	0	0	6	7	1	4
Total trap nights		749	737	738	688	726	750




Fig. S1. The three major habitat types (open, woodland and creek) surveyed within the Flinders Ranges, South Australia.