

The new dynamics of residential aged care in Australia: continuity and change

Mark Cooper-Stanbury^{1,3} BSc, PhD candidate

Anna L. Howe² PhD, Honorary Professor

¹Centre for Health Policy, University of Melbourne, 207 Bouverie Street, Carlton, Vic. 3053, Australia.

²Department of Sociology, Macquarie University, 25 Wally's Walk, Macquarie University, NSW 2109, Australia. Email: anna.howe@bigpond.com

³Corresponding author. Email: mcooperstanb@student.unimelb.edu.au

Supplementary material

Table S1: Mapping of ACFI care domain triads to Common Care Groups

ACFI domain			Common Care Group	ACFI domain (cont.)			Common Care Group (cont.)
ADL	BEH	CHC		ADL	BEH	CHC	
High	High	High	1	Low	Nil	High	4
High	Medium	High	2	Nil	High	High	4
High	High	Medium	2	Low	Medium	Medium	4
High	Low	High	2	Medium	Medium	Nil	4
Medium	High	High	2	Medium	Nil	Low	4
High	Nil	High	2	Low	Low	Medium	4
High	Medium	Medium	2	Low	High	Low	4
High	Low	Medium	2	Medium	Low	Nil	5
Medium	Medium	High	2	Nil	Medium	High	5
High	High	Low	2	Low	Nil	Medium	5
Medium	High	Medium	2	Nil	High	Medium	5
High	Nil	Medium	3	Medium	Nil	Nil	5
Medium	Low	High	3	Nil	Low	High	5
Medium	Nil	High	3	Low	High	Nil	5
High	High	Nil	3	Low	Medium	Low	5
High	Medium	Low	3	Nil	Nil	High	5
Medium	Medium	Medium	3	Nil	Medium	Medium	5
Low	High	High	3	Low	Low	Low	5
High	Low	Low	3	Nil	Low	Medium	5
Medium	Low	Medium	3	Low	Medium	Nil	5
Medium	High	Low	3	Low	Nil	Low	5
High	Medium	Nil	3	Nil	High	Low	5
High	Nil	Low	3	Nil	Nil	Medium	5
Medium	Nil	Medium	3	Low	Low	Nil	5
Low	Medium	High	4	Low	Nil	Nil	6
Low	High	Medium	4	Nil	High	Nil	6
High	Low	Nil	4	Nil	Medium	Low	6
Medium	High	Nil	4	Nil	Low	Low	6
Medium	Medium	Low	4	Nil	Medium	Nil	6
Low	Low	High	4	Nil	Nil	Low	6
High	Nil	Nil	4	Nil	Low	Nil	6
Medium	Low	Low	4	Nil	Nil	Nil	6

Table S2: Summary episode-level length of stay measures, by age at admission, selected years

Age at admission	Common Care Group	2008–09	2013–14	2018–19
0–49	Average	63.6	64.6	76.2
	Upper whisker ^A	193.9	215.7	226.9
	75th percentile	81.9	89.2	95.9
	Median	33.1	21.5	28.2
	25th percentile	7.3	4.9	8.6
	Lower whisker	0.0	0.0	0.0
50–64	Average	41.3	42.6	48.8
	Upper whisker	134.7	139.6	159.9
	75th percentile	56.1	58.0	68.1
	Median	17.6	17.9	24.8
	25th percentile	3.7	3.6	6.9
	Lower whisker	0.0	0.0	0.0
65–74	Average	35.0	33.7	34.3
	Upper whisker	118.5	113.9	112.1
	75th percentile	49.6	47.7	47.7
	Median	17.5	16.7	18.5
	25th percentile	3.7	3.6	4.8
	Lower whisker	0.0	0.0	0.0
75–84	Average	29.3	31.3	32.7
	Upper whisker	101.6	110.4	112.0
	75th percentile	43.2	46.9	48.2
	Median	17.8	19.6	21.1
	25th percentile	4.3	4.6	5.7
	Lower whisker	0.0	0.0	0.0
85–94	Average	23.5	24.3	26.8
	Upper whisker	82.2	85.2	89.7
	75th percentile	35.1	36.4	39.3
	Median	14.7	15.6	18.9
	25th percentile	3.7	3.9	5.7
	Lower whisker	0.0	0.0	0.0
95+	Average	17.4	18.9	19.1
	Upper whisker	58.0	65.3	64.3
	75th percentile	25.0	28.1	28.1
	Median	10.3	11.9	12.3
	25th percentile	3.0	3.3	4.0
	Lower whisker	0.0	0.0	0.0

A. The upper whisker values in this table are the maximum calculated value: the plots at Figure 1 set the upper whisker at the highest actual value [observation] up to and including the calculated value.

Table S.3: Selected measures by number of episodes per person, by year of final separation, 2008–09 to 2018–19

n.a. = Not applicable.

Episodes per person ^A	Year of final separation												Total ^B
	2008–09	2009–10	2010–11	2011–12	2012–13	2013–14	2014–15	2015–16	2016–17	2017–18	2018–19		
Separations (number)													
1	48,004	44,656	45,595	45,679	47,167	47,345	48,436	49,189	51,282	52,047	51,843	531,243	
2	3,313	5,794	7,103	7,828	8,058	8,406	8,103	7,860	7,602	7,307	7,044	98,859	
3+	121	414	754	966	1,095	1,121	1,279	1,255	1,273	1,266	1,203	14,396	
Total	51,438	50,864	53,452	54,473	56,320	56,872	57,818	58,304	60,157	60,620	60,090	644,498	
Episodes (number)													
1	48,004	44,656	45,595	45,679	47,167	47,345	48,436	49,189	51,282	52,047	51,843	531,243	
2	6,626	11,588	14,206	15,656	16,116	16,812	16,206	15,720	15,204	14,614	14,088	177,277	
3+	366	1,299	2,339	3,049	3,445	3,553	4,083	4,024	4,091	4,110	3,919	42,536	
Total	54,996	57,543	62,140	64,384	66,728	67,710	68,725	68,933	70,577	70,771	69,850	751,056	
Care days (thousands)													
1	44,007	42,527	44,114	44,843	45,805	45,639	47,702	47,330	49,290	50,059	49,486	510,802	
2	3,134	6,041	8,284	9,987	10,527	11,629	11,799	11,851	11,693	11,292	10,762	120,333	
3+	97	431	891	1,242	1,558	1,785	2,177	2,265	2,449	2,457	2,363	22,183	
Total	47,238	48,999	53,290	56,072	57,890	59,053	61,678	61,446	63,432	63,808	62,610	653,318	
Episode-level ALOS (months)													
1	30.1	31.3	31.8	32.3	31.9	31.7	32.4	31.6	31.6	31.6	31.4	31.6	
2	15.6	17.1	19.2	21.0	21.5	22.7	23.9	24.8	25.3	25.4	25.1	22.3	
3+	8.8	10.9	12.5	13.4	14.9	16.5	17.5	18.5	19.7	19.7	19.8	17.1	
Total	28.2	28.0	28.2	28.6	28.5	28.7	29.5	29.3	29.5	29.6	29.5	28.6	
Person-level ALOS (months)													
1	30.1	31.3	31.8	32.3	31.9	31.7	32.4	31.6	31.6	31.6	31.4	31.6	
2	31.1	34.3	38.3	41.9	43.0	45.5	47.9	49.6	50.6	50.8	50.2	40.0	
3+	26.5	34.2	38.9	42.3	46.8	52.4	55.9	59.3	63.2	63.8	64.6	50.7	
Total	30.2	31.7	32.8	33.8	33.8	34.1	35.1	34.6	34.7	34.6	34.3	33.3	
Episode-level turnover (completed episodes per 100 residents) ^C													
Total	35.0	36.2	38.2	39.0	40.0	40.1	39.5	40.1	40.1	39.6	38.6	n.a.	
Person-level turnover (people separating per 100 residents)													
Total	32.7	32.2	33.0	33.1	33.8	33.8	33.4	34.0	34.3	34.1	33.4	n.a.	

- A. The analysis dataset excludes episodes that were completed before 1 July 2008—this will mostly affect the measures in the earlier years of this table.
 B. To reconcile with other tables, the total includes 24,090 people who were still in care at 30 June 2019, but who completed at least 1 episode before 30 June 2019. Their current [incomplete] episode is not included in any of the measures.
 C. This series differs from the values in Table 3 because here all episodes for a person are accrued to the year of final separation.

Table S4: Common Care Group rating on admission, by age at admission, selected years

Age at admission	Common Care Group	2008–09	2013–14	2018–19
0–49	1	8.8	13.9	22.7
	2	44.4	42.5	46.1
	3	22.4	16.8	13.5
	4	10.5	14.3	7.8
	5	10.8	10.0	7.8
	6	3.1	2.5	2.1
50–64	1	4.8	16.1	20.9
	2	33.2	36.8	41.1
	3	20.1	14.3	17.2
	4	17.5	16.7	13.8
	5	17.7	13.8	5.3
	6	6.7	2.1	1.8
65–74	1	4.9	15.0	19.6
	2	29.6	33.8	41.7
	3	20.9	15.2	17.84
	4	17.4	16.9	14.2
	5	20.5	17.0	5.7
	6	6.6	2.1	1.0
75–84	1	4.5	15.5	19.4
	2	27.1	32.0	43.5
	3	19.6	14.7	18.5
	4	15.7	17.4	12.4
	5	24.8	18.5	5.7
	6	8.3	1.9	0.5
85–94	1	4.1	14.8	20.4
	2	24.9	29.7	42.2
	3	19.6	13.9	19.0
	4	15.5	19.2	11.9
	5	27.2	20.0	6.1
	6	8.8	2.4	0.4
95+	1	4.3	15.7	21.7
	2	29.6	34.6	44.1
	3	24.5	15.6	18.9
	4	14.4	17.5	10.3
	5	21.8	14.4	4.7
	6	5.3	2.1	0.3

