

Supplementary material for

A brief history of the northern quoll (*Dasyurus hallucatus*): a systematic review

Harry A. Moore^{A,B,J}, Judy A. Dunlop^{A,B,C,D}, Chris J. Jolly^A, Ella Kelly^A, John C. Z. Woinarski^F, Euan G. Ritchie^G, Scott Burnett^H, Stephen van Leeuwen^I, Leonie E. Valentine^B, Mitchell A. Cowan^A and Dale G. Nimmo^A

^AInstitute for Land, Water and Society, School of Environmental Science, Charles Sturt University, Albury, NSW 2640, Australia.

^BSchool of Biological Sciences, University of Western Australia, Crawley, WA 6009, Australia.

^CDepartment of Biodiversity, Conservation and Attractions, Bentley Delivery Centre, Locked Bag 104, Perth, WA, Australia.

^DWestern Australian Feral Cat Working Group, Mandurah, WA 6210, Australia.

^EDepartment of Environment, Land, Water and Planning, Nicholson Street, East Melbourne, Vic. 3002, Australia.

^FThreatened Species Recovery Hub, National Environmental Science Program, Charles Darwin University, Darwin, NT 0810, Australia.

^GCentre for Integrative Ecology and School of Life and Environmental Sciences, Deakin University, Burwood, Vic. 3125, Australia.

^HSchool of Science and Engineering, University of the Sunshine Coast, Sippy Downs, Qld 4556, Australia.

^ISchool of Molecular and Life Sciences, Curtin University, Bentley, WA 6102, Australia.

^JCorresponding author. Email: harryamos@live.com.au

S1. Publications included in systematic review. A brief history of the northern quoll (*Dasyurus hallucatus*): a systematic review

1. Abbott, I. (2013) Extending the application of Aboriginal names to Australian biota:'Dasyurus'(Marsupialia: Dasyuridae) species. *Victorian Naturalist, The* **130**(3), 109.
2. Abbott, I., and Wills, A. (2016) Review and synthesis of knowledge of insular ecology, with emphasis on the islands of Western Australia. *Conservation Science Western Australia* **11**.
3. Amir Abdul Nasir, A.F., Cameron, S.F., Niehaus, A.C., Clemente, C.J., von Hippel, F.A., and Wilson, R.S. (2018a) Manganese contamination affects the motor performance of wild northern quolls (*Dasyurus hallucatus*). *Environmental Pollution* **241**, 55-62.
4. Amir Abdul Nasir, A.F., Cameron, S.F., von Hippel, F.A., Postlethwait, J., Niehaus, A.C., Blomberg, S., and Wilson, R.S. (2018b) Manganese accumulates in the brain of northern quolls (*Dasyurus hallucatus*) living near an active mine. *Environmental Pollution* **233**, 377-386.

5. Amir Abdul Nasir, A.F., Clemente, C.J., Wynn, M.L., and Wilson, R.S. (2017) Optimal running speeds when there is a trade-off between speed and the probability of mistakes. *Functional Ecology* **31**(10), 1941-1949.
6. Amir Abdul Nasir, F., and Binti, A.F. (2017) How does environmental Manganese affect the health and performance of Northern Quoll (*Dasyurus hallucatus*) on Groote Eylandt?
7. Andersen, A.N., Cook, G.D., Corbett, L.K., Douglas, M.M., Eager, R.W., Russell-Smith, J., Setterfield, S.A., Williams, R.J., and Woinarski, J.C. (2005) Fire frequency and biodiversity conservation in Australian tropical savannas: implications from the Kapalga fire experiment. *Austral ecology* **30**(2), 155-167.
8. Austin, C. (2014) Can remote cameras accurately estimate populations of the endangered northern quoll. *B. Sc.(Hons) Thesis, University of Technology, Sydney, NSW, Australia.*
9. Austin, C., Tuft, K., Ramp, D., Cremona, T., and Webb, J.K. (2017) Bait preference for remote camera trap studies of the endangered northern quoll (*Dasyurus hallucatus*). *Australian Mammalogy* **39**(1), 72-77.
10. Begg, R., Martin, K., and Price, N. (1981) The small mammals of Little Nourlangie Rock, NT. V. The effects of fire. *Wildlife Research* **8**(3), 515-527.
11. Begg, R.J. (1981) The small mammals of Little Nourlangie Rock, NT III. Ecology of *Dasyurus hallucatus*, the northern quoll (Marsupialia: Dasyuridae). *Wildlife Research* **8**(1), 73-85.
12. Bradley, A., Kemper, C., Kitchener, D., Humphreys, W., and How, R. (1987) Small Mammals of the Mitchell Plateau Region, Kimberley, Western-Australia. *Wildlife Research* **14**(4), 397-413.
13. Braithwaite, R.W., and Griffiths, A.D. (1994) Demographic variation and range contraction in the Northern Quoll, *Dasyurus hallucatus* (Marsupialia: Dasyuridae). *Wildlife Research* **21**(2), 203-217.
14. Braithwaite, R.W., and Muller, W. (1997) Rainfall, groundwater and refuges: predicting extinctions of Australian tropical mammal species. *Australian Journal of Ecology* **22**(1), 57-67.
15. Burbidge, A.A., and Abbott, I. (2017) Mammals on Western Australian islands: occurrence and preliminary analysis. *Australian Journal of Zoology* **65**(3), 183-195.
16. Burbidge, A.A., and McKenzie, N. (1989) Patterns in the modern decline of Western Australia's vertebrate fauna: causes and conservation implications. *Biological conservation* **50**(1-4), 143-198.

17. Burnett, S. (1997) Colonizing cane toads cause population declines in native predators: reliable anecdotal information and management implications. *Pacific Conservation Biology* **3**(1), 65-72.
18. Burnett, S., and Zwar, A. (2009) Quolls (*Dasyurus maculatus* and *D. hallucatus*) in the southern Mary River catchment, south-east Queensland. *Wildlife Preservation Society of Queensland, Sippy Downs*.
19. Calver, M., King, D., Bradley, J., Gardner, J., and Martin, G. (1989) An assessment of the potential target specificity of 1080 predator baiting in Western-Australia. *Wildlife Research* **16**(6), 625-638.
20. Cardoso, M.J., Eldridge, M.D., Oakwood, M., Rankmore, B., Sherwin, W.B., and Firestone, K.B. (2009) Effects of founder events on the genetic variation of translocated island populations: implications for conservation management of the northern quoll. *Conservation Genetics* **10**(6), 1719-1733.
21. Chan, R., Dunlop, J., and Spencer, P. (2020) Highly promiscuous paternity in mainland and island populations of the endangered Northern Quoll. *Journal of Zoology* **310**(3), 210-220.
22. Cook, A. (2010a) 'Habitat use and home-range of the northern quoll, *Dasyurus hallucatus*: effects of fire.' (University of Western Australia)
23. Cook, A. (2010b) Northern quoll Pilbara Distribution-A desktop review. *Department of Environment and Conservation Science Division, Perth*.
24. Cooper, C.E., and Withers, P.C. (2010) Comparative physiology of Australian quolls (*Dasyurus*; *Marsupialia*). *Journal of Comparative Physiology B* **180**(6), 857-868.
25. Corbett, L. (2003) Terrestrial vertebrates. In 'Fire in tropical savannas: the Kapalga experiment'.(Eds AN Andersen, GD Cook and RJ Williams.) pp. 126–152. In '' (Springer-Verlag: New York)
26. Cowan, M., Moro, D., Anderson, H., Angus, J., Garretson, S., and Morris, K. (2020a) Aerial baiting for feral cats is unlikely to affect survivorship of northern quolls in the Pilbara region of Western Australia. *Wildlife Research*.
27. Cowan, M.A., Dunlop, J.A., Turner, J.M., Moore, H.A., and Nimmo, D.G. (2020b) Artificial refuges to combat habitat loss for an endangered marsupial predator: How do they measure up? *Conservation Science and Practice* **2**(6), 204.
28. Cramer, V.A., Dunlop, J., Davis, R., Ellis, R., Barnett, B., Cook, A., Morris, K., and van Leeuwen, S. (2016) Research priorities for the northern quoll (*Dasyurus hallucatus*) in the Pilbara region of Western Australia. *Australian Mammalogy* **38**(2), 135-148.

29. Cremona, T. (2015) Conservation ecology and trophic interactions of the Northern Quoll, *Dasyurus hallucatus*. University of Technology Sydney,
30. Cremona, T., Crowther, M., and Webb, J.K. (2017a) High mortality and small population size prevent population recovery of a reintroduced mesopredator. *Animal Conservation* **20**(6), 555-563.
31. Cremona, T., Spencer, P., Shine, R., and Webb, J.K. (2017b) Avoiding the last supper: parentage analysis indicates multi-generational survival of re-introduced ‘toad-smart’ lineage. *Conservation genetics* **18**(6), 1475-1480.
32. Dempster, E. (1995) The social behaviour of captive northern quolls, *Dasyurus hallucatus*. *Australian Mammalogy* **18**, 27-34.
33. Dickman, C., and Braithwaite, R.W. (1992) Postmating mortality of males in the dasyurid marsupials, *Dasyurus* and *Parantechinus*. *Journal of Mammalogy* **73**(1), 143-147.
34. Diete, R.L., Meek, P.D., Dickman, C.R., Lisle, A., and Leung, L.K.-P. (2017) Diel activity patterns of northern Australian small mammals: variation, fixity, and plasticity. *Journal of Mammalogy* **98**(3), 848-857.
35. Diete, R.L., Meek, P.D., Dixon, K.M., Dickman, C.R., and Leung, L.K.-P. (2016) Best bait for your buck: bait preference for camera trapping north Australian mammals. *Australian Journal of Zoology* **63**(6), 376-382.
36. Dunlop, J., Cook, A., and Lees, J. (2013) Ecology and management of the northern quoll *Dasyurus hallucatus* in the Pilbara.
37. Dunlop, J., Cook, A., and Morris, K. (2014) Pilbara northern quoll project: surveying and monitoring *Dasyurus hallucatus* in the Pilbara, Western Australia. *Department of Parks and Wildlife, Perth*. Available at: library.dpaw.wa.gov.au.
38. Dunlop, J., Peacock, D., Moore, H., and Cowan, M. (2019) Albinism in *Dasyurus* species—a collation of historical and modern records.
39. Dunlop, J.A., Rayner, K., and Doherty, T.S. (2017) Dietary flexibility in small carnivores: a case study on the endangered northern quoll, *Dasyurus hallucatus*. *Journal of Mammalogy* **98**(3), 858-866.
40. Firestone, K.B. (2000) Phylogenetic relationships among quolls revisited: the mtDNA control region as a useful tool. *Journal of Mammalian Evolution* **7**(1), 1-22.

41. Firestone, K.B., Houlden, B.A., Sherwin, W.B., and Geffen, E. (2000) Variability and differentiation of microsatellites in the genus *Dasyurus* and conservation implications for the large Australian carnivorous marsupials. *Conservation Genetics* **1**(2), 115-133.
42. Friend, G., and Taylor, J. (1985) Habitat preferences of small mammals in tropical open-forest of the Northern Territory. *Australian Journal of Ecology* **10**(2), 173-185.
43. Griffiths, A.D., and Brook, B.W. (2015) Fire impacts recruitment more than survival of small-mammals in a tropical savanna. *Ecosphere* **6**(6), 1-22.
44. Griffiths, A.D., Garnett, S.T., and Brook, B.W. (2015) Fire frequency matters more than fire size: Testing the pyrodiversity–biodiversity paradigm for at-risk small mammals in an Australian tropical savanna. *Biological Conservation* **186**, 337-346.
45. Griffiths, A.D., Rankmore, B., Brennan, K., and Woinarski, J.C. (2017) Demographic evaluation of translocating the threatened northern quoll to two Australian islands. *Wildlife Research* **44**(3), 238-247.
46. Heiniger, J. (2020) Ecology and reproduction of the world's largest semelparous mammal, the northern quoll (*Dasyurus hallucatus*). PhD thesis, University of Queensland,
47. Heiniger, J., Cameron, S.F., and Gillespie, G. (2018) Evaluation of risks for two native mammal species from feral cat baiting in monsoonal tropical northern Australia. *Wildlife Research* **45**(6), 518-527.
48. Heiniger, J., Cameron, S.F., Madsen, T., Niehaus, A.C., and Wilson, R.S. (2020a) Demography and spatial requirements of the endangered northern quoll on Groote Eylandt. *Wildlife Research* **47**(3), 224-238.
49. Heiniger, J., Davies, H.F., and Gillespie, G.R. (2020b) Status of mammals on Groote Eylandt: safe haven or slow burn? *Austral Ecology*.
50. Henderson, M. (2015) The Effects of Mining Infrastructure on Northern quoll Movement and Habitat Edith Cowan University Perth
51. Hernandez-Santin, L., Dunlop, J.A., Goldizen, A.W., and Fisher, D.O. (2019) Demography of the northern quoll (*Dasyurus hallucatus*) in the most arid part of its range. *Journal of Mammalogy*.
52. Hernandez-Santin, L., Goldizen, A.W., and Fisher, D.O. (2016) Introduced predators and habitat structure influence range contraction of an endangered native predator, the northern quoll. *Biological conservation* **203**, 160-167.

53. Hernandez-Santin, L., Henderson, M., Molloy, S.W., Dunlop, J.A., and Davis, R.A. (2020) Spatial ecology of an endangered carnivore, the Pilbara northern quoll. *Australian Mammalogy*.
54. Hill, B.M., and Ward, S.J. (2010) National recovery plan for the northern quoll *Dasyurus hallucatus*. *Department of Natural Resources, Environment, The Arts and Sport, Darwin*.
55. Hohnen, R., Ashby, J., Tuft, K., and McGregor, H. (2013) Individual identification of northern quolls (*Dasyurus hallucatus*) using remote cameras. *Australian Mammalogy* **35**(2), 131-135.
56. Hohnen, R., Tuft, K.D., Legge, S., Hillyer, M., Spencer, P.B., Radford, I.J., Johnson, C.N., and Burridge, C.P. (2016) Rainfall and topography predict gene flow among populations of the declining northern quoll (*Dasyurus hallucatus*). *Conservation genetics* **17**(5), 1213-1228.
57. How, R., Spencer, P., and Schmitt, L. (2009) Island populations have high conservation value for northern Australia's top marsupial predator ahead of a threatening process. *Journal of Zoology* **278**(3), 206-217.
58. Ibbett, M., Woinarski, J., and Oakwood, M. (2018) Declines in the mammal assemblage of a rugged sandstone environment in Kakadu National Park, Northern Territory, Australia. *Australian Mammalogy* **40**(2), 181-187.
59. Indigo, N., Smith, J., Webb, J.K., and Phillips, B. (2018a) Not such silly sausages: evidence suggests northern quolls exhibit aversion to toads after training with toad sausages. *Austral Ecology* **43**(5), 592-601.
60. Indigo, N., Smith, J., Webb, J.K., and Phillips, B.L. (2018b) Bangers and cash: baiting efficiency in a heterogeneous population. *Wildlife Society Bulletin*.
61. Indigo, N.L. (2020) Safeguarding the northern quoll. Can we mitigate cane toad impacts through conditioned taste aversion? , PhD thesis, University of Technology Sydney,
62. Indigo, N.L., Jolly, C.J., Kelly, E., Smith, J., Webb, J.K., and Phillips, B.L. (2021) Effects of learning and adaptation on population viability. *Conservation Biology*.
63. Jamieson, L.T.J., Hancock, A.L., Baxter, G.S., and Murray, P.J. (2021) How quoll-ified are northern and spotted-tailed quoll detection dogs? *Wildlife Research*, 1-9.
64. Jolly, C.J., Kelly, E., Gillespie, G.R., Phillips, B., and Webb, J.K. (2018a) Out of the frying pan: reintroduction of toad-smart northern quolls to southern Kakadu National Park. *Austral Ecology* **43**(2), 139-149.

65. Jolly, C.J., Smart, A.S., Moreen, J., Webb, J.K., Gillespie, G.R., and Phillips, B.L. (2021) Trophic cascade driven by behavioural fine-tuning as naïve prey rapidly adjust to a novel predator. *Ecology*.
66. Jolly, C.J., Webb, J.K., Gillespie, G.R., and Phillips, B.L. (2020) Training fails to elicit behavioral change in a marsupial suffering evolutionary loss of antipredator behaviors. *Journal of Mammalogy* **101**(4), 1108-1116.
67. Jolly, C.J., Webb, J.K., and Phillips, B.L. (2018b) The perils of paradise: an endangered species conserved on an island loses antipredator behaviours within 13 generations. *Biology letters* **14**(6), 20180222.
68. Kelly, E., Jolly, C.J., Indigo, N., Smart, A., Webb, J., and Phillips, B. (2020) No outbreeding depression in a trial of targeted gene flow in an endangered Australian marsupial. *Conservation Genetics*, 1-11.
69. Kelly, E., and Phillips, B. (2019a) How many and when? Optimising targeted gene flow for a step change in the environment. *Ecology letters* **22**(3), 447-457.
70. Kelly, E., and Phillips, B.L. (2017) Get smart: native mammal develops toad-smart behavior in response to a toxic invader. *Behavioral ecology* **28**(3), 854-858.
71. Kelly, E., and Phillips, B.L. (2019b) Targeted gene flow and rapid adaptation in an endangered marsupial. *Conservation Biology* **33**(1), 112-121.
72. Kelly, E., Phillips, B.L., and Webb, J.K. (2018) Taste overshadows less salient cues to elicit food aversion in endangered marsupial. *Applied animal behaviour science* **209**, 83-87.
73. Kerle, J.A., and Burgman, M. (1984) Some Aspects of the Ecology of the Mammal Fauna of the Jabiluka Area. Northern Territory. *Wildlife Research* **11**(2), 207-222.
74. King, D. (1988) 1080 does not threaten the northern quoll. *Journal of the Department of Agriculture, Western Australia, Series 4* **29**(3), 88-90.
75. King, D., Twigg, L., and Gardner, J. (1989) Tolerance to sodium monofluoroacetate in dasyurids in Western Australia. *Wildlife Research* **16**(2), 131-140.
76. King, D.R. (1989) An assessment of the hazard posed to northern quolls (*Dasyurus hallucatus*) by aerial baiting with 1080 to control dingoes. *Australian Wildlife Research* **16**(5), 569-574.
77. McKenzie, N. (1981) Mammals of the Phanerozoic south-west Kimberley, Western Australia: biogeography and recent changes. *Journal of Biogeography*, 263-280.

78. McKenzie, N., Chapman, A., and Youngson, W. (1975) Mammals of the prince regent river reserve, north-west Kimberley, Australia. *Wildlife Research Bulletin* **3**, 69.
79. Molloy, S.W., Davis, R.A., Dunlop, J.A., and van Etten, E. (2017) Applying surrogate species presences to correct sample bias in species distribution models: a case study using the Pilbara population of the Northern Quoll.
80. Moore, H.A., Dunlop, J.A., Valentine, L.E., Woinarski, J.C., Ritchie, E.G., Watson, D.M., and Nimmo, D.G. (2019) Topographic ruggedness and rainfall mediate geographic range contraction of a threatened marsupial predator. *Diversity and Distributions* **25**(12), 1818-1831.
81. Moore, H.A., Michael, D.R., Ritchie, E.G., Dunlop, J.A., Valentine, L.E., Hobbs, R.J., and Nimmo, D.G. (2021) A rocky heart in a spinifex sea: occurrence of an endangered marsupial predator is multiscale dependent in naturally fragmented landscapes. *Landscape Ecology* **36**(5), 1359-1376.
82. Moore, H.A., Valentine, L.E., Dunlop, J.A., and Nimmo, D.G. (2020) The effect of camera orientation on the detectability of wildlife: a case study from north-western Australia. *Remote Sensing in Ecology and Conservation*.
83. Moro, D., Dunlop, J., and Williams, M.R. (2019) Northern quoll persistence is most sensitive to survivorship of juveniles. *Wildlife Research* **46**(2), 165-175.
84. Morris, K., Cowan, M., Angus, G., Anderson, H., Garretson, S., Palmer, R., Williams, M., and Pearson, D. (2016) Baseline monitoring for northern quoll and Rothschild's rock-wallaby at Eradicat® baited and unbaited sites, Pilbara Region, WA. *Department of Parks and Wildlife, Kensington, Western Australia, Australia*.
85. Morris, K., Cowan, M., Angus, J., Anderson, H., Garretson, S., Algar, D., Moro, D., and Williams, M. (2015) The northern quoll cat bait uptake and survivorship study, Yarraloola Land Management Area, Pilbara Region. *Western Australian Department of Parks and Wildlife, Perth*.
86. Nelson, J.E., and Gemmell, R.T. (2003) Birth in the northern quoll, *Dasyurus hallucatus* (Marsupialia: Dasyuridae). *Australian Journal of Zoology* **51**(2), 187-198.
87. O'Donnell, S., Webb, J.K., and Shine, R. (2010) Conditioned taste aversion enhances the survival of an endangered predator imperilled by a toxic invader. *Journal of Applied Ecology* **47**(3), 558-565.
88. Oakwood, M. (1997) The ecology of the northern quoll, *Dasyurus hallucatus*. Ph.D thesis Thesis, Australian National University, Canberra,

89. Oakwood, M. (2000) Reproduction and demography of the northern quoll, *Dasyurus hallucatus*, in the lowland savanna of northern Australia. *Australian Journal of Zoology* **48**(5), 519-539.
90. Oakwood, M. (2002) Spatial and social organization of a carnivorous marsupial *Dasyurus hallucatus* (Marsupialia: Dasyuridae). *Journal of Zoology* **257**(2), 237-248.
91. Oakwood, M. (2004a) Death after sex. *Biologist* **51**(1), 5-8.
92. Oakwood, M. (2004b) The effect of cane toads on a marsupial carnivore, the northern quoll, *Dasyurus hallucatus*. Parks Australia.
93. Oakwood, M., Bradley, A.J., and Cockburn, A. (2001) Semelparity in a large marsupial. *Proceedings of the Royal Society of London. Series B: Biological Sciences* **268**(1465), 407-411.
94. Oakwood, M., and Miles, G. (1998) Predation of a marsupial carnivore by an olive python (*Liasis olivaceus*) and a king brown snake (*Pseudechis australis*). *HERPETOFAUNA-SYDNEY* **28**, 19-21.
95. Oakwood, M., and Pritchard, D. (1999) Little evidence of toxoplasmosis in a declining species, the northern quoll (*Dasyurus hallucatus*). *Wildlife Research* **26**(3), 329-333.
96. Oakwood, M., and Spratt, D.M. (2000) Parasites of the northern quoll, *Dasyurus hallucatus* (Marsupialia: Dasyuridae) in tropical savanna, Northern Territory. *Australian Journal of Zoology* **48**(1), 79-90.
97. Oakwood, M., Woinarski, J., and Burnett, S. (2016) *Dasyurus hallucatus*. The IUCN Red List of Threatened Species.
98. Olds, L.G., Myers, C., Cook, H., Schembri, B., Jackson, C., Evans, N., Charles, B., Waina, R., Breed, W.G., and Taggart, D.A. (2017) The occurrence and relative abundance of small terrestrial mammals on Theda Station in the Northern Kimberley, Western Australia. *Australian Mammalogy* **39**(1), 78-91.
99. Onde, S., Prior, L.D., McGregor, H.W., Reid, A.M., Johnson, C.N., Vigilante, T., Goonack, C., Williams, D., and Bowman, D.M. (2020) Small mammal diversity is higher in infrequently compared with frequently burnt rainforest-savanna mosaics in the north Kimberley, Australia. *Wildlife Research*.
100. Palmer, R. (2019) Predator Control Baiting and Monitoring Program, Yarraloola and Red Hill, Pilbara Region, Western Australia. 2016 Annual Report - Year 2. Department of Biodiversity, Conservation and Attractions, Perth.

101. Palmer, R., Mott, R., Sonneman, T., Garretson, S., McKenzie, N., Thomas, N., Barrow, D., Coffey, J., Woolagoodja, K., and Jungine, E. (2016) A survey for Wijingadda (northern quoll *Dasyurus hallucatus*) and other fauna on islands in Dambimangari country in Talbot Bay (Kimberley, Western Australia). *Conservation Science Western Australia* **10**(9).
102. Peacock, D., and Abbott, I. (2014) When the 'native cat' would 'plague': historical hyperabundance in the quoll (Marsupialia: Dasyuridae) and an assessment of the role of disease, cats and foxes in its curtailment. *Australian Journal of Zoology* **62**(4), 294-344.
103. Pellis, S.M., and Officer, R.C. (1987) An analysis of some predatory behaviour patterns in four species of carnivorous marsupials (Dasyuridae), with comparative notes on the eutherian cat *Felis catus*. *Ethology* **75**(3), 177-196.
104. Pollock, A. (1999) Notes on status, distribution and diet of northern quoll *Dasyurus hallucatus* in the Mackay-Bowen area, mideastern Queensland. *Australian Zoologist* **31**(2), 388-395.
105. Radford, I.J. (2012) Threatened mammals become more predatory after small-scale prescribed fires in a high-rainfall rocky savanna. *Austral Ecology* **37**(8), 926-935.
106. Radford, I.J., and Andersen, A.N. (2012) Effects of fire on grass-layer savanna macroinvertebrates as key food resources for insectivorous vertebrates in northern Australia. *Austral Ecology* **37**(6), 733-742.
107. Radford, I.J., Dickman, C.R., Start, A.N., Palmer, C., Carnes, K., Everitt, C., Fairman, R., Graham, G., Partridge, T., and Thomson, A. (2014) Mammals of Australia's tropical savannas: A conceptual model of assemblage structure and regulatory factors in the Kimberley region. *PLoS one* **9**(3), e92341.
108. Radford, I.J., Gibson, L.A., Corey, B., Carnes, K., and Fairman, R. (2015) Influence of fire mosaics, habitat characteristics and cattle disturbance on mammals in fire-prone savanna landscapes of the northern Kimberley. *PLoS One* **10**(6), e0130721.
109. Radford, I.J., Woolley, L.-A., Corey, B., Vigilante, T., Hatherley, E., Fairman, R., Carnes, K., and Start, A.N. (2020) Prescribed burning benefits threatened mammals in northern Australia. *Biodiversity and Conservation* **29**(9), 2985-3007.
110. Rankmore, B., Griffiths, A., Woinarski, J., Ganambarr, B., Taylor, R., Brennan, K., Firestone, K., and Cardoso, M. (2008) Island translocation of the northern quoll *Dasyurus hallucatus* as a conservation response to the spread of the cane toad *Chaunus [Bufo] marinus* in the Northern Territory, Australia. *Report to the Australian Government's Natural Heritage Trust. Department of Natural Resources, Environment and the Arts, Darwin*.
111. Rankmore, B.R. (2006) 'Impacts of Habitat Fragmentation on the Vertebrate Fauna of the Tropical Savannas of Northern Australia; with Special Reference to Medium-sized Mammals.' (Charles Darwin University)

112. Rew-Duffy, M., Cameron, S.F., Freeman, N.J., Wheatley, R., Latimer, J.M., and Wilson, R.S. (2020) Greater agility increases probability of survival in the endangered northern quoll. *Journal of Experimental Biology* **223**(15).
113. Schmitt, L., Bradley, A., Kemper, C., Kitchener, D., Humphreys, W., and How, R. (1989) Ecology and physiology of the northern quoll, *Dasyurus hallucatus* (Marsupialia, Dasyuridae), at Mitchell Plateau, Kimberley, Western Australia. *Journal of Zoology* **217**(4), 539-558.
114. Spencer, P., How, R., Hillyer, M., Cook, A., Morris, K., Stevenson, C., and Umbrello, L. (2013) Genetic analysis of northern quolls from the Pilbara region of Western Australia. *Murdoch University: Perth*.
115. Spencer, P., How, R., and Schmitt, L. (2010) The northern quoll population on Koolan Island: Molecular and demographic analysis.
116. Spencer, P.B., Sandover, S., Nihill, K., Wale, C.H., How, R.A., and Schmitt, L.H. (2017) Living in isolation: ecological, demographic and genetic patterns in northern Australia's top marsupial predator on Koolan Island. *Australian Mammalogy* **39**(1), 17-27.
117. Start, A., Burbidge, A., McDowell, M., and McKenzie, N. (2012) The status of non-volant mammals along a rainfall gradient in the south-west Kimberley, Western Australia. *Australian Mammalogy* **34**(1), 36-48.
118. Start, A., Burbidge, A., McKenzie, N., and Palmer, C. (2007) The status of mammals in the north Kimberley, Western Australia. *Australian Mammalogy* **29**(1), 1-16.
119. Thomas, H., Cameron, S.F., Campbell, H.A., Micheli-Campbell, M.A., Kirke, E.C., Wheatley, R., and Wilson, R.S. (2021) Rocky escarpment versus savanna woodlands: comparing diet and body condition as indicators of habitat quality for the endangered northern quoll (*Dasyurus hallucatus*). *Wildlife Research*.
120. Thomas, O. (1926) LXVII.—The local races of *Dasyurus hallucatus*.
121. Turpin, J. (2015) North Kimberley mammals—on the fringe of the high-rainfall zone. *Australian Mammalogy* **37**(2), 132-145.
122. Turpin, J.M., and Bamford, M.J. (2015) A new population of the northern quoll (*Dasyurus hallucatus*) on the edge of the Little Sandy Desert, Western Australia. *Australian Mammalogy* **37**(1), 86-91.
123. Ujvari, B., Oakwood, M., and Madsen, T. (2013) Queensland northern quolls are not immune to cane toad toxin. *Wildlife Research* **40**(3), 228-231.

124. Umbrello, L.S. (2018) Evolution and diversification of dasyurid marsupials of the Australian arid zone. PhD thesis, University of Western Australia,
125. Viacava, P., Blomberg, S.P., Sansalone, G., Phillips, M.J., Guillerme, T., Cameron, S.F., Wilson, R.S., and Weisbecker, V. (2020) Skull shape of a widely distributed, endangered marsupial reveals little evidence of local adaptation between fragmented populations. *Ecology and evolution* **10**(18), 9707-9720.
126. von Takach, B., Scheele, B.C., Moore, H., Murphy, B.P., and Banks, S.C. (2020) Patterns of niche contraction identify vital refuge areas for declining mammals. *Diversity and Distributions*.
127. Ward, M.S., Simmonds, J.S., Reside, A.E., Watson, J.E., Rhodes, J.R., Possingham, H.P., Trezise, J., Fletcher, R., File, L., and Taylor, M. (2019) Lots of loss with little scrutiny: The attrition of habitat critical for threatened species in Australia. *Conservation Science and Practice*.
128. Webb, J. (2020) Training Animals in Captivity or the Wild, so They Can Return to the Wild. *Zoo Animal Learning and Training*, 289-308.
129. Webb, J., Legge, S., Tuft, K., Cremona, T., and Austin, C. (2015) Can we mitigate cane toad impacts on northern quolls? | Final report.
130. Westerman, M., and Woolley, P. (2016) Comment on a research note reporting new populations of the northern quoll in Western Australia. *Australian Mammalogy* **38**(1), 124-126.
131. Woinarski, J., Armstrong, M., Brennan, K., Fisher, A., Griffiths, A., Hill, B., Milne, D., Palmer, C., Ward, S., and Watson, M. (2010) Monitoring indicates rapid and severe decline of native small mammals in Kakadu National Park, northern Australia. *Wildlife Research* **37**(2), 116-126.
132. Woinarski, J., Burbidge, A., and Harrison, P. (2014) 'The action plan for Australian mammals 2012.' (Commonwealth Scientific and Industrial Research Organization Publishing ...)
133. Woinarski, J., Milne, D., and Wanganeen, G. (2001) Changes in mammal populations in relatively intact landscapes of Kakadu National Park, Northern Territory, Australia. *Austral Ecology* **26**(4), 360-370.
134. Woinarski, J., Oakwood, M., Winter, J., Burnett, S., Milne, D., Foster, P., Myles, H., and Holmes, B. (2008) Surviving the toads: patterns of persistence of the northern quoll *Dasyurus hallucatus* in Queensland. *Report to The Australian Government's Natural Heritage Trust*.

135. Woinarski, J., Rankmore, B., Fisher, A., Brennan, K., and Milne, D. (2007) The natural occurrence of northern quolls *Dasyurus hallucatus* on islands of the Northern Territory: assessment of refuges from the threat posed by cane toads *Bufo marinus*. *Report to Natural Heritage Trust*, 1-40.
136. Woinarski, J., Risler, J., and Kean, L. (2004) Response of vegetation and vertebrate fauna to 23 years of fire exclusion in a tropical Eucalyptus open forest, Northern Territory, Australia. *Austral Ecology* **29**(2), 156-176.
137. Woinarski, J., Ward, S., Mahney, T., Bradley, J., Brennan, K., Ziembicki, M., and Fisher, A. (2011a) The mammal fauna of the Sir Edward Pellew island group, Northern Territory, Australia: refuge and death-trap. *Wildlife Research* **38**(4), 307-322.
138. Woinarski, J.C., Burbidge, A.A., and Harrison, P.L. (2015) A review of the conservation status of Australian mammals. *Therya* **6**(1), 155-166.
139. Woinarski, J.C., Burbidge, A.A., and Harrison, P.L. (2018) The extent and adequacy of monitoring for Australian threatened mammal species. *Monitoring threatened species and Ecological Communities*, 21-42.
140. Woinarski, J.C., Legge, S., Fitzsimons, J.A., Traill, B.J., Burbidge, A.A., Fisher, A., Firth, R.S., Gordon, I.J., Griffiths, A.D., and Johnson, C.N. (2011b) The disappearing mammal fauna of northern Australia: context, cause, and response. *Conservation Letters* **4**(3), 192-201.
141. Woolley, P.A., Krajewski, C., and Westerman, M. (2015) Phylogenetic relationships within *Dasyurus* (Dasyuromorphia: Dasyuridae): quoll systematics based on molecular evidence and male characteristics. *Journal of Mammalogy* **96**(1), 37-46.
142. Wynn, M.L., Clemente, C., Nasir, A.F.A.A., and Wilson, R.S. (2015) Running faster causes disaster: trade-offs between speed, manoeuvrability and motor control when running around corners in northern quolls (*Dasyurus hallucatus*). *Journal of Experimental Biology* **218**(3), 433-439.
143. Ziembicki, M., Woinarski, J., and Mackey, B. (2013) Evaluating the status of species using Indigenous knowledge: Novel evidence for major native mammal declines in northern Australia. *Biological Conservation* **157**, 78-92.

S2. Summary of islands occupied by northern quolls (*Dasyurus hallucatus*). ** indicates northern quolls were translocated to island. Coordinates are listed in decimal degrees.

Island	Reference	Coordinates
Queensland		
Curtis Island	(Woinarski et al. 2008)	-23.6, 151.1
Northern Territory		
Angarbulumardja Island	(Woinarski et al. 2007)	-13.7, 136.6
Astell Island**	(Rankmore et al. 2008)	-11.9, 136.4
Channel Island	(Woinarski et al. 2007)	-12.6, 130.9
Finch Island	(Woinarski et al. 2007)	-13.7, 136.6
Groote Eylandt	(Woinarski et al. 2007)	-14, 136.6
Ilyaugwamaja Island	(Atlas of Living Australia, 2020)	-13.7, 136.7
Indian Island**	(Kelly, 2020 in press) (127)	-12.6, 130.5
Inglis Island	(Woinarski et al. 2007)	-12, 136.2
Marchinbar Island	(Woinarski et al. 2007)	-11.3, 136.6
Mungwarndumanja Island	(Atlas of Living Australia, 2020)	-13.7, 136.7
North East Isles	(Woinarski et al. 2007)	-13.6, 136.9
North Point Island	(Woinarski et al. 2007)	-13.6, 136.7
Pobassoo Island**	(Rankmore et al. 2008)	-11.9, 136.4
Vanderlin Island	(Woinarski et al. 2007)	-15.7, 137
Winchelsea Island	(Woinarski et al. 2007)	-13.7, 136.5
Kimberley		
Adolphus.Is	(Legge et al. 2018)	15.1, 128.1
Augusta Island	(Woinarski et al. 2007)	-15.3, 124.5
Bigge island	(Woinarski et al. 2007)	-14.6, 125.2
Boongaree island	(Woinarski et al. 2007)	-15.1, 125.2
Buckle Island	(Gibson et al. 2015)	-14.45, 127.86
Caffarelli Island	(Woinarski et al. 2007)	-16, 123.3
Capstan island	(Woinarski et al. 2007)	-14.6, 125.3
Carlia Island	(Gibson and McKenzie 2012)	-14.37, 125.98
Chambers.Is	(Legge et al. 2018)	-16.3, 123.5
Hidden Island	(Woinarski et al. 2007)	-16.2, 123.5
Koolan Island	(Woinarski et al. 2007)	-16.1, 123.7
Molema.Is	(Legge et al. 2018)	-16.3, 123.9
Purrungku island	(Woinarski et al. 2007)	-14.6, 125.2
Sir Fredrick	(Woinarski et al. 2007)	-16.1, 123.4
Storre Island	(Woinarski et al. 2007)	-14.6, 125.2
Uwins Island	(Woinarski et al. 2007)	-15.3, 124.8
Wollaston Island	(Woinarski et al. 2007)	-16, 123.3
Pilbara		
Burrup Island (now Burrup peninsula)	(Butler 1994)	-20.64, 116.77
Dolphin Island	(Schmitt et al. 1989)	-20.5, 116.8