

INDEX

	PAGE
Action Potentials, Studies of, in the Vacuole and Cytoplasm of <i>Nitella</i>	412
<i>Aerobacteraerogenes</i> , Adsorption by, of <i>p</i> -Hydroxybenzoic Acid and its Esters and of Sodium Benzoate at Different pH Levels ..	204
Amino Acids, Free, of Cabbage and Cauliflower Plants, Effect of Chloride on	160
<i>Anguina agrostis</i> , Influence of the Soil Moisture Regime on the Expulsion of the Larval Mass of the Nematode, from Galls ..	247
Antiauxin, Extension Growth Activities of some <i>cyclo</i> Propane Derivatives, a New Class of ..	257
Apple Fruit, Oxidation of Krebs Cycle Acids by Tissue Slices and Cytoplasmic Particles from ..	167
Apples, Studies in the Natural Coating of. IV	175
<i>Arabidopsis thaliana</i> , a Study of High Temperature Lesions in ..	117
Auxin, Residual Effects of, in Cell Extension	373
Auxins, Neutral and Acidic, in Developing Tobacco Fruit ..	340
Avocado Fruit, Chemical Changes during Growth and Storage of	445
Ballard, L. A. T., and Grant Lipp, A. E.— Differential Specificity Exhibited by Two Germination Inhibitors Present in <i>Echium plantagineum</i> L.	343

	PAGE
Barbour, R. G. H.— The Adsorption by <i>Aerobacter aerogenes</i> of <i>p</i> -Hydroxybenzoic Acid and its Esters and of Sodium Benzoate at Different pH Levels	204
Barley Kernel, Developing, Source of Carbon for	40
Barley Kernel, Developing, Starch Granule Formation in	146
Blake, C. D.— See Collis-George, N.	247
<i>Boophilus microplus</i> , Studies on "Haemixodovin", the Pigment in the Eggs of	263
<i>Bos taurus</i> L., Pre-natal Development of Skin and Hair in ..	72
Bouma, D.— See Groenewegen, H.	16
Braden, A. W. H.— Strain Differences in the Morphology of the Gametes of the Mouse	65
Bremner, K. C.— Studies on "Haemixodovin", the Pigment in the Eggs of the Cattle Tick <i>Boophilus microplus</i> (Acarina: Ixodidae)	263
Buttrose, M. S., and May, C. H.— Physiology of Cereal Grain. I. The Source of Carbon for the Developing Barley Kernel ..	40
Buttrose, M. S. — See also May, L. H.	146
Cabbage and Cauliflower Plants, Effect of Chloride on the Free Amino Acids of	160

	PAGE		PAGE
Calcium in the Nitrogen Metabolism of Subterranean Clover	26	Dart, P. J., and Pate, J. S.— Nodulation Studies in Legumes. III. The Effects of Delaying Inoculation on the Seedling Symbiosis of Barrel Medic, <i>Medicago tribuloides</i> Desr.	427
Calcium Metabolism in the Bones of Young Rats, some Effects of Fluoride on	466	Davenport, J. B., and Ellis, S. C.— Chemical Changes during Growth and Storage of the Avocado Fruit	445
S-Carboxymethylkerateines and S-Sulphokerateines from Wool, Electrophoretic Properties of	96	Delwiche, C. C.— See Freney, J. R.	160
Carr, D. J., and Ng, E. K.— Residual Effects of Auxin, Chelating Agents, and Metabolic Inhibitors in Cell Extension	373	DNP-Cysteic Acid, Method for the Isolation of	303
Casein, Action of Rennin on	479	<i>Drosophila melanogaster</i> , Variation and Dominance at the Scute Locus in	524
κ -Casein, Isolation of	538	Dun, R. B.— The Development and Growth of Vibrissae in the House Mouse with Particular Reference to the Time of Action of the Tabby (<i>Ta</i>) and Ragged (<i>Ra</i>) Genes	312
Casein, Studies of. IV, V	538, 479	Dun, R. B., and Fraser, A. S.— Selection for an Invariant Character, Vibrissa Number, in the House Mouse	506
Cattle Tick, Studies on "Haemixodovin", the Pigment in the Eggs of the	263	Dunstone, J. R., and Payne, E.— Some Effects of Fluoride on Calcium Metabolism in the Bones of Young Rats	466
Cauliflower and Cabbage Plants, Effect of Chloride on the Free Amino Acids of	160	<i>Echium plantagineum</i> L., Differential Specificity Exhibited by Two Germination Inhibitors Present in	343
Cereal Grain, Physiology of. I, II	40, 146	Ellis, S. C.— See Davenport, J. B.	445
<i>Chaetomium</i> , Formation of the Colony in the Fungus	53	Findlay, G. P.— Studies of Action Potentials in the Vacuole and Cytoplasm of <i>Nitella</i>	412
<i>Chara australis</i> , Ionic Relations of Cells of. I	395		
<i>Chara australis</i> R. Br., Water Permeability of Cells of	136		
Chelating Agents, Residual Effects of, in Cell Extension	373		
Collis-George, N., and Blake, C. D.— The Influence of the Soil Moisture Regime on the Expulsion of the Larval Mass of the Nematode <i>Anguina agrostis</i> from Galls	247		
Cutin, Nature of	175		
Dainty, J., and Hope, A. B.— The Water Permeability of Cells of <i>Chara australis</i> R. Br.	136		
Ionic Relations of Cells of <i>Chara australis</i> . I. Ion Exchange in the Cell Wall	395		

	PAGE		PAGE
Flax Roots, Isolated, Potentiation of Lateral Root Induction by Root Initials in	388	Groenewegen, H., Bouma, D., and Gates, C. T.—	
Fluoride, some Effects of, on Calcium Metabolism in the Bones of Young Rats	466	Uptake and Translocation of Chlorine in Citrus Cuttings during and after a Short Salt Treatment	16
Fraser, A. S., Nay, T., and Kindred, B.—		Growth Hormone, Use of Thyroxine in the Bioassay of	534
Variation of Vibrissa Number in the Mouse	331	"Haemixodovin", the Pigment in the Eggs of the Cattle Tick, Studies on	263
Fraser, A. S.—		Hatch, M. D., Pearson, Judith A., Millerd, Adele, and Robertson, R. N.—	
See also Dun, R. B.	506	Oxidation of Krebs Cycle Acids by Tissue Slices and Cytoplasmic Particles from Apple Fruit	167
Freney, J. R., Delwiche, C. C., and Johnson, C. M.—		Heideman, Margaret J.—	
The Effect of Chloride on the Free Amino Acids of Cabbage and Cauliflower Plants	160	See Lyne, A. G.	72
Gametes of the Mouse, Strain Differences in the Morphology of	65	Hope, A. B.—	
Gates, C. T.—		See Dainty, J.	136, 395
See Groenewegen, H.	16	House Mouse, Development and Growth of Vibrissae in the, with Particular Reference to the Time of Action of the Tabby (<i>Ta</i>) and Ragged (<i>Ra</i>) Genes	312
Genetic Effects of Family Structure in Natural Populations	1	House Mouse, Selection for an Invariant Character, Vibrissa Number, in the	506
Genetical Effects of Population Subdivision, Theory of some	109	Huelin, F. E.—	
Genetic Sampling in a Random Mating Population of Constant Size and Sex Ratio	500	Studies in the Natural Coating of Apples. IV. The Nature of Cutin	175
Germination Inhibitors Present in <i>Echium plantagineum</i> L., Differential Specificity Exhibited by Two	343	Hypothyroidism in the Sheep	455
β -Glucosidases Secreted by Fungi, some Comparative Properties of	213	Jermyn, M. A.—	
Goldacre, P. L.—		Some Comparative Properties of β -Glucosidases Secreted by Fungi	213
Potentiation of Lateral Root Induction by Root Initials in Isolated Flax Roots	388	Johnson, C. M.—	
Grant Lipp, A. E.—		See Freney, J. R.	160
See Ballard, L. A. T.	343	Kefford, N. P.—	
Griffing, B.—		Extension-growth Activities of some <i>cyclo</i> Propane Derivatives, a New Class of Antiauxin	257
See Langridge, J.	117		

	PAGE		PAGE
Keratinolytic Bacillus, Digestion of		Millerd, Adele—	
Wool by a	274	See Hatch, M. D.	167
Kindred, B.—		Molyneux, G. S.—	
See Fraser, A. S.	331	The Digestion of Wool by a	
Krebs Cycle Acids, Oxidation of,		Keratinolytic Bacillus	274
by Tissue Slices and Cytoplasmic		Moran, P. A. P.—	
Particles from Apple Fruit ..	167	Theory of some Genetical Effects	
Lahovary, N.—		of Population Subdivision ..	109
See Mushin, Rose	223, 233	Moran, P. A. P., and Watterson,	
Langridge, J., and Griffing, B.—		G. A.—	
A Study of High Temperature		The Genetic Effects of Family	
Lesions in <i>Arabidopsis thaliana</i>	117	Structure in Natural Populations	1
Lascelles, A. K., and Setchell, B. P.—		Mouse, Variation of Vibrissa Num-	
Hypothyroidism in the Sheep ..	455	ber in the	331
Lateral Root Induction, Potentia-		Muir, R. M.—	
tion of, by Root Initials in		See Paleg, L. G.	340
Isolated Flax Roots	388	Mushin, Rose, Naylor, Jill, and	
Latter, B. D. H.—		Lahovary, N.—	
Genetic Sampling in a Random		Studies on Plant Pathogenic	
Mating Population of Constant		Bacteria. I, II	223, 233
Size and Sex Ratio	500	Nay, T.—	
Legumes, Nodulation Studies in.		See Fraser, A. S.	331
III	427	Naylor, Jill—	
Lilienthal, B.—		See Mushin, Rose	223, 233
See Nicholson, R. I.	192	Ng, E. K.—	
Loneragan, J. F.—		See Carr, D. J.	373
Calcium in the Nitrogen Meta-		Nicholson, R. I., and Lilienthal B.—	
bolism of Subterranean Clover	26	Formation of a Polysaccharide	
Lyne, A. G., and Heideman, Mar-		in Sugar-cane	192
garet J.—		<i>Nitella</i> , Studies of Action Poten-	
The Pre-natal Development of		tials in the Vacuole and Cyto-	
Skin and Hair in Cattle (<i>Bos</i>		plasm of	412
<i>taurus</i> L.)	72	Nitrate Reductase from Germinat-	
May, L. H., and Buttrose, M. S.—		ing Wheat, a DPNH-specific ..	181
Physiology of Cereal Grain. II.		Nitrogen Metabolism of Subter-	
Starch Granule Formation in the		ranean Clover, Calcium in the	26
Developing Barley Kernel ..	146	Nodulation Studies in Legumes.	
May, L. H.—		III	427
See also Buttrose, M. S. ..	40	O'Donnell, I. J., and Thompson,	
<i>Medicago tribuloides</i> Desr., Effects		E. O. P.—	
of Delaying Inoculation on the		Studies on Oxidized Wool. II.	
Seedling Symbiosis of	427	Extraction of Soluble Proteins	
Metabolic Inhibitors, Residual		from Wool Oxidized with Per-	
Effects of, in Cell Extension ..	373	formic Acid	294

- | | PAGE | | PAGE |
|--|----------|---|------|
| O'Donnell, I. J.— | | Soil Moisture Regime, Influence of, | |
| <i>See also</i> Thompson, E. O. P. | 282, 490 | on the Expulsion of the Larval | |
| Ovenden, Stella L.— | | Mass of the Nematode <i>Anguina</i> | |
| <i>See</i> Thaine, R. | 349 | <i>agrostis</i> from Galls | 247 |
| Paleg, L. G., and Muir, R. M.— | | Soybean, Translocation of Labelled | |
| Neutral and Acidic Auxins in | | Assimilates in the | 349 |
| Developing Tobacco Fruit . . . | 340 | Spencer, D.— | |
| Pate, J. S.— | | A DPNH-specific Nitrate Re- | |
| <i>See</i> Dart, P. J. | 427 | ductase from Germinating Wheat | 181 |
| Payne, E.— | | Subterranean Clover, Calcium in | |
| <i>See</i> Dunstone, J. R. | 466 | the Nitrogen Metabolism of . . . | 26 |
| Pearson, Judith A.— | | Sugar-cane, Formation of a Poly- | |
| <i>See</i> Hatch, M. D. | 167 | saccharide in | 192 |
| Physiology of Cereal Grain. I, II | 40, 146 | <i>S</i> -Sulphokerateines and <i>S</i> -Carboxy- | |
| Plant Pathogenic Bacteria, | | methylkerateines from Wool, | |
| Studies on. I, II | 223, 233 | Electrophoretic Properties of . . | 96 |
| Plomley, N. J. B.— | | Thaine, R., Ovenden, Stella L., | |
| Formation of the Colony in the | | and Turner, J. S.— | |
| Fungus <i>Chaetomium</i> | 53 | Translocation of Labelled Assi- | |
| <i>cyclo</i> Propane Derivatives, Exten- | | milates in the Soybean | 349 |
| sion Growth Activities of some | 257 | Thompson, E. O. P.— | |
| Random Mating Populations of | | A Method for the Isolation of | |
| Constant Size and Sex Ratio, | | DNP-Cysteic Acid and its Appli- | |
| Genetic Sampling in | 500 | cation to the Determination of | |
| Rendel, J. M.— | | <i>N</i> -Terminal Half-cystine Resi- | |
| Variation and Dominance at the | | dues in Wool | 303 |
| Scute Locus in <i>Drosophila</i> | | Thompson, E. O. P.— | |
| <i>melanogaster</i> | 524 | <i>See also</i> O'Donnell, I. J. | 294 |
| Rennin, Action of, on Casein . . . | 479 | Thompson, E. O. P., and O'Don- | |
| Robertson, R. N.— | | nell, I. J.— | |
| <i>See</i> Hatch, M. D. | 167 | Studies on Oxidized Wool. I. A | |
| Root Initials, Potentiation of | | Comparison of the Completeness | |
| Lateral Root Induction by, in | | of Oxidation with Peracetic and | |
| Isolated Flax Roots | 388 | Performic Acids | 282 |
| Scute Locus in <i>Drosophila melano-</i> | | III. Ion-exchange and Acid- | |
| <i>gaster</i> , Variation and Dominance | | uptake Characteristics | 490 |
| at the | 524 | Thyroxine, Use of, in the Bioassay | |
| Selection for an Invariant Char- | | of Growth Hormone | 534 |
| acter, Vibrissa Number, in the | | Tobacco Fruit, Developing, Neu- | |
| House Mouse | 506 | tral and Acidic Auxins in . . . | 340 |
| Setchell, B. P.— | | Translocation of Chlorine in Citrus | |
| <i>See</i> Lascelles, A. K. | 455 | Cuttings during and after a Short | |
| Sheep, Hypothyroidism in the . . . | 455 | Salt Treatment, Uptake and . . . | 16 |

	PAGE		PAGE
Translocation of Labelled Assimilates in the Soybean	349	Woods, E. F.—	
Turner, J. S.—		The Electrophoretic Properties of <i>S</i> -Carboxymethylkerateines and <i>S</i> -Sulphokerateines from Wool	96
<i>See</i> Thaine, R.	349	Wool, Comparison of the Completeness of Oxidation of, with Peracetic and Performic Acids	282
Vibrissa Number, an Invariant Character in the House Mouse, Selection for	506	Wool, Digestion of, by a Keratolytic Bacillus	274
Vibrissa Number, Variation of, in the Mouse	331	Wool, Electrophoretic Properties of <i>S</i> -Carboxymethylkerateines and <i>S</i> -Sulphokerateines from ..	96
Wake, R. G.—		Wool, Oxidized, Ion-exchange and Acid-uptake Characteristics ..	490
Studies of Casein. IV. The Isolation of κ -Casein	538	Wool, Oxidized, Studies on. I, II, III	282, 294, 490
V. Action of Rennin on Casein	479	Wool Oxidized with Performic Acid, Extraction of Soluble Proteins from	294
Wallace, A. L.—		Wool, <i>N</i> -Terminal Half-cystine Residues in, Method for the Isolation of DNP-cysteic Acid and its Application to the Determination of	303
The Use of Thyroxine in the Bioassay of Growth Hormone ..	534		
Watterson, G. A.—			
<i>See</i> Moran, P. A. P.	1		
Wheat, Germinating, a DPNH-specific Nitrate Reductase from	181		

