




# EXPLORATION GEOPHYSICS

[www.publish.csiro.au/journals/eg](http://www.publish.csiro.au/journals/eg)

10.1071/EGv48n3toc



- 177–191 3D numerical modelling of negative apparent conductivity anomalies in loop-loop electromagnetic measurements: a case study at a dacite intrusion in Sugisawa, Akita Prefecture, Japan**  
Ame Thato Selepeng, Shin'ya Sakanaka and Tadashi Nishitani
- 192–200 A time-frequency analysis method to obtain stable estimates of magnetotelluric response function based on Hilbert-Huang transform**  
Jianhua Cai
- 201–209 Converted-wave guided imaging condition for elastic reverse time migration with wavefield separation**  
Hyungwook Choi, Soon Jee Seol and Joongmoo Byun
- 210–218 Obtaining high-resolution velocity spectra using weighted semblance**  
Saleh Ebrahimi, Amin Roshandel Kahoo, Milton J. Porsani and Ali Nejati Kalateh
- 219–225 An efficient waveform inversion using the common mid-point gather in the wavenumber-space-time domain**  
Yunhui Park and Sukjoon Pyun
- 226–236 An experimental study of Rayleigh waves based on seismoelectric measurements**  
Ziyang Xiong, Zhengping Liu and Kai Zhang
- 237–245 Statics correction methods for 3D converted-wave (PS) seismic reflection**  
Shaun Strong and Steve Hearn
- 246–254 Fast residual static correction method using first arrivals in the 3D shot–receiver united domain**  
Meng Zou, Qiang Zhou, Luming Li, Rui Zhu and Kun Luo
- 255–263 Microtremor exploration for shallow S-wave velocity profiles at stations in local strong motion network in Bursa, Yalova, and Kocaeli in north-western Turkey**  
Özgür Tuna Özmen, Hiroaki Yamanaka, Kosuke Chimoto, Ulubey Çeken, Mehmet Akif Alkan, Kudret Tekin and Erkan Ateş
- 264–271 Amplification characteristics of seismic observation sites from S-wave energy, coda waves and background noise from the Fukuoka earthquake series**  
Jun Kyoung Kim, Tae Seok Oh, Seong Hwa Yoo and Soung Hoon Wee
- 272–283 New comprehensive standard seismic noise models and 3D seismic noise variation for Morocco territory, North Africa, obtained using seismic broadband stations**  
Younes El Fellah, Abd El-Aziz Khairy Abd El-Aal, Mimoun Harnafi and Antonio Villaseñor
- 284–293 Rapid depth estimation for compact magnetic sources using a semi-automated spectrum-based method**  
Roger Clifton
- 294–304 Fast inversion of gravity data using the symmetric successive over-relaxation (SSOR) preconditioned conjugate gradient algorithm**  
Zhaohai Meng, Fengting Li, Xuechun Xu, Dalian Huang and Dailei Zhang
- 305–315 A Monte Carlo approach to constraining uncertainties in modelled downhole gravity gradiometry applications**  
Samuel J. Matthews, Craig O'Neill and Mark A. Lackie
- 316–331 Gravity, magnetic and resistivity investigations of the Okauia Low Temperature Geothermal System in alluvial sediments of the Hauraki Depression, New Zealand**  
Supri Soengkono and Robert Reeves
- 332–343 Three-dimensional inversion of in-line resistivity data for monitoring a groundwater recharge experiment in a pyroclastic plateau**  
Keisuke Inoue, Hiroomi Nakazato, Tomijiro Kubota, Mutsuo Takeuchi, Yoshihiro Sugimoto, Hee Joon Kim and Koji Furue
- 344–352 Testing cluster analysis on combined petrophysical and geochemical data for rock mass classification**  
Maria C. Kitzig, Anton Kepic and Duy T. Kieu



Australian Society of Exploration Geophysicists



Society of Exploration Geophysicists of Japan



Korean Society of Earth and Exploration Geophysicists