

10.1071/MUauth2012

Index to Volume 112

Authors, Species and Subjects

Compiled by Lachlan Garland

- Abraham, E. R. *see* Pierre, J. P. 244–254
Acanthagenys rufogularis 34–36, 43, 284
Acanthiza apicalis 34, 36, 223
A. chrysorrhoa 34, 221, 223, 263, 284
A. lineata 128, 284
A. nana 284
A. pusilla 89, 117, 121, 122, 128, 284
A. reguloides 89, 284
A. uropygialis 150–153
Acanthorhynchus superciliosus 320
A. tenuirostris 121–123, 128, 284
Accipiter fasciatus 264, 304
A. novaehollandiae 281
Acridotheres tristis 85
Acrocephalus arundinaceus 343
A. australis 285
A. hiwae 343, 344, 346, 347
A. luscinius 343–348
A. nijoi 344, 346, 347
A. orientalis 343
A. stentoreus 343
A. yamashinae 346, 347
Actitis hypoleucos 282
 activity patterns of Chatham Petrels 107–116
Aegotheles cristatus 185, 258
 African Penguin 97–104
Agelaioides badius 49
 Agüero, M. L. *see* Svagelj, W. S. 167–172
 Aguiuan Reed-Warbler 344, 346, 347
Ailuroides crassirostris 284
A. melanotis 283
 Alarcón, P. A. E. *see* Frixione, M. G. 174–178
 alarm calls of Southern House Wrens 71–75
Alecturus risora 47
Alectura lathamii 271, 280
Alisterus scapularis 128, 283
Alophoixus pallidus 202
Amaurornis cinerea 88
 American Golden Plover 48
 American Kestrel 49
 American Oystercatcher 227–232
Ammodramus humeralis 49
Anairetes parulus 20
Anas acuta 170
A. castanea 212–214, 280
A. discors 170
A. gracilis 212, 213, 280
A. platyrhynchos 280
A. rhynchotis 61, 212, 213, 280
A. superciliosa 212–214, 271, 280
Anhinga novaehollandiae 280
Anseranas semipalmata 212, 213
Anthochaera carunculata 128, 284, 303
A. chrysoptera 284
Anthus chacoensis 49
A. correndera 49
A. furcatus 50, 52
A. lutescens 50
A. novaeseelandiae 89, 286, 297
A. spinoletta 43
 Antipodean Albatross 248
Anumbius annumbi 49
Aphelocephala leucopsis 150–153
 Aplomado Falcon 49
Aplonis atrifusca 129
 Apostlebird 221, 224, 263, 285
Aprosmictus erythropterus 283
Aquila audax 128, 263
 Arafura Fantail 297
Ardea ibis 281
A. intermedia 281
A. modesta 281
A. pacifica 281
A. sumatrana 292
Ardeenna grisea 245, 248
Ardeotis australis 263, 322
Arenaria interpres 282
Arses insularis 10, 21
Artamus cinereus 220–222, 224, 285
A. cyanopterus 128
A. leucorynchus 285
A. personatus 221, 222, 224, 285
 artificial nest-cavities and Common Starlings 255–260
 artificial nests and African Penguins 97–106
Ashbyia lovensis 89
 Ash-throated Flycatcher 20
 Asian Koel 264
Asio flammeus 50, 52
Asthenes hudsoni 49, 51, 52
Athene cunicularia 49
 Atherton Scrubwren 89, 284
 Austral Negrito 48
 Austral Parakeet 234–241
 Australasian Bittern 280
 Australasian Darter 280
 Australasian Figbird 285, 292, 297
 Australasian Grebe 88, 212, 213, 280
 Australasian Pipit 89, 286, 297
 Australasian Shoveler 61, 280
 Australian Brush Turkey 271, 280
 Australian Bustard 263, 322
 Australian King-Parrot 128, 283
 Australian Little Bittern 280
 Australian Logrunner 89, 284
 Australian Magpie 129, 130, 132–134, 285
 Australian Owllet-nightjar 185, 258
 Australian Painted Snipe 88
 Australian Pelican 280

- Australian Pied Imperial-Pigeon 24
 Australian Pied Oystercatcher 281
 Australian Pratincole 88
 Australian Raven 128, 130, 132–134, 263, 285, 320
 Australian Reed-Warbler 285
 Australian Ringneck 283
 Australian Shelduck 212–214, 280
 Australian Shoveler 212, 213
 Australian Spotted Crane 88
 Australian White Ibis 281
 Australian Wood Duck 212, 213, 214, 280
Aviceda subcristata 281
Aythya australis 212, 213, 280
 Azure Kingfisher 89, 283, 296
 Bahama Swallow 160
 Baillon's Crane 88, 281
 Baker, J. and Porter, J. D. L. Serventy Medal 2012: Citation – Richard Tennant Kingsford 267
 Bala, L. O. *see* Musmeci, L. R. 357–362
 Banded Honeyeater 221, 292, 296
 Banded Lapwing 88, 282
 Banded Stilt 282
 Bar-breasted Honeyeater 296
 Barea, L. P. Habitat influences on nest-site selection by the Painted Honeyeater (*Grantiella picta*): do food resources matter? 32–38
 Bare-faced Bulbul 201, 205
 Barham, B. J. *see* Sherley, R. B. 97–106
 Barham, P. J. *see* Sherley, R. B. 97–106
 Barlow, J. *see* Sodhi, N. 79–80
 Barn Swallow 49
Barnardius zonarius 283
 Barri, F. R., Roldán, N., Navarro, J. L. and Martella, M. B. Effects of group size, habitat and hunting risk on vigilance and foraging behaviour in the Lesser Rhea (*Rhea pennata pennata*)
 Bar-shouldered Dove 24, 29, 263, 280, 292, 296
Bartramia longicauda 48
 Bassian Thrush 128, 285
 Bay-capped Wren-Spinetail 50, 51, 52
 Bay-winged Cowbird 49
 Bearded Tachuri 50, 52
 Beckmann, C. and Shine, R. How many of Australia's ground-nesting birds are likely to be at risk from the invasive Cane Toad (*Rhinella marina*)? 83–89
 behavioural preparations for migration in a migratory parrot 1–8
 Bell Miner 284
 Bennett, V. A., Doerr, V. A. J., Doerr, E. D., Manning, A. D. and Lindenmayer, D. B. The anatomy of a failed reintroduction: a case study with the Brown Treecreeper 298–312
 Bilenca, D. *see* Codesido, M. 46–54
 bird migration and climate change in Australia 333–342
 bird assemblages changes during succession 117–128
Biziura lobata 212, 213, 280
 Black Butcherbird 292, 297
 Black Cuckoo-shrike 10, 14
 Black Kite 281
 Black Petrel 114
 Black Phoebe 20
 Black Swan 212–214, 271, 280
 Black-and-white Monjita 47
 Black-breasted Button-quail 85, 88
 Black-crested Bulbul 200–206
 Black-eared Cuckoo 223
 Black-eared Miner 302, 306
 Black-faced Cuckoo-shrike 34–36, 221, 224, 284, 293, 297
 Black-faced Ibis 48
 Black-faced Monarch 285, 334, 335, 340
 Black-faced Woodswallow 220–222, 224, 285
 Black-fronted Dotterel 88, 282
 Black-fronted Piping-Guan 137
 Black-headed Bulbul 200–206
 Black-shouldered Kite 281
 Black-tailed Godwit 282
 Black-throated Finch 221–223, 264
 Black-winged Petrel 113
 Black-winged Stilt 88, 281
 Blue Tit 152
 Blue-billed Duck 212, 213
 Blue-faced Honeyeater 221, 223, 284
 Blue-winged Kookaburra 283
 Blue-winged Parrot 2
 Blue-winged Teal 170
 Blumstein D. T. *see* Weston, M. A. 269–286
Bolemoreus frenatus 173
 B. hindwoodi 173
Bombycilla cedrorum 43
 Bonin Petrel 113
 Borboroglu, P. G. *see* Svagelj, W. S. 167–172
Botaurus poiciloptilus 280
 Brant Goose 170
Branta bernicla nigricans 170
 B. canadensis maxima 170
 Bravo, S. P. *see* Jahn, A. E. 17–22
 breeding cycle of Chatham Petrels 107–116
 breeding productivity of African Penguins 97–106
 Bridled Honeyeater 173
 Broad-billed Flycatcher 291, 292, 297
 Broad-billed Prion 108
 brood parasitism by Shiny Cowbirds 55–59
 Brown Cuckoo-Dove 24, 280
 Brown Falcon 34, 36, 263, 281
 Brown Gerygone 284
 Brown Goshawk 264, 304
 Brown Honeyeater 284, 290–292, 296
 Brown Oriole 12
 Brown Quail 85, 88, 280, 322
 Brown Songlark 89, 223
 Brown Thornbill 89, 117, 121, 122, 128, 284
 Brown Treecreeper 150–153, 223, 283, 298–307, 311
 Brown-and-yellow Marshbird 49, 56
 Brown-chested Martin 49
 Brown-crested Flycatcher 20
 Brown-headed Cowbird 55, 57
 Brown-headed Honeyeater 128
 Brown-hooded Gull 49, 227–232
 Brunton, D. H. *see* Gsell, A. C. 60–66
 Brush Bronzewing 24, 25, 28, 29, 128
 Brush Cuckoo 292, 296, 334, 335, 340
Bubulcus ibis 49
 Buchanan, K. L. and O'Connor, J. Hybridisation and the future of austral ornithology i–ii (112/1)
 Budgerigar i, ii, vi (112/2), 34, 36, 37, 221, 222, 224, 322
 Buff-banded Rail 88, 281
 Buff-breasted Button-quail 85, 88
 Buff-breasted Paradise-Kingfisher 89
 Buff-rumped Thornbill 89, 284

- Buller's Albatross 114, 248
Burhinus grallarius 281
 Burke, D. *see* Haythorpe, K. M. 129–136
 Burrowing Owl 49
 Bush Stone-curlew 281
Buteo magnirostris 50
 B. swainsoni 48
Butorides striatus 281, 291, 292, 296
Cacatua galerita 128, 283, 353
 C. roseicapilla 272
 C. sanguinea 221, 283
 C. tenuirostris 283
Cacomantis flabelliformis 128, 283
 C. pallidus 283
 C. variolosus 292, 296, 334, 335, 340
Calamanthus campestris 89
 C. fuliginosus 284
Calidris acuminata 283
 C. alba 282
 C. canutus rufa 357–361
 C. canutus 6, 282
 C. ferruginea 283
 C. melanotos 283
 C. ruficollis 282, 283
Callocephalon fimbriatum 128, 283
Caloenas nicobarica 24
 C. banksii 283
 C. funereus 128, 283
 C. latirostris ii, iv, vi (112/2)
 Campbell Albatross 248
 Campbell, S., Powell, C., Parr, R., Rose, K., Martin, G. and Woolnough, A.
 Can artificial nest-cavities be used as a management
 tool to assist the control of Common Starlings (*Sturnus*
 vulgaris)? 255–260
Camptostoma imberbe 20
 Canada Goose 170
 Cane Toad impact on ground-nesting birds 83–89
 Cape Petrel 244, 246–252
Caprimulgus macrurus 88, 292, 296
Caracara plancus 49
Carduelis carduelis 286
 C. magellanica 49
 Carnaby's Black-Cockatoo ii (112/2), iv, vi
 Carro, M. E. *see* Fernández, G. J. 71–75
 Casaux, R. *see* Frixione, M. G. 174–178
 Caspian Tern 283
 Cassin's Kingbird 20
 Cattle Egret 49, 281
 Cattle Tyrant 50
Cecropis nigricans 353, 354
 Cedar Waxwing 43
Centropus phasianinus 89, 221, 283
Certhionyx pectoralis 292
Ceyx azureus 89, 283, 296
 C. pusilla 89, 296
Chalcites basalis 283
 C. lucidus 128
 C. minutillus 296
Chalcophaps indica 24, 26, 280, 296
 Chalk-browed Mockingbird 49, 56
 Channel-billed Cuckoo 11, 334–337, 339, 340
 Channel-billed Toucan 137
Charadrius australis 88
 C. bicinctus 282
 C. mongolus 282
 C. ruficapillus 88, 282
 Chatham Petrel 107–114
Chauna torquata 49
Chen caerulescens caerulescens 170
Chenonetta jubata 212–214, 280
Cheramoeca leucosterna 89
 Chestnut Quail-thrush 89
 Chestnut Rail 291–293, 296
 Chestnut Teal 212–214, 280
 Chestnut-backed Button-quail 88
 Chestnut-bellied Fantail 10
 Chestnut-breasted Mannikin 285, 297
 Chestnut-breasted Quail-thrush 89
 Chestnut-crowned Babbler 284
 Chestnut-quilled Rock-Pigeon 24
 Chestnut-rumped Heathwren 89, 284
 Chestnut-rumped Thornbill 150–153
 Chicken 85
 chick growth in Chilean Swallows 157–161
 Chilean Swallow 157–160
 Chimango Caracara 49
Chlidonias hybrida 88, 283
Chlorostilbon aureoventris 50
 Chomdej, S. *see* Kamtaeja, S. 199–208
 Chowchilla 89, 189–197, 284
 Christmas Island Imperial-Pigeon 24
Chroicocephalus maculipennis 49, 227–232
 C. novaehollandiae 283
Chrysococcyx minutillus 223
 C. osculans 223
Chthonicola sagittata 89, 150–153, 223
 Chubut Steamer Duck 167–170
 Cibois, A. *see* Saitoh, T. 343–349
 Cicadabird 223, 297, 334–340
Ciconia maguari 49
Cincloramphus cruralis 223
 C. mathewsi 89, 221, 223, 263
 C. cruralis 89
Cinclosoma castaneothorax 89
 C. castanotum 89
 C. cinnamomeum 89
 C. punctatum 89
 Cinereous Harrier 50, 52
 Cinnamon Quail-thrush 89
Circus assimilis 281
 C. buffoni 50
 C. cinereus 50, 52
Cissomela pectoralis 221, 296
Cisticola exilis 285, 297
Cistothorus platensis 49
Cladorhynchus leucocephalus 282
 Clamorous Reed-Warbler 343
 Cleal, J. *see* Pierre, J. P. 244–254
 Cliff Swallow 48
Climacteris affinis 150–153, 283
 C. picumnus 150–153, 223, 283, 298–307, 311
 climate change, and Australian landbirds i–vii (112/2); and bird migration
 in Australia 333–342
 Cloven-feathered Dove 24
Coccyzus melacoryphus 50
 Cockatiel 223, 263

- Codesido, M., González-Fischer, C. and Bilenca, D. Agricultural land-use, avian nesting and rarity in the Pampas of central Argentina 46–54
- Colaptes campestris* 49
- C. melanochloros* 50
- Collared Flycatcher 272
- Collared Kingfisher 291, 292, 296
- Colluricincla harmonica* 128, 223, 285
- C. megarhyncha* 293, 297
- Colman, N. *see* Kutt, A. S. 32–38
- Colman, N. J. *see* Perry, J. J. 261–266
- colony establishment by Kelp Gulls 174–178
- Columba leucomela* 24, 280
- C. livia* 24, 49, 130, 132
- C. vitiensis* 24
- Columbidae* *gen. et sp. indet. A* 28
- C. gen. et sp. indet. B* 28–29
- C. illiger* 24–28
- Columbina picui* 49
- Comb-crested Jacana 88
- Common Blackbird 128, 189, 285
- Common Bronzewing 24, 280
- Common Bulbul 205
- Common Chaffinch 43
- Common Cuckoo 55, 330–331
- Common Eider 170
- Common Greenshank 282
- Common Myna 85, 129–135, 255, 285
- Common Paradise-Kingfisher 12
- Common Sandpiper 282
- Common Starling 6, 65, 130, 133, 134, 255–259, 285
- Common Tern 283
- Congdon, B. C. *see* Koetz-Trowse, A. H. 189–198
- Conopophila albogularis* 223, 264, 292, 296
- control of Common Starlings 255–260
- Cook's Petrel 113, 114, 326
- Coracina maxima* 263
- C. melas* 10, 14
- C. novaehollandiae* 34–36, 221, 224, 284, 293, 297
- C. papuensis* 220–224, 284, 297
- C. tenuirostris* 223, 297, 334–340
- Corcorax melanorhamphos* 285
- Cormobates leucophaea* 117, 121–123, 128, 283
- Corn Bunting 189
- Corral, M. B. *see* Fernández, G. J. 71–75
- Correndera Pipit 49
- Côrtes, M. C. *see* de Castro, E. R. 137–148
- Corvus coronoides* 128, 130–134, 263, 285, 320
- C. orru* 263, 285, 297
- Coturnix pectoralis* 88, 280
- C. ypsilophora* 85, 88, 280, 322
- Cracticus cassicus* 10, 14
- C. nigrogularis* 34–36, 221, 285
- C. quoyi* 292, 297
- C. tibicen* 129, 130, 132–134, 285
- C. torquatus* 34, 36, 128, 263, 285, 303
- Crates, R. A., French, K. and McLean, C. M. *Corrigendum to: The abundance and distribution of two species of fairy-wren in suburban and natural habitats* 76
- Cream-vented Bulbul 202
- Creamy-bellied Thrush 50, 52, 139
- Crescent Honeyeater 121, 122, 128
- Crested Bellbird 34, 36, 150–153, 223
- Crested Caracara 49
- Crested Pigeon 24, 130–134, 280
- Crested Shrike-tit 128, 284
- Crested Tern 283
- Crimson Chat 223
- Crimson Finch 292, 297
- Crimson Rosella 121, 122, 128, 283
- Cuculus canorus* 55, 330–331
- Cueto, V. R. *see* Jahn, A. E. 17–22; Lacoretz, M. V. 162–166
- Curlew Sandpiper 283
- Cyanistes caeruleus* 152
- Cygnus atratus* 212–214, 271, 280
- Dacelo leachii* 283
- D. novaeguineae* 128, 283, 320
- Daphoenositta chrysoptera* 34, 221, 223
- Daption capense* 244, 246–252
- Dark-billed Cuckoo 50
- Dayornis brachypterus* 306
- de Castro, E. R., Côrtes, M. C., Navarro, L., Galetti, M. and Morellato, L. P. C. Temporal variation in the abundance of two species of thrushes in relation to fruiting phenology in the Atlantic rainforest 137–148
- Dendrocygna eytoni* 212, 213
- Diamond Dove 24
- Díaz, S., Kitzberger, T. and Peris, S. Food resources and reproductive output of the Austral Parakeet (*Enicognathus ferrugineus*) in forests of northern Patagonia 234–243
- Dicaeum hirundinaceum* 43, 223, 264, 292, 297
- Dicrurus adsimilis* 224
- D. bracteatus* 10–12, 223, 224, 285, 297
- Didunculus strigirostris* 24
- diet of woodland birds 149–156
- Diomedea antipodensis* 248
- D. cauta steadi* 245, 248
- D. epomophora* 248
- D. sanfordi* 248
- distribution of Chatham Petrels 107–116
- Doerr, E. D. *see* Bennett, V. A. 298–312
- Doerr, V. A. J. *see* Bennett, V. A. 298–312
- Dollarbird 283, 296, 334, 335, 337, 339, 340
- Double-banded Plover 282
- Double-barred Finch 34–36, 89, 221, 223, 285, 292, 297
- Double-collared Seedeater 49
- Drepanoptila holosericea* 24
- Dromaius novaehollandiae* 68, 280
- Drymodes brunneopygia* 89
- D. superciliaris* 89
- Ducula bicolor* 24, 264, 280, 296
- D. pacifica* 24
- D. spilorrhoa* 24
- D. whartoni* 24
- Dusky Honeyeater 284, 296
- Dusky Moorhen 281
- Dusky Robin 353
- Dusky Woodswallow 128
- Dusky-capped Flycatcher 20
- Eared Dove 47, 49
- Eastern Barn Owl 89
- Eastern Bristlebird 306
- Eastern Curlew 276, 282
- Eastern Grass Owl 89
- Eastern Great Egret 281
- Eastern Koel 283, 334, 335, 337, 340
- Eastern Phoebe 20

- Eastern Reef Egret 281
 Eastern Rosella 283
 Eastern Spinebill 121–123, 128, 284
 Eastern Whipbird 128, 284
 Eastern Yellow Robin 128, 149–153, 285
 egg size of Chubut Steamer Ducks 167–172
Egretta garzetta 281
 E. novaehollandiae 281
 E. sacra 281
Elaenia parvirostris 50
Elanus axillaris 281
 E. leucurus 50
Elseynornis melanops 88, 282
Embernagra platensis 49
Emblema pictum 89
 Emerald Dove 24, 280, 296
 Emu 68, 280
Enicognathus ferrugineus 234–241
Entomyzon cyanotis 221, 223, 284
Eolophus roseicapillus 283
Eopsaltria australis 128, 149–153, 285
Epthianura albifrons 89, 284
 E. aurifrons 89
 E. tricolor 223
Erythronyctes alba 88, 282
Eudynamys orientalis 283, 334, 335, 337, 340
 E. scolopaceus 264
 E. taitensis 326–331
Eudytes chrysolophus 93
Eudytula minor 104
Eulabeornis castaneiventris 291–293, 296
 Eungella Honeyeater 173
Euphonia hirundinacea 39
 Eurasian Coot 211, 213, 281
 Eurasian Tree Sparrow 285
 European Goldfinch 286
 European Starling 354
Eurostodus argus 88, 280
 E. mystacalis 88
Eurystomus orientalis 283, 296, 334, 335, 337, 339, 340
Excalfactoria chinensis 88
 Fairy Gerygone 10, 221
 Fairy Martin 285, 322
 Fairy Tern 88
Falco berigora 34, 36, 263, 281
 F. cenchroides 281, 304
 F. femoralis 49
 F. peregrinus 322
 F. punctatus 129
 F. sparverius 49
Falcunculus frontatus 128, 284
 Fan-tailed Cuckoo 128, 283
 Favero, M. *see* García, G. O. 227–233
 Fernández, G. J., Corral, M. B. and Carro, M. E. Variation in the alarm calls of Southern House Wrens (*Troglodytes musculus*) 71–75
Ficedula albicollis 272
 Field Flicker 49
 Fiorini, V. D., Tuero, D. T. and Rebores, J. C. Dense canopy cover over House Wren (*Troglodytes aedon*) nests increases latency of brood parasitism by Shiny Cowbirds (*Molothrus bonariensis*) 55–59
 Fire-eyed Diucon 20
 Firewood-gatherer 49
 Flame Robin 128
 flight-initiation distances 269–286
 Flock Bronzewing 88
 food aggression by Common Mynas 129–136
 food resources of Austral Parakeets 234–243
 foraging behaviour in Lesser Rheas 67–70; of Magellanic Penguins 90–96
 Forest Kingfisher 283, 292, 296
 Fork-tailed Drongo 224
 Fork-tailed Flycatcher 49
 Forty-spotted Pardalote 354
 Freckle-breasted Thornbird 50
 Freckled Duck 210, 213, 214
 French, K. *see* Crates, R. A. 76
Fringilla coelebs 43
 Frixióne, M. G., Casaux, R., Villanueva, C. and Alarcón, P. A. E. A recently established Kelp Gull colony in a freshwater environment supported by an inland refuse dump in Patagonia 174–178
 fruiting phenology and thrushes 137–148
Fulica armillata 227–232
 F. atra 211, 213, 281
Furnarius rufus 49
 Fuscous Honeyeater 284
 Galah 272, 283
 Galetti, M. *see* de Castro, E. R. 137–148
Gallicolumba beccarii 24, 29
 G. jobiensis 24, 29
 G. luzonica 24, 29
Gallinago hardwickii 282
Gallinula tenebrosa 281
Gallirallus philippensis 88, 281
Gallus gallus 85
 Gang-gang Cockatoo 128, 283
 García, G. O., Favero, M. and Vassallo, A. I. Interspecific kleptoparasitism by Brown-headed Gulls (*Chroicocephalus maculipennis*) on two hosts with different foraging strategies: a comparative approach 227–233
 Garden Warbler 5, 6
 Garnett, S. T., Szabo, J. K. and Dutson, G. 'The Action Plan for Australian Birds 2010' (book review) 268
 Gartrell, B. D. and Jones, S. M. No evidence for synchrony of physiological or behavioural preparations for migration in a short-distance migratory parrot 1–8
Geopelia cuneata 24
 G. humeralis 24, 29, 263, 280, 292, 296
 G. striata 24, 34–36, 223, 280, 296
Geophaps plumifera 24, 88
 G. scripta 88
 G. s. scripta 85
 G. smithii 24, 88
 G. s. blaauwi 85
 G. s. smithii 85
Gerygone albogularis 223, 284, 334, 335, 337, 339, 340
 G. chloronotus 292, 296
 G. chrysogaster 10, 11, 13
 G. cinerea 10
 G. fusca 223, 284
 G. levigaster 292, 296
 G. magnirostris 292, 294, 296
 G. mouki 284
 G. palpebrosa 10, 221
 Gibberbird 89
 Gill, B. J. and Hauber, M. E. Piecing together the epic transoceanic migration of the Long-tailed Cuckoo (*Eudynamys taitensis*): an analysis of museum and sighting records 326–332

- Glittering-bellied Emerald 50
Glossopsitta concinna 1–6, 353
 Glossy Ibis 281
Glyciphila melanops 284
 Golden Monarch 10, 13
 Golden Whistler 117, 121, 122, 128, 193–195, 284
 Golden-headed Cisticola 285, 297
 González-Fischer, C. *see* Codesido, M. 46–54
 Goodale, E., Goodale, U. and Mana, R. The role of toxic pitohuis in mixed-species flocks of lowland forest in Papua New Guinea 9–16
 Goodale, U. *see* Goodale, E. 9–16
Goura victoria 24
Grallina cyanoleuca 130, 132–134, 221, 224, 285, 292, 297
Grantiella picta 39–43
 Grassland Sparrow 49
 Grassland Yellow-Finch 49
 Gray-breasted Martin 49
 Great Bowerbird 296
 Great Cormorant 280
 Great Crested Grebe 88, 213
 Great Kiskadee 49
 Great Pampa-Finch 49
 Great Reed-Warbler 343
 Great-billed Heron 292
 Great-crested Flycatcher 20
 Greater Rhea 49, 52, 67
 Green Catbird 284
 Green Rosella 185, 353
 Green-backed Gerygone 292, 296
 Green-barred Woodpecker 50
 Grey Butcherbird 34, 36, 128, 263, 285, 303
 Grey Currawong 128
 Grey Fantail 117, 121, 122, 128, 221, 223, 285
 Grey Gerygone 10
 Grey Goshawk 281
 Grey Plover 282
 Grey Shrike-thrush 128, 223, 285
 Grey Teal 212, 213, 280
 Grey Whistler 297
 Grey's Fruit-Dove 24
 Grey-breasted Quail Dove 24, 29
 Grey-crowned Babbler 150–153, 221, 224, 263
 Grey-fronted Honeyeater 34
 Grey-headed Robin 285
 Grey-tailed Tattler 282
 Ground Cuckoo-shrike 263
 Ground Parrot 88
 group size in Lesser Rheas 67–70
 Gsell, A. C., Hagelin, J. C. and Brunton, D. H. Olfactory sensitivity in Kea and Kaka 60–66
 Guam Reed-Warbler 343, 346, 347
 Guay, P.-J. *see* Weston, M. A. 269–286
 Guira Cuckoo 49
Guira guira 49
 Gummer, H. D. *see* Rayner, M. J. 107–116
Gygis alba 129
 habitat and hunting risk in Lesser Rheas 67–70
 habitat selection by Pale-breasted Spinetails 162–166
Haematopus fuliginosus 281
 H. longirostris 281
 H. palliatus 227–232
 Hagelin, J. C. *see* Gsell, A. C. 60–66
Haliastur spheurnus 281
 Hamilton, A. J. *see* Murray, C. G. 209–217
 Hardhead 212, 213, 280
 Hauber, M. E. *see* Gill, B. J. 326–332
 Haythorpe, K. M., Sulikowski, D. and Burke, D. Relative levels of food aggression displayed by Common Mynas when foraging with other bird species in suburbia 129–136
 Heinsohn, R. *see* Stojanovic, D. 350–356; book review by 268
 Helmeted Friarbird 10, 14, 284, 296
Hemiphaga novaeseelandiae 24
 Hepworth, G. *see* Murray, C. G. 209–217
 Hernández, M. A. *see* Musmeci, L. R. 357–362
Heteromunia pectoralis 89, 223
Heteromyias cinereifrons 285
Heteroxolmis dominicanus 47
Himantopus himantopus 88, 281
 H. caudacutus 128, 334–337, 340
Hirundo neoxena 258, 285
 H. nigricans 185
 H. rustica 49
 Hoary-headed Grebe 88, 212–214, 280
 Hockey, P. A. R. *see* McKechnie, A. E. i–vii
 Holdsworth, M. C. *see* Webb, M. H. 181–188
 Hooded Butcherbird 10, 14
 Hooded Monarch 10
 Hooded Pitohui 10–14
 Hooded Plover 271, 282
 Hooded Robin 150–153
 Hooded Siskin 49
 Horsfield's Bronze-Cuckoo 283
 Horsfield's Bushlark 89
 House Sparrow 49, 85, 285
 House Wren 49, 55–58
 Hudson's Canastero 49, 51, 52
 Humboldt Penguin 97, 104
 Hume, J. P. and Walters, M. 'Extinct Birds' (book review) 179–180
 hybridisation of austral ornithology i–ii (112/1)
Hydroprogne caspia 283
Hylacola pyrrhopygia 89, 284
Hymenops perspicillatus 49
 Igic, B., book review by 80–81
 Inland Dotterel 88
 Inland Thornbill 34, 36, 223
 Intermediate Egret 281
Irediparra gallinacea 88
Ixobrychus dubius 280
 Jackass Penguin 97
 Jacky Winter 150–153, 221, 223, 264
 Jahn, A. E., Bravo, S. P., Cueto, V. R., Levey D. J. and Morales, M. V. Patterns of partial avian migration in northern and southern temperate latitudes of the New World 17–22
 Jatisatienr, A. *see* Kamtaeja, S. 199–208
 Jones, S. M. *see* Gartrell, B. D. 1–8
 Joseph, L. and Nyári, A. S. Clarification of the nomenclatural status of a recently introduced genus-group name for some honeyeaters (Meliphagidae) 173
 Joseph, L. *see* Olsen, P. 80–81
 Kaka 60–65
 Kakapo 60
 Kamtaeja, S., Sitasuwan, N., Chomdej, S., Jatisatienr, A. and Mennill, D. J. Species-distinctiveness in the vocal behaviour of six sympatric bulbuls (genus *Pycnonotus*) in South-East Asia 199–208
 Kasel, S. *see* Murray, C. G. 209–217
 Kea 60–65

- Kelp Gull 103, 174–177, 283
 King Quail 88
 Kingsford, R. T. (Serventy Medal 2012) 267
 Kitzberger, T. *see* Díaz, S. 234–243
 kleptoparasitism by Brown-headed Gulls 227–233
 Kobayashi, S. *see* Saitoh, T. 343–349
 Koetz-Trowse, A. H., Westcott, D. A. and Congdon, B. C. Discrimination of song dialects in relation to song similarity and geographical distance in a rainforest passerine 189–198
 Kutt, A. S., Perkins, G. C., Colman, N., Vanderduys, E. P. and Perry, J. J. Temporal variation in a savanna bird assemblage: what changes over 5 years? 32–38
 Kutt, A. S. *see* Perry, J. J. 261–266; Vanderduys, E. P. 218–226
 Lacoretz, M. V., Sagario, M. C. and Cueto, V. R. Habitat selection by the Pale-breasted Spinetail (*Synallaxis albescentis*) at multiple spatial scales in the central Monte Desert, Argentina 162–166
Lalage leucomela 284, 297
 L. sueurii 34, 36, 221, 223, 263, 293, 297
 Large-billed Gerygone 292, 294, 296
 Large-billed Scrubwren 128, 284
 Large-tailed Nightjar 88, 292, 296
Larus dominicanus 103, 174–177, 283
 L. novaehollandiae 130, 132–134, 177
 Latham's Snipe 282
Lathamus discolor 1–7, 181–187, 350–354
 Laughing Kookaburra 128, 283, 320
 Lawes, M. J. *see* Mohd-Azlan, J. 287–297
 Leaden Flycatcher 223, 285, 297, 334–337, 339, 340
 Lemon-bellied Flycatcher 292, 297
 Leshoro, T. M. *see* Sherley, R. B. 97–106
 Lesser Bird-of-paradise 12
 Lesser Rhea 67–69
 Lesser Sand Plover 282
Lessonia rufa 48
Leucosarcia picata 24, 280
 L. proevisa 23
 Levey D. J. *see* Jahn, A. E. 17–22
 Lewin's Honeyeater 128, 284
 Lewin's Rail 88, 281
Lewinia pectoralis 88, 281
Lichenostomus chrysops 128, 221, 223, 284
 L. cratitius 173
 L. flavus 284
 L. fuscus 284
 L. leucotis 128, 284
 L. melanops 173
 L. penicillatus 223, 284
 L. plumulus 34
 L. unicolor 296
 L. virescens 34–36, 221, 284
Lichmera indistincta 284, 290–292, 296
 Liljeström, M., Schiavini, A. and Reboreda, J. C. Time of breeding and female condition affect chick-growth in the Chilean Swallow (*Tachycineta meyeni*) 157–161
 Lill, A. *see* Serong, M. 117–128
Limosa limosa 282
 Lindenmayer, D. B. (D. L. Serventy Medal 2010) 77; *see* Bennett, V. A. 298–312
Lithophaps ulnaris 23
 Little Black Cormorant 280
 Little Bronze-Cuckoo 223, 296
 Little Button-quail 88
 Little Corella 221, 283
 Little Egret 281
 Little Friarbird 220–223, 284, 292, 297
 Little Grassbird 285
 Little Kingfisher 89, 296
 Little Penguin 104
 Little Pied Cormorant 280
 Little Shrike-thrush 293, 297
 Little Tern 88, 283
 Little Wattlebird 284
Lonchura castaneothorax 285, 297
 L. punctulata 285
 Long-billed Corella 283
 Long-tailed Cuckoo 326–331
 Long-tailed Finch 297
 Long-tailed Meadowlark 49
 Long-winged Harrier 50
Lopholaimus antarcticus 24, 280
Lorius garrulus flavopalliatatus 60
 Lovely Fairy-wren 221
 Loyn, R. H. *see* Murray, C. G. 209–217
 Lüthi, B. *see* Raya Rey, A. 90–96
 Luzon Bleeding-heart 24, 29
 Macaroni Penguin 93
Machaerirhynchus flaviventer 10
Machetornis rixosus 50
Macronectes giganteus 244, 246
 M. halli 244, 246
Macropygia amboinensis 280
 M. a. phasianella 24
 Magellanic Penguin 90–95
 Magpie Geese 212, 213
 Magpie-lark 130, 132–134, 221, 224, 285, 292, 297
 Maguari Stork 49
Malacorhynchus membranaceus 212, 213
Malurus amabilis 221
 M. cyaneus 76, 128, 284
 M. lamberti 34, 76, 223, 264, 284
 M. melanocephalus 223, 224, 264, 292, 296
 Mana, R. *see* Goodale, E. 9–16
 managing disturbance to Australian birds 269–286
 Mangrove Gerygone 292, 296
 Mangrove Golden Whistler 292, 297
 Mangrove Grey Fantail 291–293, 297
 Mangrove Robin 292, 297
 Mangrove Swallow 160
 Manning, A. D. *see* Bennett, V. A. 298–312
Manorina flavigula 34
 M. melanocephala 130, 132–134, 284, 303, 304, 306
 M. melanophrys 284
 M. melanotis 302, 306
 Marsh Sandpiper 282
 Martella, M. B. *see* Barri, F. R. 67–70
 Martin, G. *see* Campbell, S. 255–260
 Masked Finch 89, 223
 Masked Gnatcatcher 50
 Masked Lapwing 88, 282
 Masked Owl 354
 Masked Woodswallow 221, 222, 224, 285
 Mauritius Kestrel 129
 McKechnie, A. E., Hockey, P. A. R. and Wolf, B. O. Feeling the heat: Australian landbirds and climate change i–vii (112/2)
 McLean, C. M. *see* Crates, R. A. 76
 McLeod, E. M. *see* Weston, M. A. 269–286

- Megalurus grammacus* 285
M. timoriensis 285, 297
Megapodius reinwardi 280, 292, 296
Melanodryas cucullata 150–153
M. vittata 353
Meliphaga lewinii 128, 284
Melithreptus albogularis 221–224, 296
M. brevirostris 128
M. lunatus 128, 334–340
Melopsittacus undulatus i ii, vi (112/2), 34, 36, 37, 221, 222, 224, 322
Mennill, D. J. *see* Kamtaeja, S. 199–208
Menura novaehollandiae 128, 283
Merops ornatus 84, 85, 89, 223, 224, 263, 283, 292, 296
Microcarbo melanoleucos 280
Microeca fascians 150–153, 221, 223, 264
M. flavigaster 292, 297
Middleton, D. A. J. *see* Pierre, J. P. 244–254
migration, and climate change in Australia 333–342; of Long-tailed Cuckoos 326–332; partial 7–22; of Red Knots 357–362
Miliaria calandra 189
Milvago chimango 49
Milvus migrans 281
Mimus saturninus 49, 56
M. triurus 48
Mirafra javanica 89
Mistletoebird 43, 223, 264, 292, 297
mixed-species bird flocks in Australian savannas 218–226
Mohd-Azlan, J., Noske, R. A. and Lawes, M. J. Avian species-assemblage structure and indicator bird species of mangroves in the Australian monsoon tropics 287–297
Mohoua ochrocephala 331
Molothrus ater 55, 57
M. bonariensis 49, 55–58, 85
M. rufoaxillaris 49
Monarcha chrysomela 10, 13
M. guttula 10
M. manadensis 10, 285, 334, 335, 340
Monk Parakeet 47, 49
Morales, M. V. *see* Jahn, A. E. 17–22
Morellato, L. P. C. *see* de Castro, E. R. 137–148
Mottled Petrel 113
Mourning Dove 24
Murray, C. G., Loyn, R. H., Kasel, S., Hepworth, G., Stamation, K. and Hamilton, A. J. What can a database compiled over 22 years tell us about the use of different types of wetlands by waterfowl in south-eastern Australian summers? 209–217
Musk Duck 212, 213, 280
Musk Lorikeet 1–6, 353
Musmeci, L. R., Hernández, M. A., Bala, L. O. and Scolaro, J. A. Use of Peninsula Valdes (Patagonia Argentina) by migrating Red Knots (*Calidris canutus rufa*) 357–362
Myiagra alecto 10, 14, 292, 297
M. cyanoleuca 128, 285
M. inquieta 150–153, 223, 297
M. rubecula 223, 285, 297, 334–337, 339, 340
M. ruficollis 291, 292, 297
Myiarchus cinerascens 20
M. crinitus 20
M. swainsoni 21
M. tuberculifer 20
M. tyrannulus 20
Myiopsitta monachus 47, 49
Myzomela erythrocephala 290–292, 296
M. obscura 284, 296
M. sanguinolenta 334–337, 340
Nankeen Kestrel 281, 304
Nankeen Night-Heron 281
Navarro, J. L. *see* Barri, F. R. 67–70
Navarro, L. *see* de Castro, E. R. 137–148
Nectarinia jugularis 285
Neochmia modesta 223
N. phaeton 292, 297
N. temporalis 128, 285
Neophema chrysogaster 2
N. chrysostoma 2
nest concealment by House Wrens 55–59
nesting, in Argentinian Pampas 46–54; by Painted Honeyeaters 39–45; by Swift Parrots 181–188
Nestor meridionalis 60–65
N. notabilis 60–65
New Holland Honeyeater 284
New Zealand Pigeon 24
Nicobar Pigeon 24
Night Parrot 85, 88
Nightingale Reed-Warbler 343–348
Ninox novaeseelandiae 334–340
Noisy Friarbird 34–36, 220, 221, 222, 284, 303
Noisy Miner 130, 132–134, 284, 303, 304, 306
Noisy Pitta 89
nomenclatural status of genus-group name for honeyeaters 173
Northern Beardless-Tyrannulet 20
Northern Fantail 10, 12, 297
Northern Giant-Petrel 244, 246
Northern Mallard 280
Northern Pintail 170
Northern Royal Albatross 248
Northern Scrub-robin 89
Noske, R. A. *see* Mohd-Azlan, J. 287–297
Nothura maculosa 49
Numenius madagascariensis 276, 282
N. phaeopus 282
Nutmeg Mannikin 285
Nyári, A. S. *see* Joseph, L. 173
Nycticorax caledonicus 281
Nymphicus hollandicus 223, 263
Nyroca effodiata 23
O'Connor, J. *see* Buchanan, K. L. i–ii (112/1)
Ochre-collared Monarch 10, 12
Ocyphaps lophotes 24, 130, 132–134
O. lophotes 280
olfactory sensitivity, in Kaka 60–66; in Kea 60–66
Olive Whistler 128, 284
Olive-backed Oriole 128, 223, 285, 292, 297, 334, 335, 337, 339, 340
Olive-backed Sunbird 285
Olive-winged Bulbul 202
Olsen, P. and Joseph, L. 'Stray Feathers: Reflections on the Structure, Behaviour and Evolution of Birds' (book review) 80–81
Orange Chat 89
Orange-bellied Parrot 2
Orange-footed Scrubfowl 280, 292, 296
Oreoica gutturalis 34, 36, 150–153, 223
Oriental Reed-Warbler 343
Origma solitaria 284
Oriolus flavocinctus 292, 297
O. sagittatus 128, 223, 285, 292, 297, 334, 335, 337, 339, 340
O. szalayi 12

- Orthonyx spaldingii* 89, 189–197, 284
O. s. melasmenus 190–193, 195, 196
O. s. spaldingii 190–192, 195, 196
O. temminckii 89, 193–195, 284
- Ostrich iii (112/2), 68
- Otidiphaps nobilis* 24
- Oxyura australis* 212, 213
O. jamaicensis 170
- Pachycephala lanioides* 292
P. melanura 292, 297
P. olivacea 128, 284
P. pectoralis 117, 121, 122, 128, 193–195, 284
P. rufiventris 34, 220–222, 224, 284, 334, 337
- Pachycephala simplex* 297
- Pachyptila vittata* 108
- Pacific Baza 281
- Pacific Black Duck 212–214, 271, 280
- Pacific Golden Plover 282
- Pacific Pigeon 24
- Pagan Reed-Warbler 346, 347
- Painted Button-quail 88
- Painted Finch 89
- Painted Honeyeater 39–43
- Pale-breasted Spinetail 50, 162–165
- Pale-breasted Thrush 139
- Pale-headed Rosella 34–36, 283
- Pale-yellow Robin 285
- Pallid Cuckoo 283
- Pampas Meadowlark 47
- Pampas Pipit 49
- Paradisaea minor* 12
- Pardalotus punctatus* 89, 128, 223, 284
P. quadragintus 354
P. rubricatus 89
P. striatus 34, 85, 89, 117, 121–124, 128, 221, 292, 296, 353
- Parr, R. *see* Campbell, S. 255–260
- partial avian migration 17–22
- Partridge Pigeon 24, 85, 88
- Pasquet, E. *see* Saitoh, T. 343–349
- Passer domesticus* 49, 85, 285
- Passer montanus* 285
- Patagioenas maculosa* 49
P. picazuro 47, 49
P. speciosa 24
- Paton, D. C. (D. L. Serventy Medal 2011) 78
- Peaceful Dove 24, 34–36, 223, 280, 296
- Pectoral Sandpiper 283
- Pedionomus torquatus* 85, 88
- Pelecanus conspicillatus* 280
- Peneoanthe pulverulenta* 292, 297
- Peregrine Falcon 322
- Peris, S. *see* Díaz, S. 234–243
- Perkins, G. C. *see* Kutt, A. S. 32–38; Perry, J. J. 261–266; Vanderduys, E. P. 218–226
- Perry, J. J., Kutt, A. S., Perkins, G. C., Vanderduys, E. P. and Colman, N. J. A. bird survey method for Australian tropical savannas 261–266
- Perry, J. J. *see* Kutt, A. S. 32–38; Vanderduys, E. P. 218–226
- Petrochelidon ariel* 285, 322
P. nigricans 128
P. pyrrhonota
- Petroica boodang* 285
P. goodenovii 150–153, 223
P. phoenicea 128
- P. rodinogaster* 128
P. rosea 128, 285, 334–340
- Petrophassa albipennis* 24
P. rufipennis 24
- Pezoporus flaviventris* iv (112/2)
P. occidentalis 85, 88
P. wallicus 88
- phabine pigeon 23–31
- Phacellodomus striaticollis* 50
- Phainopepla 39, 42, 43
Phainopepla nitens 39, 42, 43
- Phalacrocorax carbo* 280
P. sulcirostris 280
P. varius 280
- Phaps chalcoptera* 23, 24, 280
P. elegans 24, 25, 28, 29, 128
P. histrionica 23, 88
- Pheasant Coucal 89, 221, 283
- Pheasant Pigeon 24
- Philemon argenticeps* 220, 222, 223, 297
P. buceroides 10, 14, 284, 296
P. citreogularis 220–223, 284, 292, 297
P. corniculatus 34–36, 220–221, 284, 303
- Phillips, R. A. *see* Rayner, M. J. 107–116
- Phylidonyris albifrons* 43
P. niger 284
P. novaehollandiae 284
P. pyrrhopterus 121, 122, 128
- Picazuro Pigeon 47, 49
- Picoides borealis* 306
- Pictorella Mannikin 89, 223
- Picui Ground-Dove 49
- Pied Butcherbird 34–36, 221, 285
- Pied Cormorant 280
- Pied Currawong 128, 285
- Pied Imperial-Pigeon 264, 280, 296
- Pierre, J. P., Abraham, E. R., Cleal, J. and Middleton, D. A. J. Reducing effects of trawl fishing on seabirds by limiting foraging opportunities provided by fishery waste 244–254
- Pilotbird 128, 284
- Pink Robin 128
- Pink-eared Duck 212, 213
- Pipile jacutinga* 137
- Pitangus sulfuratus* 49
- Pitohui dichrous* 10–14
P. ferrugineus 10–15
P. kirchocephalus 10–14
- Pitta erythrogaster* 89
P. iris 89
P. versicolor 89
- Plains-wanderer 85, 88
- Platalea flavipes* 281
P. regia 281
- Platycercus adscitus* 34–36, 283
P. caledonicus 185, 353
P. elegans 121, 122, 128, 283
P. eximius 283
P. icterotis 320
- Platycichla flavipes* 137
- Plectorhyncha lanceolata* 34–36, 284
- Plegadis chihi* 49
P. falcinellus 281
- Plumed Whistling-Duck 212, 213

- Plum-headed Finch 223
Pluvialis dominicus 48
 P. fulva 282
 P. squatarola 282
Podargus strigoides 280, 296
Podiceps cristatus 88, 213
Poephila acuticauda 297
 P. cincta 221–223, 264
 P. personata 89, 223
Poliiocephalus poliocephalus 88, 212–214, 280
Poliioptila dumicola 50
Polystictus pectoralis 50, 52
Polytelis alexandrae iv (112/2)
 P. swainsonii 186, 354
Pomarea nigra 129
Pomatostomus isidori 9–14
 P. ruficeps 284
 P. superciliosus 150–153, 284
 P. temporalis 150–153, 221, 224, 263
Porphyrio porphyrio 281
 Porter, J. *see* Baker, J. 267
Porzana fluminea 88
 P. pusilla 88, 281
 P. tabuensis 88
 Powell, C. *see* Campbell, S. 255–260
Primophaps schoddei 24, 25, 28, 29
 Princess Parrot iv (112/2)
Procellaria aequinoctialis 245, 248
 P. parkinsoni 114
 P. westlandica 114
Progne chalybea 49
 P. modesta 49
 P. tapera 49
Psephotus haematonotus 283
Pseudocolaptes flaviventris 50
Pseudoleistes virescens 49, 56
Psophodes nigrogularis 322
 P. olivaceus 128, 284
Pterodroma axillaris 107–114
 P. cookii 113, 114, 326
 P. hypoleuca 113
 P. inexpectata 113
 P. nigripennis 113
 P. pycrofti 113
Ptilinopus greyi 24
 P. magnificus 23, 24
 P. regina 24, 296
 P. superbus 24
Ptilonorhynchus nuchalis 296
 P. violaceus 284
Ptiloris victoriae 285
Puffinus griseus 114
 Puff-throated Bulbul 202
 Purple Swamphen 281
 Purple-gaped Honeyeater 173
Purpureicephalus spurius 320
 Pütz, K. *see* Raya Rey, A. 90–96
Pycnonotus atriceps 200–206
 P. aurigaster 200–206
 P. barbatus 205
 P. blanfordi 200–206
 P. cafer 201, 205
 P. finlaysoni 200–206
 P. flaviventris 200–206
 P. hualon 201, 205
 P. jocosus 200–206, 285
 P. plumosus 202
 P. simplex 202
 P. zeylanicus 200
Pycnopsittacus floccosus 128, 284
 Pycroft's Petrel 113
Pyrocephalus rubinus 20, 49
 Rainbow Bee-eater 84, 85, 89, 223, 224, 263, 283, 292, 296
 Rainbow Lorikeet 223, 283
 Rainbow Pitta 89
Rallina tricolor 88
Ramphastos vitellinus 137
Ramsayornis fasciatus 296
 Raya Rey, A., Pütz, K., Scioscia, G., Lüthi, B. and Schiavini, A. Sexual differences in the foraging behaviour of Magellanic Penguins related to stage of breeding 90–96
 Rayner, M. J., Taylor, G. A., Gummer, H. D., Phillips, R. A., Sagar, P. M., Shaffer S. A. and Thompson, D. R. The breeding cycle, year-round distribution and activity patterns of the endangered Chatham Petrel (*Pterodroma axillaris*) 107–116
 Razeng, E. and Watson, D. M. What do declining woodland birds eat? A synthesis of dietary records 149–156
 Reboreda, J. C. *see* Fiorini, V. D. 55–59; Liljesthröm, M. 157–161
Recurvirostra novaehollandiae 281, 282
 Red Knot 6, 282, 357–361
 Red Wattlebird 128, 284, 303
 Red-backed Button-quail 88
 Red-backed Fairy-wren 223, 224, 264, 292, 296
 Red-backed Kingfisher 89
 Red-bellied Pitta 89
 Red-browed Finch 128, 285
 Red-browed Pardalote 89
 Red-capped Parrot 320
 Red-capped Plover 88, 282
 Red-capped Robin 150–153, 223
 Red-chested Button-quail 88, 283
 Red-cockaded Woodpecker 306
 Red-gartered Coot 227–232
 Red-headed Honeyeater 290–292, 296
 Red-kneed Dotterel 88, 282
 Red-necked Avocet 281, 282
 Red-necked Crane 88
 Red-necked Stint 282, 283
 Red-rumped Parrot 283
 Red-tailed Black-Cockatoo 283
 Red-vented Bulbul 201, 205
 Red-whiskered Bulbul 200–206, 285
 Red-winged Parrot 283
 Red-winged Tinamou 49
 reintroduction of Brown Treecreepers 298–312
 reproductive output of Austral Parakeets 234–243
 Restless Flycatcher 150–153, 223, 297
Rhea americana 49, 52, 67
 R. pennata pennata 67–69
Rhipidura albiscapa 117, 121, 122, 128, 221, 223, 285
 R. dryas 297
 R. hyperythra 10
 R. leucophrys 221, 223, 263, 285, 297
 R. phasiana 291–293, 297
 R. rufifrons 128, 221, 285, 334, 335, 337, 338, 340

- R. rufiventris* 10, 12, 297
R. threnothorax 12
Rhynchotus rufescens 49
 Roadside Hawk 50
 Robinson, S. *see* Sodhi, N. 79–80
 Rock Dove 24, 49, 130, 132
 Rockwarbler 284
 Roldán, N. *see* Barri, F. R. 67–70
 Rose Robin 128, 285, 334–340
 Rose, K. *see* Campbell, S. 255–260
 Rose-crowned Fruit-Dove 24, 296
 Roshier, D. *see* Stojanovic, D. 350–356
Rostratula australis 88
 Royal Spoonbill 281
 Ruddy Duck 170
 Ruddy Turnstone 282
 Rufous Babbler 9–14
 Rufous Fantail 128, 221, 285, 334, 335, 337, 338, 340
 Rufous Fieldwren 89
 Rufous Hornero 49
 Rufous Songlark 89, 221, 223, 263
 Rufous Whistler 34, 220–222, 224, 284, 334, 337
 Rufous-banded Honeyeater 223, 264, 292, 296
 Rufous-bellied Thrush 49, 52, 139
 Rufous-collared Sparrow 49
Rupephaps taketake 23
 Russet-tailed Thrush 285
 Rusty Pitohui 10–15
 Sacred Kingfisher 89, 283, 296, 334–337, 339, 340
 Saffron Finch 49
 Saffron-cowled Blackbird 47
 Sagar, P. M. *see* Rayner, M. J. 107–116
 Sagario, M. C. *see* Lacoretz, M. V. 162–166
 Saitoh, T., Cibois, A., Kobayashi, S., Pasquet, E. and Thibault, J.-C. The complex systematics of the *Acrocephalus* of the Mariana Islands, western Pacific 343–349
 Salvin's Albatross 248
 Samoan Starling 129
 Sanderling 282
 Satin Bowerbird 284
 Satin Flycatcher 128, 285
 Saunders, D. *see* Stojanovic, D. 350–356
Saxicola torquata 7
 Say's Phoebe 20
Sayornis nigricans 20
 S. phoebe 20
 S. saya 20
 Scaled Pigeon 24
 Scaly-breasted Lorikeet 283
 Scarlet Honeyeater 334–337, 340
 Scarlet Robin 285
Scenopoeetes dentirostris 284
 Schiavini, A. *see* Liljeström, M. 57–161; Raya Rey, A. 90–96
 Scioscia, G. *see* Raya Rey, A. 90–96
 Scolaro, J. A. *see* Musmeci, L. R. 357–362
 Screaming Cowbird 49
Scythrops novaehollandiae 11, 334, 336, 337, 339, 340, 335
 Sedge Wren 49
 Sekercioglu, C. *see* Sodhi, N. 79–80
Sericornis citreogularis 284
 S. frontalis 89, 121, 122, 128, 284
 S. keri 89, 284
 S. magnirostra 128, 284
 Serong, M. and Lill, A. Changes in bird assemblages during succession following disturbance in secondary wet forests in south-eastern Australia 117–128
Serpophaga subcristata 50
 Shaffer S. A. *see* Rayner, M. J. 107–116
 Sharp-tailed Sandpiper 283
 Sherley, R. B., Barham, B. J., Barham, P. J., Leshoro, T. M. and Underhill, L. G. Artificial nests enhance the breeding productivity of African Penguins (*Spheniscus demersus*) on Robben Island, South Africa 97–106
 Shine, R. *see* Beckmann, C. 83–89
 Shining Bronze-Cuckoo 128
 Shining Cowbird 85
 Shining Flycatcher 10, 14, 292, 297
 Shiny Cowbird 49, 55–58
 Short-billed Pipit 50, 52
 Short-eared Owl 50, 52
 Shy (White-capped) Albatross 245, 248
Sicalis flaveola 49
 S. luteola 49
 Silver Gull 130, 132–134, 177, 283
 Silver-crowned Friarbird 220, 222, 223, 297
 Silveryeye 121, 122, 128, 285
 Singing Honeyeater 34–36, 221, 284
 Sitasuwan, N. *see* Kamtaeja, S. 199–208
 Small-billed Elaenia 50
Smicrornis brevirostris 34, 36, 221–223
 Smith, J. *see* Smith, P. 333–342
 Smith, P. and Smith, J. Climate change and bird migration in south-eastern Australia 333–342
 Snow Goose 170
 Sodhi, N., Sekercioglu, C., Barlow, J. and Robinson, S. 'Conservation of Tropical Birds' (book review) 79–80
Somateria mollissima borealis 170
 song dialects 189–198
 Sooty Oystercatcher 281
 Sooty Shearwater 114, 245, 248
 Sooty Thicket-Fantail 12
 Sooty-fronted Spinetail 50
 Sooty-headed Bulbul 200–206
 Southern Boobook 334–340
 Southern Emu-wren 284
 Southern Giant-Petrel 244, 246
 Southern House Wren 71–74
 Southern Lapwing 49
 Southern Logrunner 193–195
 Southern Royal Albatross 248
 Southern Screamer 49
 Southern Scrub-robin 89
 Southern Whiteface 150–153
 Spangled Drongo 10–12, 223, 224, 285, 297
Spartonoica maluioides 50, 51, 52
 species-assemblage structure and indicator bird species of mangroves 287–297
 Speckled Warbler 89, 150–153, 223
 Spectacled Monarch 285
 Spectacled Tyrant 49
Sphecotheres vieilloti 285, 297
 S. viridis 292
Spheniscus demersus 97–104
 S. magellanicus 90–95
 S. humboldti 97, 104
 Spinifex Pigeon 24, 88

- Spiny-cheeked Honeyeater 34–36, 43, 284
Sporophila caerulea 49
 Spotless Crake 88
 Spotted Catbird 283
 Spotted Dove 24, 280
 Spotted Harrier 281
 Spotted Nightjar 88, 280
 Spotted Nothura 49
 Spotted Pardalote 89, 128, 223, 284
 Spotted Quail-thrush 89
 Spotted Turtle Dove 130, 132–134
 Spot-winged Monarch 10
 Spot-winged Pigeon 49
 Squatter Pigeon 85, 88
 Stamation, K. *see* Murray, C. G. 209–217
Sterna hirundo 283
Sternula albifrons 88, 283
 S. nereis 88
Stictonetta naevosa 210, 213, 214
Stiltia isabella 88
Stipiturus malachurus 284
 Stojanovic, D., Webb, M., Roshier, D., Saunders, D. and Heinsohn, R.
 Ground-based survey methods both overestimate and underestimate
 the abundance of suitable tree-cavities for the endangered Swift
 Parrot 350–356
 Stonechat 7
 Strange-tailed Tyrant 47
 Straw-headed Bulbul 200
 Straw-necked Ibis 281
 Streak-eared Bulbul 200–206
Strepera graculina 128, 285
 S. versicolor 128
Streptopelia chinensis 24, 130, 132–134, 280
 Striated Fieldwren 284
 Striated Heron 281, 291, 292, 296
 Striated Pardalote 34, 89, 117, 121–124, 128, 221, 292, 296, 353
 Striated Thornbill 128, 284
Strigops habroptilus 60
 Striped Honeyeater 34–36, 284
 Stripe-throated Bulbul 200–206
Struthidea cinerea 221, 224, 263, 285
Struthio camelus iii (112/2), 68
 Stubble Quail 88, 280
Sturnella defilippii 47
 S. loyca 49
 S. supercilialis 49
Sturnus tristis 129–135, 255, 285
 S. vulgaris 6, 65, 130, 133, 134, 255–259, 285, 354
 Sulikowski, D. *see* Haythorpe, K. M. 129–136
 Sulphur-crested Cockatoo 128, 283, 353
 Superb Fairy-wren 76, 128, 284
 Superb Fruit-Dove 24
 Superb Lyrebird 128, 283
 Superb Parrot 186, 354
 survey methods, for Australian tropical savannas 261–266; of suitable
 tree-cavities for Swift Parrots 350–356
 surveying by volunteers 313–325
 Svagelj, W. S., Agüero, M. L. and Borboroglu, P. G. Variation in the size
 of eggs of Chubut Steamer Ducks (*Tachyeres leucocephalus*) 167–
 172
 Swainson's Flycatcher 21
 Swainson's Hawk 48
 Swift Parrot 1–7, 181–187, 350–354
Sylvia borin 5, 6
Symposiarchus trivirgatus 285
Synallaxis albescens 50, 162–165
 S. frontalis 50
 synchrony of physiological in a migratory parrot 1–8
Syrigma sibilatrix 49
 systematics of the Acrocephalus 343–349
 Szabo, J. K. *see* Tulloch, A. I. T. 313–325
Tachybaptus novaehollandiae 88, 212, 213, 280
Tachycineta albilinea 160
 T. bicolor 159, 160
 T. cyaneoviridi 160
 T. leucorrhoa 49, 160
 T. meyeni 157–160
 T. thalassina 160
Tachyeres leucocephalus 167–170
Tadorna tadornoides 212, 213, 214, 280
Taeniopygia bichenovii 34–36, 89, 221, 223, 285, 292, 297
 T. guttata i, ii (112/2), 34, 36, 37, 221, 223, 285
 Tahiti Monarch 129
Tanysiptera galatea 12
 T. sylvia 89
 Tawny Frogmouth 280, 296
 Tawny Grassbird 285, 297
 Tawny-crowned Honeyeater 284
 Taylor, G. A. *see* Rayner, M. J. 107–116
 temporal variation, in a savanna bird assemblage 32–38; in thrushes
 137–148
Thalassarche bulleri 114, 248
 T. impavida 248
 T. salvini 248
Thalasseus bergii 283
Theristicus melanopsis 48
 Thibault, J.-C. *see* Saitoh, T. 343–349
 Thick-billed Kingbird 20
Thinornis rubricollis 271, 282
 Thompson, D. R. *see* Rayner, M. J. 107–116
Threskiornis molucca 281
 T. spinicollis 281
Todiramphus chloris 291, 292, 296
 T. macleayi 283, 292, 296
 T. pyrrhopygius 89
 T. sanctus 89, 283, 292, 296, 334–337, 339, 340
 Tooth-billed Bowerbird 284
 Tooth-billed Pigeon 24
 Topknot Pigeon 24, 280
 Torresian Crow 263, 285, 297
 Torresian Imperial-Pigeon 24
 toxic pitohuis in mixed-species flocks 9–16
 trawl fishing and effect on foraging seabirds 244–254
 Tree Martin 128, 185, 353, 354
 Tree Swallow 159, 160
Tregellasia capito 285
Trichoglossus chlorolepidotus 283
 T. haematodus 223, 283
Trigna nebularia 282
 T. brevipes 282
 T. stagnatilis 282
Troglodytes aedon 49, 55–58
 T. musculus 71–74
 Tropical Kingbird 20, 49
 Tuero, D. T. *see* Fiorini, V. D. 55–59
 Tufted Tit-Tyrant 20

- Tulloch, A. I. T. and Szabo, J. K. A behavioural ecology approach to understand volunteer surveying for citizen science datasets 313–325
- Turdus albicollis* 137–145
- T. amaurochalinus* 50, 52, 139
- T. flavipes* 137–145
- T. leucomelas* 139
- T. merula* 128, 189, 285
- T. rufiventris* 49, 52, 139
- Turnix castanotus* 88
- T. maculosus* 88
- T. melanogaster* 85, 88
- T. olivii* 85, 88
- T. pyrrhorostris* 88, 283
- T. varius* 88
- T. velox* 88
- Tyrannus crassirostris* 20
- T. melancholicus* 20, 49
- T. savana* 49
- T. vociferans* 20
- Tyto javanica* 89
- T. longimembris* 89
- T. novaehollandiae castanops* 354
- Underhill, L. G. *see* Sherley, R. B. 97–106
- Upland Sandpiper 48
- Vanderduys, E. P., Kutt, A. S., Perry, J. J. and Perkins, G. C. The composition of mixed-species bird flocks in northern Australian savannas 218–226
- Vanderduys, E. P. *see* Kutt, A. S. 32–38, Perry, J. J. 261–266
- Vanellus chilensis* 49
- V. miles* 88, 282
- V. tricolor* 88, 282
- Variable Pitohui 10–14
- Varied Sitella 34, 221, 223
- Varied Triller 284, 297
- Variagated Fairy-wren 34, 76, 223, 264, 284
- Vassallo, A. I. *see* Garcia, G. O. 227–233
- Vermillion Flycatcher 20, 49
- Victoria Crowned Pigeon 24
- Victoria's Riflebird 285
- vigilance in Lesser Rheas 67–70
- Villanueva, C. *see* Frixione, M. G. 174–178
- Violet-green Swallow 160
- vocal behaviour of bulbuls 199–208
- Walters, M. *see* Hume, J. P. 179–180
- Warbling Doradito 50
- Water Pipit 43
- Watson, D. M. *see* Razeng, E. 149–156
- Webb, J. *see* Webb, M. H. 181–188
- Webb, M. H., Holdsworth, M. C. and Webb, J. Nesting requirements of the endangered Swift Parrot (*Lathamus discolor*) 181–188
- Webb, M. *see* Stojanovic, D. 350–356
- Wedge-tailed Eagle 128, 263
- Weebill 34, 36, 221–223
- Welcome Swallow 258, 285
- Westcott, D. A. *see* Koetz-Trowse, A. H. 189–198
- Western Gerygone 223, 284
- Western Ground Parrot iv (112/2)
- Western Rosella 320
- Western Spinebill 320
- Western Whipbird 322
- Westland Petrel 114
- Weston, M. A., McLeod, E. M., Blumstein, D. T. and Guay, P.-J. A review of flight-initiation distances and their application to managing disturbance to Australian birds 269–286
- wetland use by waterfowl 209–217
- Whimbrel 282
- Whiskered Tern 88, 283
- Whistling Heron 49
- Whistling Kite 281
- White Tern 129
- White-backed Swallow 89
- White-banded Mockingbird 48
- White-bellied Cuckoo-shrike 220–224, 284, 297
- White-breasted Ground Pigeon 24, 29
- White-breasted Whistler 292
- White-breasted Woodswallow 285
- White-browed Babbler 150–153, 284
- White-browed Blackbird 49
- White-browed Crane 88
- White-browed Scrubwren 89, 121, 122, 128, 284
- White-browed Treecreeper 150–153, 283
- White-cheeked Honeyeater 284
- White-chinned Petrel 245, 248
- White-crested Tyrannulet 50
- White-crowned Sparrow 189
- White-eared Honeyeater 128, 284
- White-faced Heron 281
- White-faced Ibis 49
- White-fronted Chat 89, 284
- White-fronted Honeyeater 43
- White-gaped Honeyeater 296
- White-headed Pigeon 24, 280
- White-naped Honeyeater 128, 334–340
- White-necked Heron 281
- White-necked Thrush 137–145
- White-plumed Honeyeater 223, 284
- White-quilled Rock-Pigeon 24
- White-rumped Swallow 49, 160
- White-tailed Kite 50
- White-throated Gerygone 223, 284, 334, 335, 337, 339, 340
- White-throated Honeyeater 221–224, 296
- White-throated Needle-tail 128, 334, 337, 340, 335, 336
- White-throated Nightjar 88
- White-throated Pigeon 24
- White-throated Treecreeper 117, 121–123, 128, 283
- White-winged Chough 285
- White-winged Triller 34, 36, 221, 223, 263, 293, 297
- Willie Wagtail 221, 223, 263, 285, 297
- Woinarski, J., book review by 79–80
- Wolf, B. O. *see* McKechnie, A. E. i–vii
- Wompoo Fruit-Dove 23, 24
- Wonga Pigeon 24, 280
- Woolnough, A. *see* Campbell, S. 255–260
- Worthy, T. H. A phabine pigeon (Aves : Columbidae) from Oligo-Miocene Australia 23–31
- Worthy, T. H., book review by 179–180
- Xanthocephalus xanthocephalus* 43
- Xanthopsar flavus* 47
- Xolmis pyrope* 20
- Yellow Honeyeater 284
- Yellow Oriole 292, 297
- Yellow Thornbill 284
- Yellow White-eye 290, 292, 297
- Yellow-backed Chattering Lory 60
- Yellow-bellied Gerygone 10, 11, 13
- Yellow-billed Spoonbill 281
- Yellow-breasted Boatbill 10

Yellow-faced Honeyeater 128, 221, 223, 284
Yellowhead 331
Yellow-headed Blackbird 43
Yellowish Pipit 50
Yellow-legged Thrush 137–145
Yellow-rumped Thornbill 34, 221, 223, 263, 284
Yellow-tailed Black-Cockatoo 128, 283
Yellow-throated Euphonia 39
Yellow-throated Miner 34
Yellow-throated Scrubwren 284

Yellow-tufted Honeyeater 173
Zebra Finch i, ii (112/2), 34, 36, 37, 221, 223, 285
Zenaida auriculata 47, 49
 Z. macroura 24
Zonotrichia capensis 49
 Z. leucophrys 189
Zoothera heinei 285
 Z. lunulata 128, 285
Zosterops lateralis 121, 122, 128, 285
 Z. luteus 290, 292, 297