

# INDEX

Numbers prefixed by S are Astrophysical Supplement numbers

	PAGE		PAGE
Ables, J. G.—		Bertram, W. K., and Cook, J. L.—	
<i>See</i> Dickel, J. R. . . . .	379	Solution of the inverse reaction problem	
Ribes, J. C. . . . .	79	for complex potentials . . . . .	1
Afnan, I. R., and Read, J. M.—		Biggerstaff, J. A.—	
Separable representation of the		<i>See</i> Carlson, L. E. . . . .	459
nucleon–nucleon interaction in the		Bolton, J. G., and Shimmins, A. J.—	
$^3\text{S}_1$ – $^3\text{D}_1$ channel . . . . .	725	The Parkes 2700 MHz survey (fifth	
<i>T</i> -matrix perturbation theory in the		part). Catalogue for the declination	
three-nucleon bound state . . . . .	449	zone $-35^\circ$ to $-45^\circ$ . . . . .	S30
Ahmad, F.—		Abstract to S30 . . . . .	689
<i>See</i> Moss, C. E. . . . .	17	Böttcher, K.—	
Aluminium: mixing ratios of ground-		<i>See</i> Koch, R. . . . .	117
state transitions from 2.21 and 2.73		Branford, D.—	
MeV levels of $^{27}\text{Al}$ . . . . .	739	A measurement of the branching ratio	
Amos, K.—		for the gamma transitions from the	
<i>See</i> Ruzzene, F. . . . .	315	4.235 MeV level of $^{24}\text{Mg}$ . . . . .	257
Smith, R. . . . .	575	Briggs, B. H., and Vincent, R. A.—	
<i>Astronomy</i>		Some theoretical considerations on	
<i>See</i> Radio astronomy		remote probing of weakly scattering	
<i>Astrophysics</i>		irregularities . . . . .	805
Bending of photon trajectories in		Brooks, J. W.—	
gravitational fields and inhomogeneous		<i>See</i> Batchelor, R. A. . . . .	557
media . . . . .	359	Brown, R. D.—	
Collective oscillations in many electron		<i>See</i> Batchelor, R. A. . . . .	557
atoms . . . . .	597	Ribes, J. C. . . . .	79
Effects of rotation and magnetic fields		Sinclair, M. W. . . . .	85
on thermal convection . . . . .	341, 617		
Auroral substorm, cosmic radio noise		Calcium: photodisintegration of $^{40}\text{Ca}$ . . . . .	269
absorption and hydrogen emission in	225	Cannon, R. D.—	
Barber, Michael N.—		<i>See</i> Wall, J. V. . . . .	S31
Critical phenomena in systems of finite		Carbon: photodisintegration of $^{12}\text{C}$ . . . . .	269
thickness. II. Ideal Bose gas . . . . .	483	Carlson, L. E.—	
Batchelor, R. A.—		<i>See</i> Gardner, P. R. . . . .	739, 747
<i>See</i> Huchtmeier, W. K. . . . .	901	Moss, C. E. . . . .	17
Batchelor, R. A., Brooks, J. W., Godfrey,		Carlson, L. E., Najam, M. R., Davidson,	
P. D., and Brown, R. D.—		W. F., Biggerstaff, J. A., and Martin,	
A search for interstellar molecular lines		P. W.—	
in the frequency range 8.6 to 9.2 GHz	557	The placement of the 188 keV transition	
Baxter, A. M.—		in $^{70}\text{Ga}$ . . . . .	459
<i>See</i> Gardner, P. R. . . . .	739, 747	Carman, E. H.—	
Moss, C. E. . . . .	17	<i>See</i> Heeran, M. P. . . . .	797
Bell, R. A. I.—		Cashman, J. D.—	
<i>See</i> Gardner, P. R. . . . .	739, 747	MHD acceleration in the unsteady	
		expansion of a shock tube driver . . . . .	61

	PAGE		PAGE
Chen, R., and Westcott-Lewis, M. F.— Application of thermoluminescence theory to the investigation of thermo- remnant magnetization curves ..	249	Elford, M. T., and Robertson, A. G.— A note on end effects in electron drift tube experiments .. ..	685
Ciddor, P. E.— Photoelectric setting technique for fringes of equal thickness .. ..	783	Ellis, G. R. A.— An automatic dynamic spectrum analyser for video tape recorded signals .. .. .	253
Clay, R. W., McDonald, D. M., and Prescott, J. R.— The measurement of statistical properties of radio noise using pulse techniques .. .. .	551	Finlay, E. A., and Jones, B. B.— Measurements of source strengths at 29.9 MHz .. .. .	389
Cole, D. J.— See Schwarz, U. J. .. .. .	661	Fletcher, J., and Walsh, T. I.— Secondary ionization mechanisms in an $E \times B$ discharge in hydrogen .. ..	761
Wall, J. V. .. .. .	881	<i>Fluid physics</i>	
Cole, K. D.— Finite rest masses of wave quanta in inhomogeneous material media ..	359	Acceleration in unsteady expansion in shock tube .. .. .	61
Cook, J. L.— A note on inverse scattering calculations of energy-independent potentials ..	561	Critical phenomena in ideal boson film	483
See also Bertram, W. K. .. .. .	1	Diffusion of passive scalar in two- dimensional channel flow .. ..	327
Crawford, D. M.— See Koch, R. .. .. .	117	Mixing of angular momentum .. ..	607
Crompton, R. W., and Elford, M. T.— The drift velocity of electrons in oxygen at 293 K .. .. .	771	Periodic nonlinear diffusion .. ..	513
Davidson, W. F.— See Carlson, L. E. .. .. .	459	Quantum mechanical structure of helium and neon .. .. .	43
Davies, I. M.— See Mills, B. Y. .. .. .	417	Self-consistent approximation for fifth virial coefficient .. .. .	675
Davies, I. M., Little, A. G., and Mills, B. Y.— The Molonglo radio source catalogue 1	S28	Fourikis, N.— See Sinclair, M. W. .. .. .	85
Abstract to S28 .. .. .	689	Fraser, R. F.— See Spicer, B. M. .. .. .	7
Dickel, J. R.— High resolution observations of super- nova remnants at 80 MHz .. ..	369	Frederiksen, J. S., and Woolcock, W. S.— Singularities of the triangle diagram vertex function .. .. .	691
Dickel, J. R., and Milne, D. K.— <i>Corrigendum to:</i> Classification of super- nova remnants and HII regions from their recombination line emission ..	267	Gallium: 188 keV transition in $^{70}\text{Ga}$ ..	459
Dickel, J. R., Milne, D. K., Kerr, A. R., and Ables, J. G.— 8.8 GHz radio observations of 12 suggested supernova remnants ..	379	Gardner, P. R.— See Moss, C. E. .. .. .	17
Dorman, F. H.— Runge solution of the continuum equations for spherical electrostatic plasma probes .. .. .	261	Gardner, P. R., Baxter, A. M., Bell, R. A. I., Carlson, L. E., Kean, D. C., Ophel, T. R., and Spear, R. H.— Polarization studies of ground-state radiation from the 2.21 and 2.73 MeV levels of $^{27}\text{Al}$ .. .. .	739
Elford, M. T.— See Crompton, R. W. .. .. .	771	Gardner, P. R., Kean, D. C., Spear, R. H., Baxter, A. M., Bell, R. A. I., and Carlson, L. E.— Spin-parity combinations in $^{32}\text{S}$ ..	747
		<i>Gaseous electronics</i>	
		Anisotropic diffusion and Townsend- Huxley experiment .. .. .	469
		Conjecture on diffusion of gaseous ions	897
		Electron drift velocity in air .. ..	427

	PAGE		PAGE
<i>Gaseous electronics</i>		<i>Ionosphere</i>	
Electron drift velocity in oxygen ..	771	Correlations between presence of spread	
End effects in drift tube experiments ..	685	<i>F</i> and transequatorial propagation ..	521
Mobility and diffusion .. ..	157, 187	Correlations between SID and trans-	
Mobility of ions in gas mixtures ..	203	equatorial radio propagation .. ..	797
Secondary ionization mechanisms in		<i>D</i> -region drifts during winter .. ..	645
<i>E</i> × <i>B</i> discharge in hydrogen .. ..	761	Interpretation of scattering .. ..	815
Theory of diffusing electron stream ..	135	Remote probing of irregularities ..	805
Godfrey, P. D.—		Jacka, F.—	
<i>See</i> Batchelor, R. A. .. ..	557	<i>See</i> Kilfoyle, B. P. .. ..	225
Ribes, J. C. .. ..	79	James, M. K.—	
Sinclair, M. W. .. ..	85	<i>See</i> Seymour, P. W. .. ..	123
Gopala Rao, R. V., and Narasimha		Jones, B. B.—	
Swamy, K.—		The Carina nebula at 30 MHz .. ..	545
Self-consistent approximation and fifth		<i>See also</i> Finlay, E. A. .. ..	389
virial coefficients for a square well		Joshua, S. J., and Morgan, D.—	
potential .. ..	675	Solution of secular determinants for	
Guttmann, A. J., and Sykes, M. F.—		group IV and III-V semiconductors by	
Numerical study of a conjecture in the		symmetry analysis .. ..	501
self-avoiding random walk problem ..	207	Jupiter, spectrum of 15–17 MHz bursts in	253
Heat: effects of rotation and magnetic		Kean, D. C.—	
fields on convection .. ..	341, 617	<i>See</i> Gardner, P. R. .. ..	739, 747
Heeran, M. P., and Carman, E. H.—		Kerr, A. R.—	
Transequatorial v.h.f. transmissions and		<i>See</i> Dickel, J. R. .. ..	379
solar-related phenomena .. ..	797	Kilfoyle, B. P., and Jacka, F.—	
Helium, mobility of potassium ions in ..	187	Cosmic radio noise absorption and	
Helium, quantum fluid structure of ..	43	hydrogen emission in the auroral	
Helium abundances in galactic HII		substorm .. ..	225
regions .. ..	901	Klemm, A. D., and Storer, R. G.—	
Hicks, R. S., and Spicer, B. M.—		The structure of quantum fluids:	
The dynamic collective model		helium and neon .. ..	43
interpretation of the photoneutron		Koch, R., Crawford, D. M., Böttcher, K.,	
cross section of <sup>181</sup> Ta .. ..	585	and Thies, H. H.—	
Higgins, C. S.—		Self-consistent transformation of	
<i>See</i> Slee, O. B. .. ..	S27	bremsstrahlung to monochromatic	
Hosking, R. J.—		photoneutron mean energies of non-	
<i>Corrigendum to:</i> Hydromagnetic		Maxwellian neutron spectra .. ..	117
stability of thin self-gravitating disks		Kumar, Kailash—	
and spiral structure .. ..	903	<i>See</i> Robson, R. E. .. ..	187
Hoskins, D. G.—		Kumar, Kailash, and Robson, R. E.—	
<i>See</i> Murdoch, H. S. .. ..	867	Mobility and diffusion. I. Boltzmann	
Huchtmeier, W. K., and Batchelor, R. A.—		equation treatment for charged	
Helium abundances in four galactic		particles in a neutral gas .. ..	157
HII regions from radio recombination		Lai, C. S., and Lo, S. Y.—	
line observations .. ..	901	Possible consequences of the quark	
Huxley, L. G. H.—		model for fragmentation processes ..	291
On the theory of the diffusing electron		Lal, K. B.—	
stream in a gas .. ..	135	<i>See</i> Mukherji, Shankar .. ..	279, 903
Interferometers, photoelectric scanning,		Little, A. G.—	
setting technique for fringes of equal		<i>See</i> Davies, I. M. .. ..	S28
thickness with .. ..	783		

	PAGE		PAGE
Lo, S. Y.—		Mukherji, Shankar, Lal, K. B., and	
See Lai, C. S. . . . .	291	Sharma, Tejasvi—	
Lowke, J. J.—		Calculation of the prompt gamma	
Anisotropic diffusion and the Townsend—		energy of individual fission fragments	
Huxley experiment . . . . .	469	from the prompt neutron numbers . . . . .	279, 903
McDonald, D. M.—		Murdoch, H. S., and Hoskins, D. G.—	
See Clay, R. W. . . . .	551	Spectra for 107 radio sources selected	
McKellar, B. H. J.—		at 408 MHz . . . . .	867
See Steketee, C. F. . . . .	25	Murphy, J. O.—	
McNamara, L. F.—		See Van der Borgh, R. . . . .	341, 617
Evening-type transequatorial propa-			
gation on Japan–Australia circuits . . . . .	521	Najam, M. R.—	
Magnesium: branching ratio for 4·235		See Carlson, L. E. . . . .	459
MeV level of $^{24}\text{Mg}$ . . . . .	257	Narasimha Swamy, K.—	
Manton, M. J.—		See Gopala Rao, R. V. . . . .	675
A note on the mixing of angular		Neon, mobility of potassium ions in . . . . .	187
momentum in a neutrally buoyant		Neon, quantum fluid structure of . . . . .	43
fluid . . . . .	607	Nersessian, S. E.—	
Diffusion of a passive scalar in a two-		See Tovmassian, H. M. . . . .	843, 853, 861
dimensional channel flow . . . . .	327	Nicholson, A. F.—	
Marinoff, G. M.—		Elimination of primitive divergents	
“Parallel” viscous modification of the		from field theory by means of complex	
resistive “tearing” instability in a		coupling constants . . . . .	703
cylindrical model of the hard-core			
pinch . . . . .	679	<i>Nuclear physics</i>	
Martin, P. W.—		Analysis of (d, p $\gamma$ ) reactions . . . . .	25
See Carlson, L. E. . . . .	459	Branching ratio for 4·235 MeV level of	
Mason, D. P.—		$^{24}\text{Mg}$ . . . . .	257
The Vlasov–Maxwell operators in self-		Calculation of prompt $\gamma$ -ray energy of	
adjoint form . . . . .	301	individual fission fragments . . . . .	279, 903
Melrose, D. B.—		Decay schemes in $^{32}\text{S}$ . . . . .	17
Coherent gyromagnetic emission as a		Dipole states of mass-11 nuclei . . . . .	7
radiation mechanism . . . . .	229	Dynamic collective model interpretation	
Mills, B. Y.—		of photoneutron cross section of $^{181}\text{Ta}$ . . . . .	585
See Davies, I. M. . . . .	S28	Elimination of primitive divergents from	
Mills, B. Y., Davies, I. M., and		field theory . . . . .	703
Robertson, J. G.—		Finite deformations of nucleus . . . . .	433
Radio source counts at 408 MHz . . . . .	417	Inelastic scattering to 2 $^-$ state in $^{16}\text{O}$	
Milne, D. K.—		via nonlocal interaction . . . . .	315
See Dickel, J. R. . . . .	267, 379	Inelastic scattering to 2 $^+$ state in $^{54}\text{Fe}$ . . . . .	575
Monaghan, J. J.—		Interpretation of $\gamma$ -ray measurements	
Collective oscillations in many electron		from photodisintegration of $^{12}\text{C}$ , $^{16}\text{O}$ ,	
atoms. I. Eigenvalues and polariz-		and $^{40}\text{Ca}$ . . . . .	269
ation . . . . .	597	Inverse scattering calculations of	
Morgan, D.—		energy-independent potentials . . . . .	561
See Joshua, S. J. . . . .	501	Nucleon–nucleon interaction in $^3\text{S}_1$ – $^3\text{D}_1$	
Morris, D.—		channel . . . . .	725
See Schwarz, U. J. . . . .	661	188 keV transition in $^{70}\text{Ga}$ . . . . .	459
Moss, C. E., Spear, R. H., Ahmad, F.,		Polarization studies of ground-state	
Baxter, A. M., Carlson, L. E., and		radiation from 2·21 and 2·73 MeV	
Gardner, P. R.—		levels of $^{27}\text{Al}$ . . . . .	739
Gamma ray decay schemes of levels at		Possible consequences of quark model	
intermediate energies in $^{32}\text{S}$ . . . . .	17	for fragmentation . . . . .	291
		Possible polarization measurement for	
		$\bar{\text{p}}\text{p}$ reaction . . . . .	265

	PAGE		PAGE
<i>Nuclear physics</i>		<i>Radio astronomy</i>	
Resonance angular distributions in nucleon-antinucleon scattering and annihilation .. .. .	441	Culgoora-1 list of sources at 80 MHz ..	S27
Singularities of triangle diagram vertex function .. .. .	691	Abstract to S27 .. .. .	115
Solution of inverse reaction problem ..	1	Detection of thioformaldehyde in Sgr B2 .. .. .	85
Spin-parity combinations in $^{32}\text{S}$ ..	747	Flux densities at 29.9 MHz .. ..	389
$T$ -matrix perturbation theory in three- nucleon bound state .. .. .	449	Helium abundances in galactic HII regions from recombination line observations .. .. .	901
Transformation of photoneutron data ..	117	High resolution observations of super- nova remnants at 80 MHz .. ..	369
Wave equation for two particles of arbitrary spin .. .. .	567	Hydrogen content of young stellar clusters .. .. 829, 837, 843, 853, 861	
OpheI, T. R.—		Molonglo source catalogue 1 .. ..	S28
See Gardner, P. R. .. .. .	739	Abstract to S28 .. .. .	689
Oxygen: photodisintegration of $^{16}\text{O}$ ..	269	Observations of formamide at 6 cm in Sgr B2 .. .. .	79
Peaslee, D. C.—		Observations of 12 suggested supernova remnants at 8.8 GHz .. .. .	379
Possible polarization measurement for $\bar{p}p \rightarrow \bar{K}K, \pi^+ \pi^-$ reaction .. ..	265	Optical identifications from the Parkes 2700 MHz survey .. .. .	S31
Peaslee, D. C., and Rosalky, D. M.—		Abstract to S31 .. .. .	904
A note on resonance angular distri- butions with application to nucleon- antinucleon scattering and annihilation	441	Parkes 2700 MHz survey .. .. .	S30
Philip, J. R.—		Abstract to S30 .. .. .	689
Periodic nonlinear diffusion: an integral relation and its physical consequences	513	Search for interstellar molecular lines at 8.6 to 9.2 GHz .. .. .	557
<i>Plasma physics</i>		Solar moving type IV sources .. ..	S29
Application of hydromagnetic energy principle .. .. .	123	Abstract to S29 .. .. .	689
Coherent gyromagnetic emission .. ..	229	Source counts at 408 MHz .. ..	417
Parallel viscous modification of resistive "tearing" instability in hard- core pinch .. .. .	679	Spectra for sources selected at 408 MHz	867
Runge solution of continuum equations for spherical probes .. .. .	261	Structures of extragalactic sources at 5000 MHz .. .. .	881
Vlasov-Maxwell operators in self- adjoint form .. .. .	301	Synthesis observations of southern sources at 1410 MHz .. .. .	661
Potassium ions in helium and neon, mobility of .. .. .	187	Radio noise, measurement of statistical properties of .. .. .	551
Prescott, J. R.—		Read, J. M.—	
See Clay, R. W. .. .. .	551	See Afnan, I. R. .. .. .	449, 725
Quantum field theory, elimination of primitive divergents from .. ..	703	Rees, J. A.—	
<i>Radio astronomy</i>		Electron drift velocities in air .. ..	427
Accurate flux densities at 8.87 GHz ..	93	Ribes, J. C.—	
All-sky catalogue of strong sources at 408 MHz .. .. .	403	See Sinclair, M. W. .. .. .	85
Automatic dynamic spectrum analyser for video tape recorded signals ..	253	Ribes, J. C., Ables, J. G., Godfrey, P. D., and Brown, R. D.—	
Carina nebula at 30 MHz .. ..	545	Observations of formamide at 6 cm in Sagittarius B2 .. .. .	79
		Robertson, A. G.—	
		See Elford, M. T. .. .. .	685
		Robertson, J. G.—	
		An all-sky catalogue of strong radio sources at 408 MHz .. .. .	403
		See also Mills, B. Y. .. .. .	417
		Robinson, B. J.—	
		See Sinclair, M. W. .. .. .	85

- |   | PAGE          |  | PAGE     |
|---|---------------|--|----------|
| Robson, R. E.—                                |               | Smith, R., and Amos, K.—                                       |          |
| Mobility of ions in gas mixtures ..           | 203           | An analysis of inelastic scattering to the                     |          |
| <i>See also</i> Kumar, Kailash ..             | 157           | $2^+$ state in $^{54}\text{Fe}$ at 1.409 MeV ..                | 575      |
| Robson, R. E., and Kumar, Kailash—            |               | <i>Solid state physics</i>                                     |          |
| Mobility and diffusion. II. Dependence        |               | Application of thermoluminescence                              |          |
| on experimental variables and inter-          |               | theory to thermoremanent magnetiz-                             |          |
| action potential for alkali ions in rare      |               | ation .. .. .  | 249      |
| gases .. .. .                                 | 187           | Bloch equations for local moment e.s.r.                        |          |
| Rosalky, D. M.—                               |               | in metals .. .. .  | 475      |
| <i>See</i> Peaslee, D. C. .. .. .             | 441           | Infrared active two-phonon processes in                        |          |
| Ruzzene, F., and Amos, K.—                    |               | cubic ZnS .. .. .  | 111      |
| Direct reaction inelastic scattering to the   |               | Model for lattice dynamics of alkali                           |          |
| $2^-$ state of $^{16}\text{O}$ via a nonlocal |               | halides .. .. .  | 217      |
| interaction .. .. .                           | 315           | Solution of secular determinants for                           |          |
| Sagittarius B2, detection of formamide        |               | semiconductors by symmetry analysis                            | 501      |
| and thioformaldehyde in ..                    | 79, 85        | Study of conjecture in self-avoiding                           |          |
| Schmahl, E. J.—                               |               | random walk .. .. .  | 207      |
| Catalogue of nine moving type IV radio        |               | Spear, R. H.—  |          |
| sources observed with the Culgoora            |               | <i>See</i> Gardner, P. R. .. .. .                              | 739, 747 |
| radioheliograph .. .. .                       | S29           | Moss, C. E. .. .. .  | 17       |
| Abstract to S29 .. .. .                       | 689           | Spicer, B. M.—   |          |
| Schwarz, U. J., Cole, D. J., and Morris,      |               | An interpretation of de-excitation                             |          |
| D.—   |               | gamma ray measurements following                               |          |
| Synthesis observations of southern            |               | the photodisintegration of $^{12}\text{C}$ , $^{16}\text{O}$ , |          |
| radio sources at 1410 MHz with the            |               | and $^{40}\text{Ca}$ .. .. .                                   | 269      |
| Parkes interferometer. I. Instrument,         |               | <i>See also</i> Hicks, R. S. .. .. .                           | 585      |
| reduction, and preliminary results ..         | 661           | Spicer, B. M., and Fraser, R. F.—                              |          |
| Seymour, P. W., and James, M. K.—             |               | The dipole states of mass-11 nuclei ..                         | 7        |
| Application of the hydromagnetic              |               | Srivastava, S. P.—   |          |
| energy principle to a plasma between          |               | Infrared active two-phonon processes in                        |          |
| electrodes .. .. .                            | 123           | cubic ZnS .. .. .  | 111      |
| Shahbazzian, E. T.—                           |               | Steketee, C. F., and McKellar, B. H. J.—                       |          |
| <i>See</i> Tovmassian, H. M. ..               | 837, 843, 853 | Analysis of (d, p $\gamma$ ) reactions .. ..                   | 25       |
| Sharma, Tejasvi—                              |               | Storer, R. G.—   |          |
| <i>See</i> Mukherji, Shankar .. ..            | 279, 903      | <i>See</i> Klemm, A. D. .. .. .                                | 43       |
| Shimmings, A. J.—                             |               | Stubbs, T. J., and Vincent, R. A.—                             |          |
| <i>See</i> Bolton, J. G. .. .. .              | S30           | Studies of <i>D</i> -region drifts during the                  |          |
| Shimmings, A. J., and Wall, J. V.—            |               | winters of 1970–72 .. .. .                                     | 645      |
| Accurate flux densities at 8.87 GHz of        |               | Sulphur: $\gamma$ -ray decay schemes in $^{32}\text{S}$ ..     | 17       |
| 195 radio sources .. .. .                     | 93            | Sulphur: spin–parity combinations in $^{32}\text{S}$           | 747      |
| Sinclair, M. W., Fourikis, N., Ribes, J. C.,  |               | Sun: catalogue of moving type IV sources                       | S29      |
| Robinson, B. J., Brown, R. D., and            |               | Abstract to S29 .. .. .  | 689      |
| Godfrey, P. D.—                               |               | Sykes, M. F.—  |          |
| Detection of interstellar thioformalde-       |               | <i>See</i> Guttman, A. J. .. .. .                              | 207      |
| hyde .. .. .                                  | 85            | Tam, Kwong-Chuen—  |          |
| Slee, O. B., and Higgins, C. S.—              |               | Quantum-mechanical wave equation for                           |          |
| Culgoora-1 list of radio source               |               | two particles of arbitrary spin with                           |          |
| measurements at 80 MHz .. ..                  | S27           | instantaneous interaction .. ..                                | 567      |
| Abstract to S27 .. .. .                       | 115           | Tantalum: photoneutron cross section of                        |          |
| Smith, D. A.—                                 |               | $^{181}\text{Ta}$ .. .. .                                      | 585      |
| A simple derivation of the Bloch              |               | Tassie, L. J.—   |          |
| equations for localized moment e.s.r.         |               | Finite deformations of the nucleus ..                          | 433      |
| in metals in the presence of anisotropy       | 475           |  |          |

	PAGE		PAGE
Thies, H. H.—		Vincent, R. A.—	
<i>See</i> Koch, R. . . . .	117	The interpretation of some observations	
Tovmassian, H. M.—		of radio waves scattered from the lower	
Hydrogen content of young stellar		ionosphere . . . . .	815
clusters. I. Observations and method		<i>See also</i> Briggs, B. H. . . . .	805
of reduction . . . . .	829	Stubbs, T. J. . . . .	645
Tovmassian, H. M., and Nersessian, S. E.—			
Hydrogen content of young stellar		Wall, J. V.—	
clusters. V. Clusters NGC 6604, 6611,		<i>See</i> Shimmmins, A. J. . . . .	93
and 6823 . . . . .	861	Wall, J. V., and Cannon, R. D.—	
Tovmassian, H. M., Nersessian, S. E., and		Optical identifications from the Parkes	
Shahbazian, E. T.—		2700 MHz survey: the 03 <sup>h</sup> , 19 <sup>h</sup> , and	
Hydrogen content of young stellar		23 <sup>h</sup> zones, declinations $-33^{\circ}$ to $-75^{\circ}$ . . . . .	S31
clusters. IV. Clusters NGC 6231, 6383,		Abstract to S31 . . . . .	904
6514, and 6531 . . . . .	853	Wall, J. V., and Cole, D. J.—	
Tovmassian, H. M., and Shahbazian, E. T.—		The structures of some extragalactic	
Hydrogen content of young stellar		sources at 5000 MHz . . . . .	881
clusters. II. Clusters NGC 2175, 2264,		Wallace, D. C.—	
2353, and 2362 . . . . .	837	A new model for the lattice dynamics of	
Tovmassian, H. M., Shahbazian, E. T., and		alkali halides . . . . .	217
Nersessian, S. E.—		Walsh, T. I.—	
Hydrogen content of young stellar		<i>See</i> Fletcher, J. . . . .	761
clusters. III. Clusters NGC 3293, 6167,		Wannier, Gregory H.—	
6193, 6200, and 6204 . . . . .	843	On a conjecture about diffusion of	
		gaseous ions . . . . .	897
Van der Borgh, R., and Murphy, J. O.—		Westcott-Lewis, M. F.	
The combined effect of rotation and		<i>See</i> Chen, R. . . . .	249
magnetic field on finite-amplitude		Woolcock, W. S.—	
thermal convection . . . . .	617	<i>See</i> Frederiksen, J. S. . . . .	691
The effect of rotation on nonlinear			
thermal convection . . . . .	341	Zinc sulphide, cubic, infrared active two-	
		phonon processes in . . . . .	111

