

Supplementary Material

Empirical treatment of asymptomatic contacts of gonorrhoea: patient views

Ruthy McIver^{A,D}, *Sheina Low*^B, *Rick Varma*^{A,C}, *Tobias Vickers*^{A,C} and *Anna McNulty*^{A,B}

^ASydney Sexual Health Centre, Nightingale Wing, Sydney Eye Hospital, 8 Macquarie Street, Sydney, NSW 2000, Australia.

^BSchool of Public Health and Community Medicine, UNSW, Sydney, NSW 2052, Australia.

^CThe Kirby Institute, UNSW, Sydney, NSW 2052, Australia.

^DCorresponding author. Email: ruthy.mciver@health.nsw.gov.au

Figure S1. Patient level of agreement for gonorrhoea treatment when being a contact, overall.

Figure S2. Patient level of agreement for gonorrhoea treatment when being a contact, by sexual preference.

Figure S3. Patient level of agreement for gonorrhoea treatment when being a contact, by region of birth.

Figure S4. Patient level of agreement for gonorrhoea treatment when being a contact, by postcode region.

Figure S5. Patient level of agreement for gonorrhoea treatment when being a contact, by indigenous status.

Figure S6. Patient level of agreement for gonorrhoea treatment when being a contact, by PrEP status.

Figure S7. Patient level of agreement for gonorrhoea treatment when being a contact, by clinic engagement.

Figure S8. Patient level of agreement for gonorrhoea treatment when being a contact, by contact status at point of care.

Figure S9. Patient level of agreement for gonorrhoea treatment when being a contact, by historical contact status.


Figure S10. Patient level of agreement for gonorrhoea treatment when being a contact, by diagnosis of gonorrhoea in the past 12 months.

Figure S11. Patient level of agreement for gonorrhoea treatment when being a contact, by current gonorrhoea diagnosis.


Figure S12. Patient level of agreement for gonorrhoea treatment when being a contact, by presentation.

Figure S13. Patient level of agreement for gonorrhoea treatment when being a contact, by arrival to Australia.

Patient level of agreement for gonorrhoea treatment when being a contact, overall




Patient level of agreement for gonorrhoea treatment when being a contact, by sexual preference



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree


Patient level of agreement for gonorrhoea treatment when being a contact, by region of birth



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree


Patient level of agreement for gonorrhoea treatment when being a contact, by postcode region



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree


Patient level of agreement for gonorrhoea treatment when being a contact, by indigenous status



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree


Patient level of agreement for gonorrhoea treatment when being a contact, by PrEP status



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree


Patient level of agreement for gonorrhoea treatment when being a contact, by clinic engagement



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree


Patient level of agreement for gonorrhoea treatment when being a contact, by contact status at point of care



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree


Patient level of agreement for gonorrhoea treatment when being a contact, by historical contact status



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree


Patient level of agreement for gonorrhoea treatment when being a contact, by diagnosis of gonorrhoea in the past 12 months



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree


Patient level of agreement for gonorrhoea treatment when being a contact, by current gonorrhoea diagnosis



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree


Patient level of agreement for gonorrhoea treatment when being a contact, by presentation



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree

Patient level of agreement for gonorrhoea treatment when being a contact, by arrival to Australia



Likert Scale

- Strongly Agree
- Agree
- Neutral
- Disagree
- Strongly Disagree