

[10.1071/SR23205](https://doi.org/10.1071/SR23205)

Soil Research

Supplementary Material

Physical properties and organic carbon in no-tilled agricultural systems in silty Pampas soils of Argentina

Guillermo Ezequiel Peralta^A, Rodolfo Cesáreo Gil^B, María Belén Agosti^C, Carina Rosa Álvarez^{D,}, and Miguel Ángel Taboada^D*

^AAgreement FAUBA-AAPRESID, Avenida San Martín 4453, Ciudad Autónoma de Buenos Aires C1417DSE, Argentina. Email: guillermoeperalta@gmail.com


^BChacras AAPRESID Program, Ciudad Autónoma de Buenos Aires, Argentina.

^CChacra Pergamino INTA- AAAPRESID, Ciudad Autónoma de Buenos Aires, Argentina.

^DUniversidad de Buenos Aires, Facultad de Agronomía, Avenida San Martín 4453, Ciudad Autónoma de Buenos Aires C1417DSE, Argentina.

*Correspondence to: Carina Rosa Álvarez Universidad de Buenos Aires, Facultad de Agronomía, Avenida San Martín 4453, Ciudad Autónoma de Buenos Aires C1417DSE, Argentina Email: alvarezc@agro.uba.ar

Supplementary Figure S1. Images showing clods of different sizes resulting from the modified fragmentation test, arranged (a through f) according to the decreasing presence of smaller clods (<0.05 m), and increasing presence of larger clods (> 0.1 m).



Supplementary Figure S2. Presence of platy structure in the top 0.2 m soil depth, arranged (a through f) according to their increasing development.

