

10.1071/WF18044_AC

© CSIRO 2018

Supplementary Material: *International Journal of Wildland Fire*, 2018, 27(7), 490–497.

Supplementary Material

An experimental assessment of the impact of drought and fire on western larch injury, mortality and recovery

Aaron M. Sparks^{A,C}, Alan F. Talhelm^A, Raquel Partelli Feltrin^A, Alistair M. S. Smith^A, Daniel M. Johnson^B, Crystal A. Kolden^A and Luigi Boschetti^A

^ACollege of Natural Resources, University of Idaho, Moscow, ID 83844, USA.

^BWarnell School of Forestry and Natural Resources, University of Georgia, Athens, GA 30602, USA.

^CCorresponding author. Email: asparks@uidaho.edu




Fig. S1. Midday water potential (Ψ_{midday} , units: MPa) of *Larix* groups post-fire treatment, with annotations marking significant timepoints (T1-3). Timepoints are as follows: T1 – Severe-water-stress *Larix* treatment start; T2 – severe-water-stress *Larix* are subjected to fire treatment, moderate-water-stress *Larix* treatment start; T3 – low and moderate-water-stress *Larix* are subjected to fire treatment. Error bars represent standard error ($n = 3$). Mean vapour pressure deficit (VPD, units: kPa) (solid black line) and max VPD (dotted black line) are also shown.