

[10.1071/WR22065](https://doi.org/10.1071/WR22065)

*Wildlife Research*

### Supplementary Material

**Avian assemblages are maintained after aerial applications of ULV fenitrothion for control of the Australian plague locust (*Chortoicetes terminifera* (Walker)) in arid and semiarid agroecosystems**

*Paul Story<sup>A,\*</sup>, and Kris French<sup>B</sup>*

<sup>A</sup>Australian Plague Locust Commission, Department of Agriculture, Fisheries and Forestry, GPO Box 858, Canberra, ACT 2601, Australia.

<sup>B</sup>Centre for Sustainable Ecosystem Solutions, University of Wollongong, Northfields Avenue, Wollongong, NSW 2522, Australia.

\*Correspondence to: Paul Story Australian Plague Locust Commission, Department of Agriculture, Fisheries and Forestry, GPO Box 858, Canberra, ACT 2601, Australia Email: Paul.Story@agriculture.gov.au

**Appendix 1:** Avian species lists for all sites included in the study.

‘Arrowbar’		‘Booroolan’		‘Caranya’		‘Sylvanham’	
Common name	Species name	Common name	Species name	Common name	Species name	Common name	Species name
Apostlebird	<i>Struthidea cinerea</i>	Australian kestrel	<i>Falco cenchriodes</i>	Australian magpie	<i>Gymnorhina tibicen</i>	Australian kestrel	<i>Falco cenchriodes</i>
Australian hobby	<i>Falco longipennis</i>	Australian magpie	<i>Gymnorhina tibicen</i>	Australian raven	<i>Corvus coronoides</i>	Australian magpie	<i>Gymnorhina tibicen</i>
Australian kestrel	<i>Falco cenchriodes</i>	Australian magpie lark	<i>Grallina cyanoleuca</i>	Banded lapwing	<i>Vanellus tricolor</i>	Australian magpie lark	<i>Grallina cyanoleuca</i>
Australian magpie	<i>Gymnorhina tibicen</i>	Australian raven	<i>Corvus coronoides</i>	Black kite	<i>Milvus migrans</i>	Australian raven	<i>Corvus coronoides</i>
Australian magpie lark	<i>Grallina cyanoleuca</i>	Australian white ibis	<i>Threskiornis aethiopica</i>	Black-faced cuckoo-shrike	<i>Coracina novaehollandiae</i>	Australian white ibis	<i>Threskiornis aethiopica</i>
Black kite	<i>Milvus migrans</i>	Black kite	<i>Milvus migrans</i>	Blue bonnet	<i>Northiella haematogaster</i>	Blackbird	<i>Turdus merula</i>
Black-faced cuckoo-shrike	<i>Coracina novaehollandiae</i>	Blackbird	<i>Turdus merula</i>	Brown falcon	<i>Falco berigora</i>	Blue bonnet	<i>Northiella haematogaster</i>
Blue bonnet	<i>Northiella haematogaster</i>	Clamorous reed-warbler	<i>Acrocephalus stentoreus</i>	Brown songlark	<i>Cinclorhamaphus cruralis</i>	Brown falcon	<i>Falco berigora</i>
Brown songlark	<i>Cinclorhamaphus cruralis</i>	Galah	<i>Cacatua roseicapilla</i>	Budgerigar	<i>Melopsittacus undulatus</i>	Brown treecreeper	<i>Climacteris picumnus</i>
Brown treecreeper	<i>Climacteris picumnus</i>	Little Raven	<i>Corvus mellori</i>	Cockatiel	<i>Leptolophus hollandicus</i>	Crested pigeon	<i>Geophaps lophotes</i>
Brown-backed honeyeater	<i>Ramsayornis modestus</i>	Masked woodswallow	<i>Artamus personatus</i>	Common bronzewing	<i>Phaps chalcoptera</i>	Diamond dove	<i>Geopelia cuneata</i>
Budgerigar	<i>Melopsittacus undulatus</i>	Straw-necked ibis	<i>Threskiornis aethiopica</i>	Corvid	<i>Corvus spp.</i>	Feral pigeon	<i>Columba livia</i>
Cockateil	<i>Leptolophus hollandicus</i>	Tree martin	<i>Hirundo nigricans</i>	Crested pigeon	<i>Geophaps lophotes</i>	Galah	<i>Cacatua roseicapilla</i>
Corvid	<i>Corvus spp.</i>	Wedge-tailed eagle	<i>Aquila audax</i>	Crimson chat	<i>Ephthianura tricolor</i>	Little raven	<i>Corvus mellori</i>
Crested bellbird	<i>Oreoica gutturalis</i>	White-browed woodswallow	<i>Artamus superciliosus</i>	Diamond dove	<i>Geopelia cuneata</i>	Mallee ringneck	<i>Barnardius barnardi</i>
Crested pigeon	<i>Geophaps lophotes</i>	White-faced heron	<i>Ardea novaehollandiae</i>	Fairy martin	<i>Hirundo ariel</i>	Masked woodswallow	<i>Artamus personatus</i>
Diamond dove	<i>Geopelia cuneata</i>			Flock bronzewing	<i>Phaps histrionica</i>	Noisy miner	<i>Manorina melanocephala</i>
Dusky woodswallow	<i>Artamus cyanopterus</i>			Galah	<i>Cacatua roseicapilla</i>	Peaceful dove	<i>Geopelia placida</i>
Emu	<i>Dromaius novaehollandiae</i>			Ground cuckoo-shrike	<i>Coracina maxima</i>	Pink cockatoo	<i>Cacatua leadbeateri</i>
Freckled duck	<i>Stictonetta naevosa</i>			Jacky winter	<i>Microeca leucophaea</i>	Straw-necked ibis	<i>Threskiornis aethiopica</i>

Galah	<i>Cacatua roseicapilla</i>	Little corella	<i>Cacatua pastinator</i>	White-browed woodswallow	<i>Artamus superciliosus</i>
Hardhead	<i>Aythya australis</i>	Little grassbird	<i>Megalurus gramineus</i>		
Jacky winter	<i>Microeca leucophaea</i>	Pacific heron	<i>Ardea pacifica</i>		
Mallee ringneck	<i>Barnardius barnardi</i>	Rainbow bee-eater	<i>Merops ornatus</i>		
Mulga parrot	<i>Psephotus varius</i>	Richard's pipit	<i>anthus novaeseelandiae</i>		
Musk lorikeet	<i>Glossopsitta concinna</i>	Rufous songlark	<i>Cinclorhamphus mathewsi</i>		
Noisy miner	<i>Manorina melanocephala</i>	Singing bushlark	<i>Mirafra javanica</i>		
Peaceful dove	<i>Geopelia placida</i>	Straw-necked ibis	<i>Threskiornis aethiopica</i>		
Pink cockatoo	<i>Cacatua leadbeateri</i>	Stubble quail	<i>Coturnix pectoralis</i>		
Rainbow bee-eater	<i>Merops ornatus</i>	Variiegated fairy-wren	<i>Malurus lamberti</i>		
Rainbow lorikeet	<i>Trichoglossus haematodus</i>	Wedge-tailed eagle	<i>Aquila audax</i>		
Red-rumped parrot	<i>Psephotus haematonotus</i>	Whistling kite	<i>Milvus sphenurus</i>		
Rufous whistler	<i>Pachycephala rufiventris</i>	White-backed swallow	<i>Cheramoeca leucosternum</i>		
Stubble quail	<i>Coturnix pectoralis</i>	White-browed woodswallow	<i>Artamus superciliosus</i>		
Tree martin	<i>Hirundo nigricans</i>	White-plumed honeyeater	<i>Lichenostomus penicillatus</i>		
Wedge-tailed eagle	<i>Aquila audax</i>	White-winged fairy-wren	<i>Malurus leucopterus</i>		
White-breasted woodswallow	<i>Artamus personatus</i>	Willie wagtail	<i>Rhipidura leucophrys</i>		
White-plumed honeyeater	<i>Lichenostomus penicillatus</i>	Yellow chat	<i>Ephthianura crocea</i>		
White-winged triller	<i>Lalage tricolor</i>	Zebra finch	<i>Taeniopygia guttata</i>		
Willie wagtail	<i>Rhipidura leucophrys</i>				
Yellow-throated miner	<i>Manorina flavigula</i>				